BPS STERILE COMPOUNDING PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://bpssterilecompounding.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which element is NOT part of the stability evaluation for compounded sterile preparations?**

   A. Final concentration

   B. Container type

   C. Duration of compounding

   D. Ingredients

2. **What is the classification of the air in a Compounding Aseptic Isolator (CAI)?**

   A. ISO 5 or better

   B. ISO 6 or better

   C. ISO 7 or better

   D. ISO 8 or better

3. **How often must media fill testing be conducted for high risk compounded sterile preparations?**

   A. Annually

   B. Every 6 months

   C. Every 3 months

   D. Biannually

4. **Which practice is essential for handling hazardous drugs?**

   A. Using non-sterile gloves

   B. Wearing chemo gloves

   C. Only using surgical masks

   D. Minimal handling is required

5. **Why is documentation critical in the compounding process?**

   A. To enhance the aesthetics of the product

   B. To ensure accurate billing and insurance claims

   C. For traceability, accountability, and regulatory compliance

   D. To provide training materials for new staff

SAMPLE

6. Where must hazardous drugs (HDs) be stored according to USP 797?

A. In any cleanroom environment

B. In a separate area to prevent contamination

C. Alongside other pharmaceuticals

D. In a cold storage unit

7. What is the primary goal of risk assessment in sterile compounding?

A. To identify potential hazards and minimize the risk of contamination

B. To educate staff on errors in compounding

C. To assess financial risks associated with compounding

D. To ensure all medications are correctly labeled

8. What is the maximum storage period for high risk CSPs at controlled room temperature in the absence of sterility tests?

A. 12 hours

B. 24 hours

C. 48 hours

D. 72 hours

9. Which of these methods is suitable for sterilization in a Compounding Environment?

A. Only chemical methods

B. Steam, dry heat, and chemical methods

C. Only steam methods

D. No sterilization methods are required

10. What is the volume range for a small volume parenteral?

A. Less than 50 mL

B. Less than 250 mL

C. 250 mL to 500 mL

D. Greater than 500 mL

SAMPLE

Answers

SAMPLE

1. C
2. A
3. B
4. B
5. C
6. B
7. A
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Which element is NOT part of the stability evaluation for compounded sterile preparations?

A. Final concentration

B. Container type

C. Duration of compounding

D. Ingredients

The correct choice identifies the duration of compounding as not being part of the stability evaluation for compounded sterile preparations. Stability evaluations are essential to ensure that compounded sterile preparations maintain their potency and safety over time. The final concentration is vital because it influences the chemical stability of the active ingredients; incorrect concentrations can lead to reduced efficacy or increased toxicity. Container type is also significant, as the material and design of the container can affect the preparation's stability through factors such as moisture permeability and light exposure. The ingredients themselves are crucial in assessing stability, as different substances can interact in ways that may destabilize the compounded preparation. While duration of compounding is important for aseptic technique and overall patient safety, it does not directly relate to the stability of the compounded sterile preparation. Instead, stability evaluations focus on characteristics such as composition, formulation, and environmental conditions—elements that directly impact how a preparation maintains its integrity over its intended shelf life.

2. What is the classification of the air in a Compounding Aseptic Isolator (CAI)?

A. ISO 5 or better

B. ISO 6 or better

C. ISO 7 or better

D. ISO 8 or better

The classification of air in a Compounding Aseptic Isolator (CAI) is ISO 5 or better. This classification indicates that the air within the isolator must have a maximum allowable particle count of 3,520 particles per cubic meter of air that are 0.5 micrometers in size or larger. ISO 5 air quality is essential for sterile compounding because it minimizes the risk of contamination from airborne particles, which is crucial when preparing sterile medications. The CAI is designed to provide a controlled environment where aseptic techniques can be employed effectively, and maintaining ISO 5 conditions supports the integrity of compounded sterile preparations. In sterile compounding environments, such as those found in pharmacies or healthcare settings, compliance with the ISO classifications is critical for patient safety and ensuring that compounded preparations meet the necessary sterility standards.

SAMPLE

3. How often must media fill testing be conducted for high risk compounded sterile preparations?

A. Annually

B. Every 6 months

C. Every 3 months

D. Biannually

Media fill testing is a critical component of ensuring the sterility of compounded sterile preparations, particularly those classified as high risk. Performing media fill testing assesses the ability of the compounding process to maintain sterility throughout the compounding and storage phases. For high-risk compounded sterile preparations, the standard practice is to conduct media fill testing every 6 months. This frequency is established in guidelines to ensure that compounded products are produced under conditions that minimize the risk of contamination. High-risk preparations involve more complex manipulation, such as the use of non-sterile ingredients or extended storage times before administration, which makes regular testing crucial to maintain patient safety and product integrity. By performing media fill testing semi-annually, compounding sterile preparation facilities can identify potential issues with their aseptic technique, equipment, or environmental controls promptly, enabling them to take corrective actions as necessary. This proactive approach helps in sustaining the quality and safety of high-risk compounded products, protecting patients from potential infections or adverse reactions associated with contaminated preparations.

4. Which practice is essential for handling hazardous drugs?

A. Using non-sterile gloves

B. Wearing chemo gloves

C. Only using surgical masks

D. Minimal handling is required

Wearing chemotherapy gloves is crucial when handling hazardous drugs due to their protective properties, designed specifically to prevent the permeation of harmful substances. These gloves are made from materials that resist degradation from potent agents, ensuring that healthcare personnel are less likely to experience skin absorption or contamination. In settings where hazardous drugs are prepared, the integrity of the gloves is paramount; they need to provide a robust barrier between the hazardous substances and the person handling them. Additionally, the use of chemotherapy gloves aligns with safety protocols established by organizations such as the Occupational Safety and Health Administration (OSHA) and the National Institute for Occupational Safety and Health (NIOSH). These guidelines emphasize the importance of protective measures in preventing exposure to hazardous drugs, which can have serious health implications. While other practices mentioned may play a role in overall safety and handling, they do not provide the necessary protection as effectively as chemotherapy gloves do. For instance, non-sterile gloves may not offer sufficient protection against hazardous drugs, and surgical masks alone do not protect against dermal exposure, which is a primary concern when handling these substances. Minimal handling is also a procedure to reduce risk, but it cannot substitute for the proper protective equipment needed to safeguard against exposure effectively.

SAMPLE

5. Why is documentation critical in the compounding process?

A. To enhance the aesthetics of the product

B. To ensure accurate billing and insurance claims

C. For traceability, accountability, and regulatory compliance

D. To provide training materials for new staff

Documentation is critical in the compounding process primarily for traceability, accountability, and regulatory compliance. Traceability ensures that each compound can be traced back through its production process, including every ingredient used, which is vital for assessing the safety and integrity of the product. Accountability refers to the ability to attribute responsibility to individuals involved in the compounding process, which is particularly important in the event of an adverse reaction or product recall. Regulatory compliance is essential because various regulatory agencies mandate precise record-keeping practices to ensure that compounded medications are produced safely and effectively according to established standards. While accurate billing and insurance claims, aesthetics, and training materials for staff are important aspects of a pharmacy's operations, they do not encompass the primary objectives of why documentation is critical in the compounding process. The focus on traceability and accountability highlights the importance of maintaining high standards in patient safety and product quality, aligning with the overall principles of pharmacy practice.

6. Where must hazardous drugs (HDs) be stored according to USP 797?

A. In any cleanroom environment

B. In a separate area to prevent contamination

C. Alongside other pharmaceuticals

D. In a cold storage unit

Hazardous drugs (HDs) must be stored in a separate area to prevent contamination, as specified by USP 797. This regulation is designed to ensure the safety of personnel, patients, and other medications. HDs can pose significant risks due to their potential toxic effects, and improper storage can lead to contamination of non-hazardous drugs and the surrounding environment, which could affect patient safety. The separate storage area typically includes designated cabinets or rooms that provide security and ensure that any spills or exposure risk is minimized. This segregation is crucial to maintaining the integrity and effectiveness of all medications handled within a pharmacy or healthcare setting. Additionally, a separate storage area aids in compliance with safety standards and facilitates proper waste management of hazardous materials. While other choices might suggest different storage scenarios, they do not fulfill the regulatory requirements set forth by USP 797 for the management and handling of hazardous drugs. For instance, storing HDs alongside other pharmaceuticals would compromise those drugs' safety, while using any cleanroom environment could lead to unintended exposure risks. Cold storage is specific to certain medications but is not a requirement for all hazardous drugs.

SAMPLE

7. What is the primary goal of risk assessment in sterile compounding?

A. To identify potential hazards and minimize the risk of contamination

B. To educate staff on errors in compounding

C. To assess financial risks associated with compounding

D. To ensure all medications are correctly labeled

The primary goal of risk assessment in sterile compounding is to identify potential hazards and minimize the risk of contamination. In sterile compounding, the primary concern is to maintain the integrity and safety of the compounded medications. Contamination can lead to patient harm, including infection and adverse reactions. Through risk assessment, compounding facilities systematically evaluate different processes, equipment, and environments to pinpoint areas where contamination is likely to occur. This proactive approach allows for the implementation of strategies and best practices aimed at reducing these risks, such as improving cleanliness protocols, enhancing training, and ensuring proper technique during the compounding process. Other aspects, such as staff education on errors, financial risks, or medication labeling, play important roles in the overall operation of a compounding pharmacy but do not directly address the critical focus of risk assessment in maintaining sterile conditions.

8. What is the maximum storage period for high risk CSPs at controlled room temperature in the absence of sterility tests?

A. 12 hours

B. 24 hours

C. 48 hours

D. 72 hours

The maximum storage period for high-risk compounded sterile preparations (CSPs) at controlled room temperature, in the absence of sterility tests, is 24 hours. This limit is established to ensure patient safety, as high-risk CSPs are more susceptible to contamination due to their preparation involving non-sterile ingredients or in un-sterile conditions. After being compounded, high-risk CSPs must be used or administered within this 24-hour timeframe unless they undergo sterility testing to confirm their safety for longer storage. This is critical in preventing potential infections and maintaining the integrity of the compounded product. The shorter time frame emphasizes the need for strict adherence to aseptic techniques and proper handling practices to minimize the risk of microbial contamination in high-risk environments.

SAMPLE

9. Which of these methods is suitable for sterilization in a Compounding Environment?

A. Only chemical methods

B. Steam, dry heat, and chemical methods

C. Only steam methods

D. No sterilization methods are required

The answer is correct because sterilization in a compounding environment must ensure that compounded sterile preparations are free from viable microorganisms and spores. To achieve this, multiple methods of sterilization are utilized, which include steam sterilization (autoclaving), dry heat sterilization, and various chemical methods such as ethylene oxide gas, hydrogen peroxide vapor, and radiation. Steam sterilization is particularly effective due to its ability to penetrate materials effectively and kill microorganisms through the combination of heat and moisture. Dry heat sterilization is useful for materials that may be damaged by moisture, while chemical methods offer flexibility for sterilizing heat-sensitive items. Using a combination of these methods allows compounding pharmacists to select the best approach depending on the nature of the compounded preparation, ensuring safety and compliance with regulatory standards. The other options, by limiting sterilization methods to only one type or stating that no sterilization is required, do not encompass the comprehensive practices necessary for effective sterilization in a compounding environment.

10. What is the volume range for a small volume parenteral?

A. Less than 50 mL

B. Less than 250 mL

C. 250 mL to 500 mL

D. Greater than 500 mL

The volume range for a small volume parenteral is defined as less than 250 mL. This classification generally applies to injectable solutions that are typically used for administration via the intravenous, intramuscular, or subcutaneous routes. Small volume parenterals are often used for medications that require precise dosing due to their concentrated formulations or for rapid administration in clinical settings. Understanding this classification is important because it helps healthcare professionals to select the appropriate type of parenteral preparation based on the dosing requirements of the medication and the patient's needs. Dosing accuracy is critical in sterile compounding because it directly impacts the safety and efficacy of the treatments being administered. Therefore, recognizing the correct volume range ensures appropriate handling, storage, and administration practices in sterile compounding.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://bpssterilecompounding.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE