
CAAP PRIVATE PILOT LICENSE (PPL) – EQC FOR CESSNA 152 PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://caappleqccessna152.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What action is critical if you suspect a fire on board the aircraft?**
   - A. Fly to the nearest airport
   - B. Activate the fire extinguisher
   - C. Open all vents
   - D. Reduce airspeed

2. **What is the approved landing range for flaps in a Cessna 152?**
   - A. 0° to 20°
   - B. 0° to 25°
   - C. 0° to 30°
   - D. 0° to 35°

3. **How much usable fuel is in the standard tank of the Cessna 152?**
   - A. 22.5 gallons
   - B. 23.0 gallons
   - C. 24.5 gallons
   - D. 25.0 gallons

4. **What is the speed range indicated by the white arc on the airspeed indicator?**
   - A. 60-120 KIAS
   - B. 35-85 KIAS
   - C. 40-111 KIAS
   - D. 111-149 KIAS

5. **What is the appropriate nose wheel air pressure for the Cessna 152?**
   - A. 28 PSI
   - B. 30 PSI
   - C. 32 PSI
   - D. 34 PSI

6. **What are the three phases of flight?**
   - A. Takeoff, climb, descent
   - B. Takeoff, cruise, landing
   - C. Climb, cruise, landing
   - D. Takeoff, approach, landing

SAMPLE

7. What is the function of the rudder on a Cessna 152?

A. To control pitch and climb rate

B. To control yaw and directional stability

C. To control roll and bank angle

D. To enhance thrust

8. Which instrument is primarily used for tracking altitude during flight?

A. Air speed indicator

B. Vertical speed indicator

C. Altimeter

D. Attitude indicator

9. What is the best rate of climb speed (Vy) for the aircraft?

A. 65 KIAS

B. 67 KIAS

C. 70 KIAS

D. 75 KIAS

10. What is the normal cruising speed of a Cessna 152?

A. 80 knots

B. 95 knots

C. 107 knots

D. 120 knots

SAMPLE

Answers

SAMPLE

1. B
2. C
3. C
4. B
5. B
6. B
7. B
8. C
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What action is critical if you suspect a fire on board the aircraft?

A. Fly to the nearest airport

B. Activate the fire extinguisher

C. Open all vents

D. Reduce airspeed

Activating the fire extinguisher is the critical action if you suspect a fire on board the aircraft because it is the immediate measure that can help suppress the flames and mitigate danger. Fire on an aircraft can escalate rapidly, making it essential to try to control it as soon as it is detected. The fire extinguisher is specifically designed for this purpose, providing a direct response to the emergency. Other options, while they may seem relevant in certain scenarios, do not address the immediate need to combat the fire. Redirecting the aircraft towards the nearest airport or reducing airspeed may provide a means of land but won't mitigate the active threat of fire while airborne. Opening all vents could inadvertently feed oxygen to the fire, exacerbating the situation. Therefore, activating the fire extinguisher is the most critical step to ensure safety on board in the event of a suspected fire.

2. What is the approved landing range for flaps in a Cessna 152?

A. 0° to 20°

B. 0° to 25°

C. 0° to 30°

D. 0° to 35°

The approved landing range for flaps in a Cessna 152 is indeed 0° to 30°. This range allows pilots to intelligently select the appropriate amount of flap deployment based on the specific landing conditions, such as runway length, wind conditions, and weight of the aircraft. Utilizing flaps increases lift and drag, which helps in managing the approach speed and descent rate during landing, making it easier to control the aircraft while ensuring a safe touchdown. When deploying flaps up to 30°, it also enhances the aircraft's low-speed handling characteristics, allowing for a more stable approach. Pilots are trained to understand how flap settings impact aircraft performance, allowing for effective decision-making during the landing phase. Therefore, understanding the functionality and use of flaps within this range is crucial for piloting the Cessna 152 safely and effectively.

3. How much usable fuel is in the standard tank of the Cessna 152?

A. 22.5 gallons

B. 23.0 gallons

C. 24.5 gallons

D. 25.0 gallons

The usable fuel capacity in the standard tank of the Cessna 152 is 24.5 gallons. This figure is important for pilots to know as it directly affects flight planning, including weight and balance calculations, endurance, and range of the aircraft. Understanding the usable fuel capacity is essential for safety and performance while flying. The Cessna 152 features a total fuel capacity of 26 gallons, but not all of that fuel is usable due to design factors—specifically, to prevent the fuel from being drawn from the tanks when they are nearly empty, which could lead to engine operation issues. Thus, the usable fuel is slightly less than the total capacity. Knowing that the correct figure is 24.5 gallons allows pilots to accurately compute how far they can fly and ensure they have enough fuel reserve for safe operations.

SAMPLE

4. What is the speed range indicated by the white arc on the airspeed indicator?

A. 60-120 KIAS

B. 35-85 KIAS

C. 40-111 KIAS

D. 111-149 KIAS

The white arc on the airspeed indicator represents the flap operating range for the aircraft. This range is important because it indicates the speeds at which you can safely extend or retract the flaps. For the Cessna 152, the white arc typically spans from approximately 35 knots indicated airspeed (KIAS) to 85 KIAS. This range allows pilots to make confident altitude adjustments and flap deployments without risking aircraft control or performance issues. Knowing this range helps with proper approach and landing techniques, ensuring that the aircraft is flown effectively within the limits defined by the manufacturer.

5. What is the appropriate nose wheel air pressure for the Cessna 152?

A. 28 PSI

B. 30 PSI

C. 32 PSI

D. 34 PSI

For the Cessna 152, the appropriate nose wheel air pressure is indeed 30 PSI. Maintaining this specific tire pressure is crucial for several reasons. Firstly, correct tire pressure ensures optimal performance and handling characteristics of the aircraft. The nose wheel has a vital role in steering when taxiing and during takeoff and landing. An inappropriate tire pressure can lead to poor handling and increased wear on the tires, potentially leading to a loss of control during ground operations. Moreover, maintaining the proper air pressure contributes to the overall safety of the aircraft. Under-inflated or over-inflated tires can cause different issues such as an increased risk of tire blowouts or negatively affecting the aircraft's braking efficiency. Checking and maintaining the correct tire pressures, including the nose wheel, is a fundamental part of pre-flight inspections and overall aircraft maintenance practices, ensuring that the Cessna 152 performs reliably and safely during operations.

6. What are the three phases of flight?

A. Takeoff, climb, descent

B. Takeoff, cruise, landing

C. Climb, cruise, landing

D. Takeoff, approach, landing

The correct understanding of the three phases of flight includes takeoff, cruise, and landing. Takeoff is the initial phase where the aircraft gains speed and lifts off the ground, transitioning from a stationary position to flight. This phase is characterized by increasing speed and the moment of leaving the ground. Cruise is the phase where the aircraft sustains level flight at a constant altitude and speed, allowing for navigation and covering the desired distance. This phase is crucial for managing fuel efficiency and ensuring a stable flight environment. Landing is the final phase when the aircraft descends and comes to a stop on the runway. It encompasses approaches to the runway, flare, and touchdown, making it essential for safe operation. While the other options mention different combinations of phases, they either omit crucial aspects of a complete flight or mislabel the phases. For example, the option with "climb" and "descent" refers to the vertical changes but does not include the cruise phase essential for a complete flight profile. The focus on takeoff, cruise, and landing represents a comprehensive view of a flight from start to finish, encompassing all necessary operational stages.

SAMPLE

7. What is the function of the rudder on a Cessna 152?

A. To control pitch and climb rate

B. To control yaw and directional stability

C. To control roll and bank angle

D. To enhance thrust

The rudder on a Cessna 152 is primarily responsible for controlling yaw and maintaining directional stability. When a pilot uses the rudder, it helps to pivot the aircraft around its vertical axis, allowing for coordinated turns and counteracting adverse yaw, which occurs when one wing stalls before the other during a turn. By adjusting the rudder, the pilot can keep the aircraft flying straight and level, especially during maneuvers or in the presence of crosswinds. Maintaining directional stability is crucial for safe flight as it helps the aircraft remain aligned with its flight path. If the rudder is not used adequately, the aircraft may experience uncoordinated flight, leading to difficulties in control and potential hazards like skidding or slipping during turns. The other options mention functions that are not performed by the rudder. The control of pitch and climb rate is managed by the elevator, while roll and bank angles are controlled by ailerons. Enhancing thrust is not a function of the rudder; rather, thrust is managed by the engines' throttle settings. Understanding the specific role of each flight control surface is fundamental for effective aircraft handling and ensuring safety while flying.

8. Which instrument is primarily used for tracking altitude during flight?

A. Air speed indicator

B. Vertical speed indicator

C. Altimeter

D. Attitude indicator

The altimeter is the primary instrument used for tracking altitude during flight. It measures the aircraft's altitude above a standard pressure reference, usually sea level. The altimeter works based on the principle of atmospheric pressure, where a decrease in pressure corresponds to an increase in altitude. By measuring the ambient air pressure, the altimeter can calculate and display the altitude of the aircraft, allowing pilots to maintain or adjust their flight level as necessary to ensure safe flying. In contrast, the other instruments listed serve different purposes. The air speed indicator measures how fast the aircraft is moving through the air, which is critical for understanding performance and handling characteristics. The vertical speed indicator provides information about the rate of climb or descent, indicating how quickly the aircraft is gaining or losing altitude. Finally, the attitude indicator shows the orientation of the aircraft relative to the horizon, helping pilots maintain proper control in various flight conditions. While all these instruments are important for flight, the primary focus on altitude tracking is served specifically by the altimeter.

SAMPLE

9. What is the best rate of climb speed (Vy) for the aircraft?

A. 65 KIAS

B. 67 KIAS

C. 70 KIAS

D. 75 KIAS

The best rate of climb speed (Vy) for the Cessna 152 is essential for optimizing the aircraft's performance during climb. Vy is the speed at which the aircraft gains the most altitude in the shortest time and is critical during the initial climb following takeoff. For the Cessna 152, the best rate of climb speed is typically around 67 KIAS (knots indicated airspeed). At this speed, the aircraft balances lift and drag in such a way that it achieves the maximum vertical speed. Flying at this speed ensures that the aircraft maintains the most efficient climb profile, avoiding unnecessary loss of performance due to either too slow or excessively fast speeds. While other speeds listed may be operationally safe, they do not maximize the aircraft's climb rate as effectively as 67 KIAS does. Operating at this optimal climb speed ensures that the aircraft can clear obstacles and gain altitude efficiently, which is crucial for safety and operational effectiveness.

10. What is the normal cruising speed of a Cessna 152?

A. 80 knots

B. 95 knots

C. 107 knots

D. 120 knots

The normal cruising speed of a Cessna 152 is approximately 107 knots. This speed allows for efficient flight operations and is based on the aircraft's design and performance characteristics. The Cessna 152 is a light, two-seat single-engine aircraft that is widely used for training and recreational flying. Its cruising speed is optimal for a variety of flight conditions, balancing fuel efficiency and flight time. This value is important for pilots to understand as it helps in planning flight routes, fuel consumption calculations, and complying with air traffic control instructions within the aircraft's operational envelope.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://caappleqccessna152.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE