CAGI COMPRESSED AIR SPECIALIST PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cagicompressedairspecialist.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What happens to airflow velocity when the pipe diameter is increased?

A. Increases proportionally

B. Decreases

C. Increases exponentially

D. No change occurs

2. Where is most of the lubricant separated from the air in a lubricated rotary screw compressor?

A. In the air/oil separator element

B. At the compressor inlet

C. In the discharge manifold

D. In the lubricant reservoir

3. Which dryer delivers a pressure dew point ranging from -40°F to -100°F via adsorption?

A. Refrigerated Dryer

B. Desiccant Dryer

C. Heatless Regenerative Dryer

D. Deliquescent Dryer

4. What characterizes oil-free compressors?

A. They have no lubricant in the compression chamber

B. They require external oil cooling

C. They can only compress air intermittently

D. They use water to cool the compressed air

5. Which type of dryer uses hot air from the compressor prior to the after cooler for regeneration?

A. Heatless Regenerative Dryer

B. Desiccant Dryer

C. Blower Dryer

D. Heat Recovery Dryer

SAMPLE

6. What are the standard conditions for air used by the Compressed Air and Gas Institute for SCFM?

A. 15 psi, 20% relative humidity, 72°F

B. 14.5 inlet pressure, 0% relative humidity, 68°F

C. 14.7 inlet pressure, 50% relative humidity, 70°F

D. 14 psi, 30% relative humidity, 75°F

7. What does a two-stage reciprocating compressor typically allow for in terms of air pressure?

A. Lower operational costs

B. Higher discharge pressure

C. Reduced maintenance requirements

D. Simplified setup

8. What common issue can arise from not maintaining appropriate receiver storage in a compressed air system?

A. Increased energy consumption

B. Overheating of components

C. Noise pollution

D. Equipment failure

9. What is the maximum discharge pressure typically produced by two-stage, single-acting air-cooled reciprocating compressors?

A. 150 psig

B. 200 psig

C. 250 psig

D. 300 psig

10. What is the term used when maximum flow rate is achieved at minimal pressure?

A. Surge

B. Centrifugal Pressure

C. Stonewall/Choke

D. Air Compression

SAMPLE

Answers

SAMPLE

1. B
2. A
3. C
4. A
5. D
6. B
7. B
8. A
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. What happens to airflow velocity when the pipe diameter is increased?

A. Increases proportionally

B. Decreases

C. Increases exponentially

D. No change occurs

When the diameter of a pipe is increased, the airflow velocity decreases. This relationship is rooted in the principle of conservation of mass, often referred to as the continuity equation. According to this principle, for an incompressible fluid (such as air in many practical applications at standard conditions), the mass flow rate must remain constant throughout the system. As the diameter of the pipe increases, the cross-sectional area also increases. Since the flow rate (the product of velocity and cross-sectional area) must stay constant for a given mass of air, a larger cross-sectional area means that the velocity of the air must decrease to maintain that constant flow rate. Therefore, the relationship between pipe diameter and airflow velocity is inversely proportional; as one increases, the other decreases. This is why the correct response indicates that the airflow velocity experiences a decrease when the pipe diameter is enlarged.

2. Where is most of the lubricant separated from the air in a lubricated rotary screw compressor?

A. In the air/oil separator element

B. At the compressor inlet

C. In the discharge manifold

D. In the lubricant reservoir

Most of the lubricant is separated from the air in a lubricated rotary screw compressor in the air/oil separator element. This component is specifically designed to efficiently separate the oil from the compressed air after it has exited the compression chamber. The process works by allowing the air-oil mixture to flow into the separator, where centrifugal force and a specially designed internal structure help to separate the oil droplets from the air. The separated oil then returns to the lubrication system, while the air is directed toward further processing or discharge. Understanding the role of the air/oil separator is crucial for maintaining compressor efficiency and ensuring that the output air quality meets required specifications. This also helps to prevent oil carryover into the compressed air system, which could harm downstream equipment and processes. Other components like the compressor inlet and discharge manifold play different roles, such as introducing air into the compressor or managing the flow of air after processing, while the lubricant reservoir primarily serves to store oil rather than separate it from the air.

SAMPLE

3. Which dryer delivers a pressure dew point ranging from -40°F to -100°F via adsorption?

A. Refrigerated Dryer

B. Desiccant Dryer

C. Heatless Regenerative Dryer

D. Deliquescent Dryer

The correct answer is a heatless regenerative dryer, which is specifically designed to achieve extremely low pressure dew points, often ranging from -40°F to -100°F. This type of dryer operates using a desiccant material that adsorbs moisture from the compressed air. In a heatless regenerative dryer, the desiccant is periodically regenerated using a portion of the dry compressed air that is diverted and expanded to atmospheric pressure. This process removes the moisture that has been adsorbed on the desiccant, allowing it to be reused to dry incoming air. The result is exceptionally low humidity levels in the air supplied to the system, making it suitable for applications that require an extremely dry environment, such as in certain manufacturing processes or for sensitive instrumentation. Other types of dryers do not reach the same low dew points. Refrigerated dryers typically operate in the range of 35°F to 50°F, which is insufficient for applications needing very low moisture levels. Desiccant dryers indeed use desiccants but are often not configured to achieve such low levels without the heatless regeneration process. Deliquescent dryers rely on a chemical reaction using hygroscopic materials to absorb moisture and generally offer a different operating principle and efficiency than heatless regenerative dryers.

4. What characterizes oil-free compressors?

A. They have no lubricant in the compression chamber

B. They require external oil cooling

C. They can only compress air intermittently

D. They use water to cool the compressed air

Oil-free compressors are characterized by the absence of lubricant in the compression chamber, which is crucial in applications where air purity is a priority, such as in food and beverage processing, pharmaceuticals, or electronics manufacturing. By eliminating oil from the compression process, these compressors ensure that no oil contamination occurs in the compressed air, providing a clean and safe air supply. This characteristic improves the reliability and efficiency of processes that require stringent air quality, as it eliminates the risk of oil carryover. Other aspects of oil-free compressors can include the use of alternative cooling methods, which may not necessarily involve oil, and their capability to run continuously rather than only intermittently. The focus on maintaining clean air for sensitive applications is a primary consideration in their design and operational parameters.

SAMPLE

5. Which type of dryer uses hot air from the compressor prior to the after cooler for regeneration?

A. Heatless Regenerative Dryer

B. Desiccant Dryer

C. Blower Dryer

D. Heat Recovery Dryer

The heat recovery dryer is designed to utilize waste heat from the compressed air system for the regeneration of the desiccant material. In this type of dryer, hot air from the compressor, before it reaches the after cooler, is directed through a desiccant bed. This air warms the desiccant, allowing it to release the moisture it has absorbed during the drying process. By harnessing this heat, the heat recovery dryer achieves energy efficiency and reduces operational costs, as it capitalizes on heat that would otherwise be wasted. In contrast, other dryer types do not specifically use hot air from the compressor in this manner. Heatless regenerative dryers rely on compressed air expansion for the regeneration process, making them less efficient in terms of energy use. Desiccant dryers may use heat, but it's typically from external sources rather than directly from the compressor's output before cooling. Blower dryers also do not employ the same principle of regeneration through hot air from the compressor, as they typically use ambient air and are designed for different applications. Thus, the heat recovery dryer stands out for its specific function of utilizing hot compressor air efficiently for its regeneration cycle.

6. What are the standard conditions for air used by the Compressed Air and Gas Institute for SCFM?

A. 15 psi, 20% relative humidity, 72°F

B. 14.5 inlet pressure, 0% relative humidity, 68°F

C. 14.7 inlet pressure, 50% relative humidity, 70°F

D. 14 psi, 30% relative humidity, 75°F

The standard conditions for air used by the Compressed Air and Gas Institute for standard cubic feet per minute (SCFM) are defined as 14.7 psi, 68°F, and 0% relative humidity. This means that option B reflects conditions that are close to the standard inlet pressure of 14.7 psi and a temperature of 68°F. The significance of this standardization lies in the consistency and comparability of measurements and calculations involving compressed air. By establishing a standard reference point, it ensures that users can make accurate assessments and comparisons among various systems or equipment. In a practical sense, SCFM is calculated based on the density of air, which can significantly vary with changes in pressure, temperature, and humidity. Thus, standardizing these factors allows for reliable calculations and reduces discrepancies that may arise from varying atmospheric conditions. The definitions set by CAGI are vital for engineers and technicians to know, as they directly impact the performance of compressed air systems and the efficiency of operations in various applications. Understanding these standard conditions helps in achieving optimal results in compressed air systems, ensuring that they operate effectively and within specified parameters.

SAMPLE

7. What does a two-stage reciprocating compressor typically allow for in terms of air pressure?

A. Lower operational costs

B. Higher discharge pressure

C. Reduced maintenance requirements

D. Simplified setup

A two-stage reciprocating compressor is designed to compress air in two distinct stages, which allows for an increase in air pressure beyond what a single-stage compressor can achieve. In the first stage, the air is drawn into the compressor and compressed to an intermediate pressure. Then, in the second stage, this air is compressed again to a higher discharge pressure. This two-step process significantly improves efficiency and enables the compressor to produce higher pressures, making it suitable for applications that require more significant air pressure output. This design enhances the compressor's ability to manage heat build-up and reduces the overall power required for achieving higher pressures, which can result in better performance and efficiency compared to single-stage compressors. Therefore, the capability to achieve higher discharge pressure is a critical benefit of using a two-stage reciprocating compressor.

8. What common issue can arise from not maintaining appropriate receiver storage in a compressed air system?

A. Increased energy consumption

B. Overheating of components

C. Noise pollution

D. Equipment failure

Inappropriate maintenance of receiver storage in a compressed air system can indeed lead to increased energy consumption. When storage receivers are not adequately maintained, factors such as pressure drop, system leaks, and inefficient air distribution can result in compressors running more frequently and for longer periods. This excess operation disrupts the balanced efficiency of the system, often leading to a higher overall energy demand. In a well-maintained system, the receivers help to smooth out the air delivery and allow the compressor to operate more efficiently by meeting demand without excessive cycling. When this equilibrium is disturbed due to inadequate storage maintenance, the compressor must work harder to maintain pressure, leading directly to increased energy costs over time. The other options, such as overheating of components and equipment failure, may be symptoms of a poorly maintained system but are not as directly tied to the concept of receiver storage specifically. Noise pollution can also arise from various issues in a compressed air system, but it is not inherently a consequence of receiver maintenance. Thus, the most accurate issue stemming from neglecting receiver storage maintenance is indeed the increase in energy consumption.

SAMPLE

9. What is the maximum discharge pressure typically produced by two-stage, single-acting air-cooled reciprocating compressors?

A. 150 psig

B. 200 psig

C. 250 psig

D. 300 psig

The typical maximum discharge pressure produced by two-stage, single-acting air-cooled reciprocating compressors is around 250 psig. In a two-stage compressor design, the air is compressed in two stages rather than one, allowing for higher pressures and increased cooling between stages. This configuration enhances efficiency and reduces the temperature of the compressed air, which helps in achieving higher discharge pressures without overheating the compressor components. 250 psig is a commonly referenced limit for these compressors in industrial applications, reflecting their operational capabilities when designed and manufactured for that level of performance. This rating also aligns with standard industry practices for processes requiring compressed air at higher pressures. Understanding this operational range is crucial for applications that demand specific pressure requirements, ensuring the correct selection and usage of compressors in various settings.

10. What is the term used when maximum flow rate is achieved at minimal pressure?

A. Surge

B. Centrifugal Pressure

C. Stonewall/Choke

D. Air Compression

The term "Stonewall" or "Choke" refers specifically to a condition in a compressed air or fluid system where the flow rate reaches its maximum capacity at a given pressure. At this point, any further increase in the pressure does not result in an increased flow rate. Instead, the system has reached its flow limit, similar to a choke point in a pipeline where the restrictive nature of the opening does not allow more fluid to pass, regardless of how much pressure is applied. This concept is crucial in understanding the performance characteristics of compressors and other fluid handling systems, as it indicates the operational limits of the machinery involved. In contrast, the other terms provided do not align with this specific definition. Surge typically refers to an unstable or fluctuating flow condition in a system. Centrifugal pressure isn't a recognized term in the context of compressible flow and typically relates to the pressure generated by centrifugal pumps rather than a performance limitation scenario. Air compression is a broader term that refers to the process of increasing the pressure of air but does not denote the maximum flow condition in relation to minimal pressure settings. Thus, "Stonewall/Choke" is the precise and accurate terminology for indicating maximum flow rate at minimal pressure.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cagicompressedairspecialist.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE