
CAMLPR HEMATOLOGY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://camlprhematology.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What indicates a parasitic or fungal infection?

A. Neutrophils in CSF

B. Lymphocytes in CSF

C. Monocytes in CSF

D. Eosinophils in CSF

2. A heavy smoker presenting with headaches is most likely to have an elevated level of which hemoglobin species?

A. Methemoglobin

B. Carboxyhemoglobin

C. Sulfhemoglobin

D. Hemoglobin A

3. What indicates chronic bacterial meningitis?

A. Lymphocytes in CSF, decreased glucose

B. Monocytes in CSF, decreased glucose

C. Neutrophils in CSF, decreased glucose

D. Eosinophils in CSF

4. How is hemophilia B treated?

A. Desmopressin

B. Vitamin K

C. Fresh frozen plasma

D. Purified FIX concentrate

5. Why must hemolyzed specimens be rejected for coagulation testing?

A. They falsely elevate hematocrit

B. Indicate potential pathway activation

C. They improve clot detection

D. They have no effect on results

SAMPLE

6. An end of feathered edge shows increased blue spicules; what does this indicate?

A. Elevated WBC or PLT count

B. Low RBC count

C. Platelet clumping

D. Hemolysis

7. A smear shows dark stained cationic components and pale RBCs. Which staining issue most likely explains this?

A. The stain is too basic (pH over 6.8)

B. The stain is too acidic (pH under 6.0)

C. The smear is too thin

D. The slide was fixed in methanol

8. A patient presents with >20% blasts; CD34 positive; myeloperoxidase negative; Sudan Black negative. Which AML subtype is most consistent?

A. M2

B. M0

C. M4

D. M5

9. What is the principle behind impedance-based cell counting?

A. Electrical resistance changes produced by cells as they travel through an aperture

B. Optical light scattering by cells in a laser beam

C. Fluorescence-based detection of labeled cells

D. Magnetic properties of cells in a field

10. For citrate-specimen accuracy, what is the required maximum platelet count?

A. >100 x10^9/L

B. <50 x10^9/L

C. <10 x10^9/L

D. <1 x10^9/L

SAMPLE

Answers

SAMPLE

1. D
2. B
3. B
4. D
5. B
6. A
7. A
8. B
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. What indicates a parasitic or fungal infection?

A. Neutrophils in CSF

B. Lymphocytes in CSF

C. Monocytes in CSF

D. Eosinophils in CSF

Eosinophils in the cerebrospinal fluid point to eosinophilic meningitis, most often caused by parasitic (helminth) infections. Eosinophils are drawn to helminth antigens, so finding them in CSF is a strong clue that a parasitic pathogen may be involved. In contrast, neutrophils in CSF are typical of acute bacterial meningitis, lymphocytes suggest viral meningitis, and monocytes can be seen with TB or some fungal infections. While fungal meningitis can present with various cell patterns, eosinophils in CSF most reliably indicate a parasitic process.

2. A heavy smoker presenting with headaches is most likely to have an elevated level of which hemoglobin species?

A. Methemoglobin

B. Carboxyhemoglobin

C. Sulfhemoglobin

D. Hemoglobin A

Headache in a heavy smoker points to carbon monoxide exposure. Carbon monoxide binds hemoglobin with high affinity to form carboxyhemoglobin, which reduces the blood's capacity to carry and deliver oxygen to tissues. This impaired oxygen delivery to the brain can cause headaches and other symptoms of CO exposure. Other hemoglobin forms, like methemoglobin or sulfhemoglobin, arise from different toxic exposures and are not specifically linked to smoking; Hemoglobin A is the normal adult form and would not be elevated due to smoking. So the elevated species here is carboxyhemoglobin.

3. What indicates chronic bacterial meningitis?

A. Lymphocytes in CSF, decreased glucose

B. Monocytes in CSF, decreased glucose

C. Neutrophils in CSF, decreased glucose

D. Eosinophils in CSF

In meningitis, the CSF cell profile and glucose level reflect how long the infection has been present. Chronic bacterial meningitis tends to show a mononuclear pleocytosis (presence of monocytes or lymphocytes) with a reduced CSF glucose. The low glucose happens because bacteria and inflammatory cells consume glucose, and this pattern is characteristic of longer-standing infections such as tuberculous or other chronic bacterial meningitis. Having monocytes in the CSF aligns with the mononuclear inflammatory response seen in chronic stages, and the accompanying decreased glucose reinforces the chronic bacterial process. Neutrophils suggest an acute bacterial infection, while eosinophils are not typical of bacterial meningitis. Lymphocytes can be present in chronic meningitis as part of the mononuclear cell picture, but the combination described here—monocytes with low glucose—best signals chronic bacterial meningitis.

SAMPLE

4. How is hemophilia B treated?

A. Desmopressin

B. Vitamin K

C. Fresh frozen plasma

D. Purified FIX concentrate

Hemophilia B is caused by a deficiency of coagulation factor IX, so the most effective treatment is to replace the missing factor directly. Purified factor IX concentrate provides the exact protein that's lacking, restoring the intrinsic pathway of coagulation and allowing proper clot formation. This targeted replacement can be dosed to achieve specific factor IX activity levels and is used both for treating bleeds and for routine prophylaxis. Desmopressin increases release of stored factor VIII and von Willebrand factor, which does not address the missing factor IX. Vitamin K helps activate several vitamin K–dependent coagulation factors, but it does not supply the defective factor IX in congenital deficiency. Fresh frozen plasma contains all clotting factors, including IX, but it delivers it in a much larger volume and with less precise dosing and greater risk, making it less ideal than a specific factor IX concentrate.

5. Why must hemolyzed specimens be rejected for coagulation testing?

A. They falsely elevate hematocrit

B. Indicate potential pathway activation

C. They improve clot detection

D. They have no effect on results

Hemolyzed specimens are rejected for coagulation testing because rupture of red blood cells releases phospholipids and other intracellular components that can create a procoagulant surface and activate the coagulation cascade in an uncontrolled way. This artificial pathway activation, along with interference from free hemoglobin and debris, leads to inaccurate clotting times and unreliable results. Because of these effects, the sample cannot be trusted for precise coagulation measurements. The other options don't fit: hemolysis does not falsely elevate hematocrit, it does not improve clot detection, and it does have a measurable impact on results.

6. An end of feathered edge shows increased blue spicules; what does this indicate?

A. Elevated WBC or PLT count

B. Low RBC count

C. Platelet clumping

D. Hemolysis

Blue spicules at the end of the feathered edge point to a cell-rich smear. In Wright-stained smears, white blood cells and platelets stain blue/purple, while red cells are pink. When there are more cells—especially leukocytes or platelets—the edge becomes laden with these blue-staining cells, forming spicule-like projections. So this finding most closely indicates an elevated WBC or platelet count. It isn't explained by a low RBC count, platelet clumping, or hemolysis, which produce different artifacts in the smear.

SAMPLE

7. A smear shows dark stained cationic components and pale RBCs. Which staining issue most likely explains this?

A. The stain is too basic (pH over 6.8)

B. The stain is too acidic (pH under 6.0)

C. The smear is too thin

D. The slide was fixed in methanol

Staining outcome depends on the pH of the staining solution and how dyes bind to cellular components. In Wright-Giemsa, basic dyes stain basophilic structures (like nuclei and RNA) darkly, while acidic dyes stain the cytoplasm (RBCs) pink. If the stain is too basic (high pH), the basic dye dominates, making cationic/basophilic components very dark, and the eosin component that colors the RBC cytoplasm is reduced, so the RBCs appear pale. This pattern—very dark basophilic elements with pale red blood cells—fits a stain at too high a pH. The other options would produce other staining patterns, not the described combination.

8. A patient presents with >20% blasts; CD34 positive; myeloperoxidase negative; Sudan Black negative. Which AML subtype is most consistent?

A. M2

B. M0

C. M4

D. M5

The key idea is recognizing minimally differentiated AML. In this subtype (M0), blasts are so immature that they show little to no myeloid differentiation by cytochemical stains. Specifically, myeloperoxidase and Sudan Black staining are negative, even though the blast count is >20%. Immunophenotypically, these blasts are often CD34 positive, reflecting their primitive nature. So the combination of a high blast percentage with CD34 positivity and negative MPO and Sudan Black staining fits M0 best. Other AML subtypes typically exhibit myeloid enzyme activity (MPO/Sudan Black) or have different immunophenotypic patterns, making them less consistent with this profile.

9. What is the principle behind impedance-based cell counting?

A. Electrical resistance changes produced by cells as they travel through an aperture

B. Optical light scattering by cells in a laser beam

C. Fluorescence-based detection of labeled cells

D. Magnetic properties of cells in a field

Impedance-based counting uses the Coulter principle: a constant current flows through a tiny aperture filled with conductive solution. When a cell passes through that aperture, it briefly increases the electrical resistance (impedance) because the cell is less conductive than the surrounding saline. This tiny impedance pulse is detected, counted, and its height is roughly proportional to the cell's size. By counting the pulses per unit time, you get the cell concentration, and by analyzing pulse height, you get an estimate of cell size distribution. The sample must be in a conductive, isotonic medium, and readings can be affected by bubbles or cell clumps. This approach relies on electrical properties, unlike optical methods (which use light scattering or fluorescence) or magnetic methods.

SAMPLE

10. For citrate-specimen accuracy, what is the required maximum platelet count?

A. >100 x10^9/L

B. <50 x10^9/L

C. <10 x10^9/L

D. <1 x10^9/L

For citrate-based coagulation testing, platelets in the plasma can influence clot formation by providing phospholipid surfaces and procoagulant activity. To obtain accurate clotting times, the plasma used must be platelet-poor, with a platelet count kept very low—typically less than 10 x 10^9/L. If the count is higher, platelet-driven acceleration of clotting can bias the results, making them appear faster than they truly are. Among the given options, <10 x10^9/L is the appropriate maximum. Counts higher than this (like 50 or 100 x10^9/L) would risk interference, and requiring <1 x10^9/L is more stringent than necessary for routine testing.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://camlprhematology.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE