CAMRT PATHOLOGY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://camrtpathology.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is a usual cause of pulmonary edema?

A. Increased production of surfactant

B. Blood being squeezed out of the heart

C. Genetic disorders affecting mucus production

D. Mycobacterial lung infection

2. What type of hip dislocation involves the femoral head being forced through the ALA?

A. Subcapital

B. Transcervical

C. Central

D. Peritrochanter

3. What is the term used for a fracture of the 5th metacarpal?

A. Bennett's

B. Colles

C. Boxers

D. Smith

4. What disease is known for causing inflammatory lesions throughout the lungs?

A. Asthma

B. Pneumonia

C. Tuberculosis (TB)

D. Chronic obstructive pulmonary disease (COPD)

5. What role does the body have in rheumatoid arthritis?

A. Absence of rheumatoid factor

B. Release of joint fluid

C. Release of rheumatoid factor

D. Preventing joint damage

SAMPLE

6. Which condition is indicated by a lack of surfactant in the lungs of infants?

A. Bronchogenic carcinoma
B. Cystic fibrosis
C. Respiratory distress syndrome (RDS)
D. Pulmonary infarction

7. What is a characteristic radiographic sign of pulmonary infarction?

A. Kerley B lines
B. Pleural effusion
C. Hampton's hump sign
D. Enlarged heart

8. What is surgical pathology?

A. The study of blood samples for cancer detection
B. The examination of tissues removed during surgery to diagnose diseases
C. The management of patients during surgical recovery
D. The analysis of urine samples for metabolic disorders

9. What type of medication is commonly used to treat pulmonary edema?

A. Antibiotics
B. Diuretics
C. Corticosteroids
D. Bronchodilators

10. What are the two types of calcaneal fractures?

A. Compression and Avulsion
B. Open and Closed
C. Vertical and Horizontal
D. Simple and Complex

SAMPLE

Answers

SAMPLE

1. B
2. C
3. C
4. C
5. C
6. C
7. C
8. B
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What is a usual cause of pulmonary edema?

A. Increased production of surfactant

B. Blood being squeezed out of the heart

C. Genetic disorders affecting mucus production

D. Mycobacterial lung infection

The usual cause of pulmonary edema is related to increased pressure in the blood vessels in the lungs, often due to heart conditions. When the heart is unable to effectively pump blood, such as in congestive heart failure, fluid can back up into the pulmonary circulation. This increased pressure causes fluid to leak into the alveoli, leading to pulmonary edema. In this context, the action of blood being squeezed out of the heart becomes critical. If the heart is healthy, it efficiently pumps blood into the pulmonary arteries while ensuring that fluid remains in the vascular space. Dysfunction in this process can result in an overflow of fluid, manifesting as pulmonary edema, which can cause difficulty in breathing and impaired gas exchange. The other options do not directly lead to the typical presentation of pulmonary edema. Increased production of surfactant (option A) would more likely occur in conditions such as respiratory distress syndrome, and it would not cause edema. Genetic disorders (option C) that affect mucus production relate more to chronic airway conditions, while mycobacterial lung infections (option D), such as tuberculosis, can cause lung damage but are not primary causes of pulmonary edema itself.

2. What type of hip dislocation involves the femoral head being forced through the ALA?

A. Subcapital

B. Transcervical

C. Central

D. Peritrochanter

The type of hip dislocation that involves the femoral head being forced through the ALA is central dislocation. In a central dislocation, the femoral head is displaced in a way that it enters the acetabulum and can potentially extend beyond the rim, entering into the area of the ALA. This is a significant injury that typically occurs due to high-energy trauma, such as in car accidents or falls from a height, resulting in significant damage to surrounding structures. Central dislocations are characterized by the fact that the femoral head maintains some contact with the acetabulum while being displaced, which can lead to joint instability and complications if not addressed adequately. This type of dislocation may present with a specific impairment in hip function and may require surgical intervention due to associated injuries, including fractures of the acetabulum or surrounding areas. Other types of dislocations mentioned, while they have their distinct mechanisms and implications, do not involve the femoral head penetrating through the ALA as seen in central dislocations. Understanding the mechanism of injury and the specific anatomical implications of these dislocations is essential for accurate diagnosis and treatment planning.

SAMPLE

3. What is the term used for a fracture of the 5th metacarpal?

A. Bennett's

B. Colles

C. Boxers

D. Smith

The term used for a fracture of the 5th metacarpal is known as a Boxer's fracture. This type of fracture typically occurs when a person punches an object with a closed fist, resulting in the fracture of the bone that is located at the base of the little finger. Boxer's fractures are common in combat sports and situations involving fists. The distinguishing feature of a Boxer's fracture is that it typically affects the neck of the bone, which is just proximal to the head, leading to specific deformities and symptoms. Proper identification and treatment are crucial for restoring function and ensuring proper healing. Other terms like Bennett's, Colles, and Smith describe fractures in different locations or types; for instance, Bennett's fracture refers to an intra-articular fracture of the first metacarpal, Colles fracture is a type of distal radius fracture often due to a fall onto an outstretched hand, and Smith's fracture is a fracture of the distal radius with a volar angulation. Understanding these distinctions helps in the appropriate clinical assessment and treatment of fractures.

4. What disease is known for causing inflammatory lesions throughout the lungs?

A. Asthma

B. Pneumonia

C. Tuberculosis (TB)

D. Chronic obstructive pulmonary disease (COPD)

Tuberculosis (TB) is a bacterial infection caused primarily by Mycobacterium tuberculosis, known for its ability to cause inflammatory lesions, particularly in the lungs. These lesions are characterized by a granulomatous inflammatory response, leading to the formation of tubercles, which can eventually result in caseous necrosis—a distinctive feature of TB. The disease is spread through airborne particles when an infected person coughs or sneezes, and it can lead to significant lung damage if left untreated. The inflammatory response in TB not only serves as a host defense mechanism but also contributes to the clinical manifestations of the disease, including chronic cough, chest pain, and coughing up blood. In contrast, asthma is characterized by inflammation and narrowing of the airways but does not primarily cause inflammatory lesions throughout the lung tissue. Pneumonia involves infection of lung parenchyma, leading to consolidation, but it is typically more localized rather than forming the characteristic granulomas seen in TB. Chronic obstructive pulmonary disease (COPD) involves chronic inflammation leading to airway obstruction, primarily due to chronic bronchitis and emphysema, but it does not create the specific granulomatous lesions associated with TB. Thus, tuberculosis is specifically recognized for inducing widespread inflammatory lesions in the lungs

SAMPLE

5. What role does the body have in rheumatoid arthritis?

A. Absence of rheumatoid factor

B. Release of joint fluid

C. Release of rheumatoid factor

D. Preventing joint damage

In rheumatoid arthritis (RA), the body plays a significant role through the immune system, which becomes dysregulated and leads to the production of rheumatoid factor. Rheumatoid factor is an autoantibody that targets the body's own tissues and is commonly found in the blood of individuals with RA. The presence of this factor can be an indicator of the disease and reflects the autoimmune nature of rheumatoid arthritis, where the body's immune system erroneously attacks joint tissues. The production of rheumatoid factor contributes to the inflammation and subsequent damage to the synovial membrane, which lines the joints. This inflammation leads to further complications such as pain, swelling, and, over time, joint destruction. Understanding the role of rheumatoid factor is crucial in diagnosing and managing rheumatoid arthritis, as it helps in differentiating RA from other types of arthritis. In contrast, the absence of rheumatoid factor would imply that the autoimmune process characteristic of RA is not active in that individual, while the release of joint fluid is a symptom of the disease rather than a role in disease progression or diagnosis. Preventing joint damage is a goal of treatment but not a function of the body's response in the context of rheumatoid arthritis.

6. Which condition is indicated by a lack of surfactant in the lungs of infants?

A. Bronchogenic carcinoma

B. Cystic fibrosis

C. Respiratory distress syndrome (RDS)

D. Pulmonary infarction

A lack of surfactant in the lungs of infants is a hallmark of Respiratory Distress Syndrome (RDS), particularly in premature infants. Surfactant is a substance that reduces surface tension in the alveoli, the tiny air sacs in the lungs, and helps keep them open for gas exchange. When there is insufficient surfactant, the alveoli collapse, leading to difficulty in breathing, decreased lung compliance, and inadequate oxygenation of the blood. This condition is often seen in newborns who are born before 34 weeks of gestation or in those who may have been delivered with complications that affect lung maturity. In contrast, the other conditions listed are unrelated to surfactant deficiency. For instance, bronchogenic carcinoma pertains to cancer of the lungs, cystic fibrosis is a genetic disorder affecting the lungs and digestive system due to thick mucus, and pulmonary infarction involves tissue death in the lungs due to a lack of blood supply. These conditions have distinct underlying mechanisms and clinical presentations that do not involve surfactant levels.

SAMPLE

7. What is a characteristic radiographic sign of pulmonary infarction?

A. Kerley B lines

B. Pleural effusion

C. Hampton's hump sign

D. Enlarged heart

Hampton's hump sign is a characteristic radiographic finding associated with pulmonary infarction. It appears as a wedge-shaped opacity in the peripheral areas of the lung fields on imaging, indicating an area of lung tissue that has become necrotic due to a lack of blood supply. This sign is typically observed in cases of pulmonary embolism, which can lead to infarction of lung tissue. In the case of pulmonary infarction, the presence of these wedge-shaped opacities is significant because it directly correlates with the underlying pathology: the obstruction of pulmonary circulation resulting in the death of lung tissue due to ischemia. Recognizing Hampton's hump on imaging allows for a more accurate diagnosis and understanding of the patient's condition and potential complications. Other findings like Kerley B lines are typically associated with pulmonary edema rather than infarction, pleural effusion indicates fluid accumulation rather than localized lung damage, and an enlarged heart signifies heart disease rather than a direct indicator of lung pathology. Thus, Hampton's hump is unique in its association with pulmonary infarction.

8. What is surgical pathology?

A. The study of blood samples for cancer detection

B. The examination of tissues removed during surgery to diagnose diseases

C. The management of patients during surgical recovery

D. The analysis of urine samples for metabolic disorders

Surgical pathology refers specifically to the examination of tissues that have been removed from the body during surgical procedures. This branch of pathology is crucial for diagnosing various diseases, including cancers, infections, and other pathological conditions. When tissues are extracted during surgery, they are sent to a pathologist who analyzes them microscopically and macroscopically to provide an accurate diagnosis. This process plays a significant role in determining the appropriate treatment plan for the patient, as it helps clarify the nature and extent of the disease. In contrast, other options pertain to different aspects of medical practice. The analysis of blood and urine samples, for instance, falls under hematology and clinical chemistry, respectively. The management of patients during surgical recovery pertains more to perioperative care rather than pathology. Each option represents a different focus within the medical field, but option B accurately captures the essence of surgical pathology.

SAMPLE

9. What type of medication is commonly used to treat pulmonary edema?

A. Antibiotics

B. Diuretics

C. Corticosteroids

D. Bronchodilators

Diuretics are commonly used to treat pulmonary edema because they facilitate the removal of excess fluid from the body. Pulmonary edema often results from conditions such as heart failure or other cardiovascular diseases, where fluid accumulates in the lungs due to increased pressure in the pulmonary circulation. Diuretics work by inhibiting sodium reabsorption in the kidneys, leading to increased urine output. This reduction in fluid overload helps decrease the pressure in the pulmonary vessels, alleviating the symptoms of edema and improving respiratory function. The other types of medications mentioned are not primarily aimed at treating the underlying fluid accumulation in pulmonary edema. Antibiotics are used for bacterial infections, corticosteroids are mainly for reducing inflammation in various conditions, and bronchodilators help to open airways but do not address the fluid aspect of pulmonary edema. Thus, diuretics are the most effective choice for managing this condition.

10. What are the two types of calcaneal fractures?

A. Compression and Avulsion

B. Open and Closed

C. Vertical and Horizontal

D. Simple and Complex

Calcaneal fractures, commonly referred to as heel bone fractures, primarily occur due to high-energy trauma, such as falls from heights or vehicular accidents. The two main types of calcaneal fractures are compression fractures and avulsion fractures. Compression fractures occur when the bone is subjected to a compressive force that leads to a reduction in its height or a "squashing" effect. In the case of the calcaneus, this type of fracture typically results from axial loading when the body weight is applied downward, causing the bone to collapse. This type of fracture can often involve the subtalar joint, impacting the foot's mechanics and functionality. On the other hand, avulsion fractures happen when a fragment of bone is pulled off by a tendon or ligament that is attached to it. For the calcaneus, this can occur when the Achilles tendon exerts force, pulling a small piece of bone away from the main structure during activities such as jumping or sudden changes in movement. Understanding these two types of fractures is essential in guiding treatment options and rehabilitation strategies, as they can significantly affect a patient's recovery and functional outcomes. The other options, while relevant to various types of fractures in general, do not specifically categorize the types of calcaneal

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://camrtpathology.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE