
CAMRT RADIOGRAPHY PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://camrtradiography.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is referred to as the "sterile corridor" in an operating room?

A. Area beside the patient drape

B. Area above the instrument table

C. Area between the patient drape and the instrument table

D. Area around the scrub nurse

2. Why are weights used during AC joint examinations?

A. To increase clarity of the image

B. To show if separation is occurring

C. To stabilize the joint

D. To reduce the exposure time

3. A patient who is diaphoretic generally has?

A. Pale, cold, clammy skin

B. Hot, dry skin

C. Dilated pupils

D. Warm, moist skin

4. When imaging a patient with atelectasis, what should be done to technical factors?

A. Increase technical factors

B. Decrease technical factors

C. No change to technical factors

D. Consult with a physician

5. Does a technologist have control over the mA selection when using a falling load generator?

A. True

B. False

C. Only during peak load

D. Only in emergency settings

SAMPLE

6. Why is shorter scan times important in cardiac imaging?

A. To increase resolution of the image

B. To avoid motion artifacts

C. To enhance contrast media absorption

D. To facilitate patient comfort

7. Which T-Score classification indicates severe osteoporosis?

A. -1 or greater

B. Between -1 and -2.5

C. -2.5 or less with fragility fractures

D. -2.5 or less

8. If the main tissue of interest is the lung tissue for a CT exam, which would be the most appropriate window level setting?

A. 50

B. 0 or the level of water

C. -600

D. 400

9. How many bones are involved in the orbital structure?

A. 5 total bones

B. 6 total bones

C. 7 total bones

D. 8 total bones

10. How many CT numbers are assigned to each pixel in the image matrix?

A. One half the number of all values recorded from the array detector

B. One

C. Two values for a 256-matrix, 4 values for a 512-matrix

D. The number of HU per pixel is one-tenth the display field of view

SAMPLE

Answers

SAMPLE

1. C
2. B
3. A
4. A
5. A
6. B
7. C
8. C
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What is referred to as the "sterile corridor" in an operating room?

A. Area beside the patient drape

B. Area above the instrument table

C. Area between the patient drape and the instrument table

D. Area around the scrub nurse

The "sterile corridor" in an operating room refers specifically to the area between the patient drape and the instrument table. This corridor is critical for maintaining sterility during surgical procedures. It serves as the designated space where sterile instruments can be placed and accessed without the risk of contamination from non-sterile areas. This area is carefully monitored to ensure that no unsterile items or personnel cross into it, which helps prevent infections and maintains the safety of the patient. The sterile corridor is an essential component of surgical protocol, emphasizing the importance of controlled environments in medical settings. The other options do not accurately describe the sterile corridor's function or location. For instance, the area beside the patient drape may be considered sterile, but it is not the primary focus of the sterile corridor. Similarly, the area above the instrument table is not designated as the sterile corridor, as it may not always be directly between the drape and the table. Lastly, while the area around the scrub nurse is important for the overall workflow of the operating room, it does not specifically pertain to the concept of the sterile corridor.

2. Why are weights used during AC joint examinations?

A. To increase clarity of the image

B. To show if separation is occurring

C. To stabilize the joint

D. To reduce the exposure time

Weights are used during AC joint examinations primarily to show if separation is occurring in the acromioclavicular joint. When weights are applied, they increase tensile stress on the joint, making any discrepancies in joint space more apparent. This helps radiologists to assess the integrity of the ligaments surrounding the joint and to identify conditions such as AC joint separation or instability. Observing the position of the clavicle relative to the acromion with and without weights provides valuable diagnostic information regarding potential injuries or disorders. Other options, while they may seem plausible at first glance, do not align with the primary purpose of weight use in these examinations. Using weights does not significantly enhance image clarity on its own, nor is it intended to stabilize the joint during the imaging process. Additionally, the exposure time does not directly correlate with the use of weights but rather depends on factors such as the imaging technique and equipment settings.

3. A patient who is diaphoretic generally has?

A. Pale, cold, clammy skin

B. Hot, dry skin

C. Dilated pupils

D. Warm, moist skin

A patient who is diaphoretic, which refers to excessive sweating, typically presents with pale, cold, clammy skin. This condition often reflects the body's response to an underlying issue, such as shock, anxiety, or certain medical emergencies. The combination of being diaphoretic and having clammy skin is a physiological response aimed at regulating body temperature and can indicate that the body is in distress. The skin's pallor and coolness can be attributed to vasoconstriction, which may occur as the body diverts blood flow to vital organs during times of stress. This phenomenon further contributes to the clamminess often observed in these cases. While there are different presentations associated with other conditions—like hot, dry skin in heat stroke, or warm, moist skin indicating fever—the hallmark of diaphoresis is the specific combination of pale, cold, and clammy characteristics.

SAMPLE

4. When imaging a patient with atelectasis, what should be done to technical factors?

A. Increase technical factors

B. Decrease technical factors

C. No change to technical factors

D. Consult with a physician

In the context of imaging a patient with atelectasis, increasing the technical factors is essential for achieving optimal image quality. Atelectasis, which refers to the partial or complete collapse of the lung, often leads to increased lung density due to the reduced volume of aerated lung tissue. As a result, the collapsed area has a different attenuation of x-ray photons compared to normal lung tissue. To compensate for this increased density, adjustments in the technical factors—specifically, the kilovoltage peak (kVp) and milliampere-seconds (mAs)—are necessary. Increasing the kVp enhances the penetrative ability of the x-rays, which helps ensure that sufficient x-rays reach the image receptor to adequately visualize the lung structures despite the increased density from the atelectatic areas. This adjustment is crucial to avoid underexposure, which could lead to a suboptimal image that doesn't clearly reveal the presence of atelectasis or other pulmonary conditions. Therefore, careful consideration of the technical factors when imaging patients with conditions such as atelectasis is critical for obtaining diagnostic quality images.

5. Does a technologist have control over the mA selection when using a falling load generator?

A. True

B. False

C. Only during peak load

D. Only in emergency settings

The correct statement regarding a technologist's control over mA selection when using a falling load generator is that they do have some control over it. In a falling load generator system, the equipment is designed to automatically adjust the milliamperage (mA) during an exposure, starting from a maximum load and decreasing as the exposure progresses. This means that while the technologist can set the initial parameters for the exam, such as exposure time and the desired kilovoltage peak (kVp), the falling load generator will optimize the mA based on the selected exposure time to prevent overheating of the tube and ensure optimal image quality. It's important to note that control over mA is not absolute; the generator's system ultimately manages the adjustments. This feature is beneficial as it aids in maintaining consistency in imaging while reducing the risk of equipment damage. However, understanding that the technologist can influence the process initially through their settings is essential in this context.

SAMPLE

6. Why is shorter scan times important in cardiac imaging?

A. To increase resolution of the image

B. To avoid motion artifacts

C. To enhance contrast media absorption

D. To facilitate patient comfort

In cardiac imaging, shorter scan times are critical primarily to avoid motion artifacts. The heart is continuously beating, and any movement during the imaging process can lead to blurring and distortions in the final images. The dynamic nature of cardiac motion necessitates rapid imaging techniques so that the images capture the heart at specific points in its cycle, preferably when the motion is minimal. This enables clearer visualization of cardiac structures and function, significantly enhancing the diagnostic quality of the results. While other factors, such as image resolution and patient comfort, are important in radiography, they are not as directly impacted by scan time as the risk of motion artifacts. Ensuring the heart is captured effectively within its limited motion range is paramount, making shorter scan times a fundamental aspect of high-quality cardiac imaging.

7. Which T-Score classification indicates severe osteoporosis?

A. -1 or greater

B. Between -1 and -2.5

C. -2.5 or less with fragility fractures

D. -2.5 or less

The classification for severe osteoporosis aligns with the criteria set by organizations such as the World Health Organization (WHO). A T-score of -2.5 or less indicates low bone mineral density, which is a marker of osteoporosis. However, to classify it specifically as severe osteoporosis, the presence of fragility fractures must be documented. When assessing bone health, the T-score compares an individual's bone density to that of a healthy young adult. A T-score of -1 or greater signifies normal bone density, while scores between -1 and -2.5 indicate osteopenia, which is a precursor to osteoporosis without being classified as osteoporosis itself. The reading of -2.5 or less reflects osteoporosis, but it doesn't specify severity unless fragility fractures are present. Therefore, the most definitive classification of severe osteoporosis is the combination of a T-score of -2.5 or less and the occurrence of fragility fractures, as it indicates a significantly higher risk of further fractures due to compromised bone strength.

8. If the main tissue of interest is the lung tissue for a CT exam, which would be the most appropriate window level setting?

A. 50

B. 0 or the level of water

C. -600

D. 400

In CT imaging, the window level settings are essential for optimizing the visualization of different tissues based on their density. For lung tissue, which is primarily composed of air and has a low density, the most appropriate window level setting would be around -600 Hounsfield units (HU). Setting the window level to -600 is advantageous because it enhances the contrast of aerated structures while suppressing the appearance of surrounding high-density tissues like bones and soft tissues. This level effectively allows radiologists to observe subtle differences in attenuation within the lung fields, such as those seen in various pathologies like pneumonia, emphysema, or lung nodules. Other levels such as 50 or 0 are not suitable for lung imaging because they are centered around higher densities, which would not provide a clear view of air-filled structures. Likewise, a window level of 400 is more appropriate for evaluating soft tissue as it is still too high to accentuate the low-density characteristics of lung tissue. Therefore, selecting -600 as the window level allows for the best delineation and assessment of lung pathology, making it the optimal choice for this examination.

SAMPLE

9. How many bones are involved in the orbital structure?

A. 5 total bones

B. 6 total bones

C. 7 total bones

D. 8 total bones

The correct answer indicates that there are a total of seven bones involved in the orbital structure. These seven bones are: the frontal, ethmoid, sphenoid, zygomatic, maxilla, palatine, and lacrimal bones. Each of these bones contributes to the formation of the orbit, which houses and protects the eye as well as providing attachment points for the extraocular muscles. The orbital structure is a complex arrangement, and understanding the individual contributions of each bone is crucial for professionals in radiography, especially when interpreting imaging studies of the facial skeleton and recognizing potential fractures or anomalies. The inclusion of the ethmoid and sphenoid bones is particularly significant, as they contain important landmarks such as the optic canals and various foramina that hold key ocular structures and nerves. Having knowledge of the number and arrangement of these bones is essential for both anatomical comprehension and practical applications in medical imaging and patient care.

10. How many CT numbers are assigned to each pixel in the image matrix?

A. One half the number of all values recorded from the array detector

B. One

C. Two values for a 256-matrix, 4 values for a 512-matrix

D. The number of HU per pixel is one-tenth the display field of view

Each pixel in a CT image matrix is assigned one CT number, which is also referred to as a Hounsfield unit (HU). This single value represents the attenuation of X-rays as they pass through a specific region of tissue, allowing for characterization of the density and composition of the materials within the scanned area. The CT number is derived from the linear attenuation coefficients of the tissue compared to a reference standard, which is water, and it helps radiologists interpret the images. Different tissues and materials have distinct attenuation characteristics, resulting in a wide range of CT numbers. This singular assignment of one CT number per pixel enables a clear and concise representation of the data in the final image. Other options unnecessarily complicate the concept of how CT numbers correspond to individual pixels or misrepresent the relationship between matrix sizes and values assigned.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://camrtradiography.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE