
CANCER CONCEPTS (CC) MEDICAL AND SURGICAL ONCOLOGY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ccmedsurgicaloncology.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What can be a major emotional challenge faced by cancer patients?

A. Financial instability
B. Emotional isolation
C. Difficulty in finding treatments
D. Access to specialists

2. What is the typical treatment approach for stage I breast cancer?

A. Surgery followed by chemotherapy
B. Hormonal therapy alone
C. Surgery followed by radiation therapy
D. Radiation therapy alone

3. What is neoadjuvant therapy?

A. Treatment given after the main treatment
B. Supportive care during treatment
C. Treatment given before the main treatment to shrink the tumor
D. Palliative care for advanced cancer

4. How is dysplasia characterized?

A. Unrecognizable to normal parenchyma
B. Disordered growth with less mature cells
C. Closely resembles normal cells
D. Incidence of ill health in a population

5. What anatomical structure is acquired during a dilation and curettage?

A. Eyeball
B. Spleen
C. Products of conception
D. Plaque from artery

6. What gross descriptors typically characterize malignant lesions?

A. Circumscribed and well demarcated
B. Pushing and homogenous
C. Poorly demarcated and invasive
D. Well encapsulated and pushing

SAMPLE

7. Which cancer is considered the leading type in men?

A. Lung cancer

B. Prostate cancer

C. Testicular cancer

D. Bladder cancer

8. What is typically found at the grossing table following a hemipelvectomy?

A. A piece of colon

B. A portion of bone from the pelvic girdle

C. A partial liver resection

D. Morsels of the uterus

9. What is the role of radiation therapy in oncology?

A. To enhance metabolic activity

B. To alleviate pain

C. To destroy cancer cells by damaging their DNA

D. To stimulate the immune system

10. After a radical hysterectomy, which anatomical structures would be present?

A. Uterus and cervix

B. Uterus, cervix, vaginal cuff, and perimetrium

C. Only the uterus

D. Partial liver resection

SAMPLE

Answers

SAMPLE

1. B
2. C
3. C
4. B
5. C
6. C
7. B
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What can be a major emotional challenge faced by cancer patients?

A. Financial instability

B. Emotional isolation

C. Difficulty in finding treatments

D. Access to specialists

Emotional isolation is a significant challenge faced by cancer patients due to the profound impact that a cancer diagnosis can have on an individual's mental and emotional well-being. When patients receive a cancer diagnosis, they often experience intense feelings of fear, anxiety, and uncertainty about their future. This emotional turmoil can lead them to feel isolated from their friends, family, and even their support systems, as they may believe that others cannot fully understand what they are going through. The experience of illness can create a rift between patients and their loved ones, as friends and family members may struggle to know how to provide the right support or may feel uncomfortable discussing the patient's condition and feelings. Additionally, patients might withdraw from social interactions out of fear of being a burden or not wanting to discuss their illness, further deepening their sense of isolation. These emotions can compound the psychological stress associated with their diagnosis, making it difficult for them to engage with their loved ones and continue living their lives as they did before their diagnosis. While financial instability, difficulty in finding treatments, and access to specialists are also important aspects of the cancer experience, they do not address the profound mental health implications that arise from feelings of emotional isolation. It's crucial to recognize and support the emotional well-being of cancer

2. What is the typical treatment approach for stage I breast cancer?

A. Surgery followed by chemotherapy

B. Hormonal therapy alone

C. Surgery followed by radiation therapy

D. Radiation therapy alone

For stage I breast cancer, the typical treatment approach involves surgery followed by radiation therapy. This is primarily because stage I indicates that the cancer is localized and has not spread beyond the breast or to nearby lymph nodes. Surgical options usually include a lumpectomy or mastectomy, depending on the size and location of the tumor and the patient's preferences. Lumpectomy, which is the removal of the tumor and a small margin of surrounding tissue, is often followed by radiation therapy. The purpose of radiation therapy is to eliminate any remaining cancer cells in the breast area, thereby reducing the risk of recurrence. In contrast, chemotherapy is not routinely indicated for stage I breast cancer, as it is generally reserved for higher stage cancers or aggressive tumor characteristics. Hormonal therapy may be used depending on the hormone receptor status of the tumor, but it is not the primary treatment modality used alone in stage I. Radiation therapy alone is also not sufficient to manage stage I breast cancer without the initial surgical intervention that removes the primary tumor.

SAMPLE

3. What is neoadjuvant therapy?

A. Treatment given after the main treatment

B. Supportive care during treatment

C. Treatment given before the main treatment to shrink the tumor

D. Palliative care for advanced cancer

Neoadjuvant therapy refers to the treatment that is administered before the primary treatment, such as surgery, with the specific goal of shrinking the tumor to make it more amenable to the subsequent definitive treatment. This approach is particularly beneficial in cases where a tumor is too large or has spread locally, as it can reduce the size of the tumor, allowing for less extensive surgery or making the tumor operable when it otherwise might not be. The use of neoadjuvant therapy can also provide an opportunity to assess the tumor's response to the treatment, which can inform future decisions regarding postoperative therapies. Common modalities for neoadjuvant therapy include chemotherapy, radiation therapy, or targeted therapies, depending on the specific type of cancer being treated. This strategy not only aims to enhance surgical outcomes but could also potentially reduce the likelihood of recurrence after surgery, thus improving overall patient prognosis. Understanding the role of neoadjuvant therapy is vital in managing certain cancers effectively and can be an essential part of a comprehensive treatment plan.

4. How is dysplasia characterized?

A. Unrecognizable to normal parenchyma

B. Disordered growth with less mature cells

C. Closely resembles normal cells

D. Incidence of ill health in a population

Dysplasia is characterized by disordered growth and the presence of less mature cells compared to normal tissue. This condition reflects abnormal development in cellular architecture and organization, often seen in tissues that may be undergoing transformation due to injury, irritation, or pre-cancerous changes. In dysplastic cells, features such as increased nuclear-to-cytoplasmic ratio, irregular nuclear contours, and varying cell sizes may be observed, indicating that the cells are not behaving or developing normally. This contrasts sharply with normal cells, which are organized, have a regular architecture, and perform their designated functions within a tissue. Dysplasia is important because it can be a precursor to more severe abnormalities, including cancer, if the dysplastic changes proceed unchecked. Other options highlight either normalcy or irrelevant public health metrics, making them less applicable to the specific characteristics that define dysplasia. Recognizing the distinctive disordered growth pattern is essential for the identification and management of potential malignancies.

SAMPLE

5. What anatomical structure is acquired during a dilation and curettage?

A. Eyeball

B. Spleen

C. Products of conception

D. Plaque from artery

In a dilation and curettage (D&C) procedure, the primary goal is to remove the products of conception from the uterus. This procedure is commonly performed following a miscarriage, to clear any residual tissue after an abortion, or to address medical conditions such as abnormal uterine bleeding. During the D&C, the cervix is dilated, and then a curette or suction device is used to scrape or suction out the contents of the uterine cavity. The focus on removing products of conception is critical because retained tissue can lead to complications such as infection or excessive bleeding. This procedure is specifically designed to manage and treat issues related to the uterus and its contents, making it essential for addressing reproductive health concerns. The other options do not relate to the anatomical structures associated with a D&C. The eyeball and the spleen are unrelated to the uterus, and plaque from an artery pertains to cardiovascular conditions rather than gynecological procedures. Thus, the correct answer highlights the specific anatomical context of the D&C, which is aimed at clearing the uterus of its contents.

6. What gross descriptors typically characterize malignant lesions?

A. Circumscribed and well demarcated

B. Pushing and homogenous

C. Poorly demarcated and invasive

D. Well encapsulated and pushing

Malignant lesions are typically characterized by poorly demarcated and invasive growth patterns. This means that unlike benign tumors, which tend to have clear borders and may not infiltrate surrounding tissues, malignant tumors often spread beyond their original site and invade adjacent structures. Such invasive behavior indicates a more aggressive nature and higher potential for metastasis, contributing to the overall concern regarding cancer progression. Additionally, poorly demarcated lesions can make surgical removal challenging, as surrounding tissue may also harbor cancer cells, increasing the risk of recurrence after treatment. Recognizing these gross descriptors is essential in clinical practice to guide diagnosis, surgical planning, and treatment strategies. The characteristics of malignancy, including invasive growth and indistinct margins, fundamentally shift the approach compared to benign lesions, which can often be treated more straightforwardly due to their well-defined borders.

7. Which cancer is considered the leading type in men?

A. Lung cancer

B. Prostate cancer

C. Testicular cancer

D. Bladder cancer

Prostate cancer is recognized as the leading cancer type among men, primarily due to its high incidence rate. It is the most frequently diagnosed cancer in male populations, surpassing even lung cancer, which is often noted for its mortality rate. The vulnerability to prostate cancer increases with age, making it particularly prevalent in older men. Additionally, awareness, screening practices, and advancements in diagnostic technologies contribute to its high detection rates. While lung cancer remains a leading cause of cancer mortality among men, it does not outpace prostate cancer in terms of the number of new cases diagnosed each year. Other cancers such as testicular and bladder cancer are significantly less common when compared to prostate cancer, further solidifying prostate cancer's status as the most frequently diagnosed type. This understanding is crucial in oncology, as it aids in early detection strategies and patient education regarding prostate health.

SAMPLE

8. What is typically found at the grossing table following a hemipelvectomy?

A. A piece of colon

B. A portion of bone from the pelvic girdle

C. A partial liver resection

D. Morsels of the uterus

After a hemipelvectomy, the surgical procedure involves the removal of a portion of the pelvis along with associated soft tissues, which may include parts of the lower limb and surrounding structures. The key anatomical feature that defines a hemipelvectomy is the extensive resection of bone from the pelvic girdle, which allows for the excision of tumors or other pathologies affecting this region. In this context, the presence of a portion of bone from the pelvic girdle at the grossing table is a definitive result of the procedure. This option reflects the primary aim of the hemipelvectomy, which is to clear cancerous tissue while ensuring adequate margins around the pelvic area to minimize recurrence. Understanding that this surgical approach typically pertains to malignancies in the pelvis elucidates the significance of the bone present in the specimen. The other options do not accurately reflect the specific anatomical and surgical focus of a hemipelvectomy. For example, a piece of colon would not usually be part of this procedure, as these surgeries primarily involve the skeletal system rather than the gastrointestinal tract. Similarly, partial liver resections and morsels of the uterus are unrelated to the resected sites associated with hemipelvectomy, which centers on the pelvic girdle and adjacent

9. What is the role of radiation therapy in oncology?

A. To enhance metabolic activity

B. To alleviate pain

C. To destroy cancer cells by damaging their DNA

D. To stimulate the immune system

Radiation therapy plays a crucial role in oncology primarily as a treatment modality aimed at destroying cancer cells. This is achieved through the application of high-energy radiation, which damages the DNA of cancer cells. When the DNA is damaged, it disrupts the cancer cells' ability to replicate and grow, ultimately leading to cell death. This mechanism is particularly effective against tumors, which tend to have a higher rate of cell division compared to normal tissues. Additionally, radiation therapy can be utilized in various contexts, such as curative treatment, adjuvant therapy following surgery, or palliative care to alleviate symptoms caused by tumors. While it can contribute to improving quality of life by alleviating pain and other symptoms associated with cancer, its primary purpose remains the destruction of cancer cell DNA. Choices that suggest other roles, such as enhancing metabolic activity or stimulating the immune system, do not accurately reflect the primary function of radiation therapy in the treatment of cancer. Therefore, the emphasis on damaging cancer cell DNA is central to understanding the essential role radiation therapy plays in oncological treatment protocols.

SAMPLE

10. After a radical hysterectomy, which anatomical structures would be present?

A. Uterus and cervix

B. Uterus, cervix, vaginal cuff, and perimetrium

C. Only the uterus

D. Partial liver resection

Following a radical hysterectomy, the surgical procedure involves the complete removal of the uterus, cervix, surrounding tissues, upper part of the vagina, and sometimes nearby lymph nodes. The anatomical structures that would be present after this surgery include the vaginal cuff, which is the surgical closure of the upper vagina where the cervix was attached, and the perimetrium, which is the outermost layer of the uterus. Therefore, the presence of the uterus, albeit removed, along with the vaginal cuff signifies that the structure where the cervix was attached remains as a closed space, marking the transition from the surgical site. The perimetrium, being the peritoneal covering of the uterus, is relevant as it remains intact around the vaginal cuff after the procedure. In contrast, the other choices do not accurately reflect the outcomes of a radical hysterectomy. For example, one option mentions only the uterus, which is not appropriate since the cervix is also removed, along with other tissues. Another option that suggests a partial liver resection is unrelated to the surgical focus of a radical hysterectomy and indicates a misunderstanding of the types of procedures involved. Therefore, the correct response adequately outlines the key anatomical changes and structures involved after the surgery.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ccmedsurgicaloncology.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE