
CAPSTONE MED-SURG PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://capstonemedsurg.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the focus of nursing interventions in palliative care settings?

A. Curing the illness regardless of the prognosis

B. Providing the best possible quality of life

C. Extending life at all costs

D. Facilitating hospital admissions

2. What intervention is most important for a patient with a history of seizures?

A. Administering medication

B. Ensuring safety and preventing injury during a seizure

C. Documenting the event

D. Providing hydration

3. Which electrolyte imbalance is commonly seen in patients with renal failure?

A. Hyperkalemia

B. Hypocalcemia

C. Hyponatremia

D. Hypermagnesemia

4. Why is it important to monitor electrolytes in patients receiving diuretics?

A. It helps in assessing liver function

B. Diuretics can cause imbalances leading to serious complications

C. To determine nutritional status

D. It is not necessary to monitor electrolytes

5. What are potential complications of long-term corticosteroid use?

A. Improved joint flexibility and reduced inflammation

B. Osteoporosis, infection, hypertension, and hyperglycemia

C. Enhanced immune response and increased hair growth

D. Better mood stability and improved sleep quality

SAMPLE

6. Which lab test is typically used to monitor liver function?

A. Complete blood count

B. Lipid panel

C. Liver enzyme tests

D. Thyroid panel

7. What is one of the key factors to monitor in diabetic patients who are undergoing surgery?

A. Fluid intake levels only

B. Blood sugar levels

C. Nutritional supplement intake

D. Physical activity levels alone

8. Which nursing intervention is beneficial for preventing thrombus formation in immobile patients?

A. Restricting fluids

B. Encouraging ambulation or using compression stockings

C. Increasing bed rest duration

D. Applying heat therapy

9. Which symptom may indicate an adverse reaction to a blood transfusion?

A. Weight gain

B. Bradycardia

C. Fever and chills

D. Nausea and vomiting

10. What does the Glasgow Coma Scale assess?

A. The level of pain tolerance in a patient

B. The level of consciousness in a patient based on eye, verbal, and motor responses

C. The effectiveness of medication administration

D. The patient's nutritional status

SAMPLE

Answers

SAMPLE

1. B
2. B
3. A
4. B
5. B
6. C
7. B
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What is the focus of nursing interventions in palliative care settings?

A. Curing the illness regardless of the prognosis

B. Providing the best possible quality of life

C. Extending life at all costs

D. Facilitating hospital admissions

In palliative care settings, the primary focus of nursing interventions is to provide the best possible quality of life for patients who are facing serious, life-limiting illnesses. This approach emphasizes comfort, dignity, and the management of symptoms rather than attempting to cure the disease or prolong life at all costs. Nursing interventions in palliative care may include pain management, emotional and psychological support for both the patient and their family, coordination of care, and assistance with life planning decisions. The goal is to help patients maintain as much independence and comfort as possible while addressing their specific needs and preferences. This holistic perspective recognizes that the experience of terminal illness impacts not only physical health but also emotional, social, and spiritual well-being. Through these tailored interventions, nurses play a vital role in enhancing the overall quality of life for patients, which aligns perfectly with the ethical principles and goals of palliative care.

2. What intervention is most important for a patient with a history of seizures?

A. Administering medication

B. Ensuring safety and preventing injury during a seizure

C. Documenting the event

D. Providing hydration

For a patient with a history of seizures, ensuring safety and preventing injury during a seizure is the most critical intervention. When a seizure occurs, the individual's level of awareness and control over their body can be significantly compromised, making them vulnerable to various injuries, such as falls, asphyxiation, or trauma from nearby objects. The main priority is to protect the patient from harm by moving any dangerous objects out of the way, cushioning their head, and helping to position them safely until the seizure subsides. While administering medication is important for long-term seizure management and preventing future seizures, it does not address the immediate needs of a patient experiencing an active seizure. Documentation of the event is valuable for ongoing assessment and treatment but is also secondary to immediate safety concerns. Providing hydration may be relevant after a seizure episode, but it does not take precedence over ensuring the patient's safety at the time of the seizure. Thus, prioritizing the patient's safety during a seizure is essential for effective nursing care and risk reduction.

SAMPLE

3. Which electrolyte imbalance is commonly seen in patients with renal failure?

A. Hyperkalemia

B. Hypocalcemia

C. Hyponatremia

D. Hypermagnesemia

Patients with renal failure often experience hyperkalemia, which is characterized by elevated levels of potassium in the blood. The kidneys play a crucial role in regulating potassium levels by filtering excess potassium for excretion. When renal function declines, this ability is compromised, leading to an accumulation of potassium. This condition can have significant clinical implications, as high potassium levels can disrupt normal heart rhythms and lead to serious cardiovascular issues. Therefore, monitoring potassium levels is an essential aspect of managing patients with renal failure. While other electrolyte imbalances, such as hypermagnesemia, hypocalcemia, and hyponatremia, can also occur in renal failure, hyperkalemia is particularly prevalent and poses an immediate health risk that often requires urgent intervention. Thus, recognizing hyperkalemia as a common electrolyte imbalance in this patient population is crucial for effective management and treatment planning.

4. Why is it important to monitor electrolytes in patients receiving diuretics?

A. It helps in assessing liver function

B. Diuretics can cause imbalances leading to serious complications

C. To determine nutritional status

D. It is not necessary to monitor electrolytes

Monitoring electrolytes in patients receiving diuretics is essential because diuretics can lead to imbalances that may result in serious complications. Diuretics work by increasing urine production, which can cause the body to lose not only water but also important electrolytes such as sodium, potassium, magnesium, and calcium. These imbalances can lead to various health issues, including dehydration, cardiac arrhythmias, muscle weakness, and even complications like renal failure or seizures if electrolytes become critically low or high. By regularly monitoring electrolyte levels, healthcare providers can detect abnormalities early and take corrective actions, such as adjusting medication dosages, implementing oral or intravenous electrolyte replacement, or modifying the patient's treatment plan to mitigate risks associated with diuretic use. This vigilance helps ensure patient safety and optimize therapeutic outcomes.

SAMPLE

5. What are potential complications of long-term corticosteroid use?

A. Improved joint flexibility and reduced inflammation

B. Osteoporosis, infection, hypertension, and hyperglycemia

C. Enhanced immune response and increased hair growth

D. Better mood stability and improved sleep quality

Long-term corticosteroid use is associated with several significant complications that can affect multiple organ systems. One of the most critical concerns is osteoporosis, which occurs because corticosteroids can interfere with calcium absorption in the intestines and inhibit bone formation, leading to an increased risk of fractures. Infection is another major complication because corticosteroids suppress the immune system, making the body more susceptible to infections and slowing the body's ability to respond to them. Hypertension can arise due to corticosteroids causing increased fluid retention and altering the balance of electrolytes, particularly sodium and potassium, which can lead to elevated blood pressure. Hyperglycemia, or elevated blood sugar levels, can occur as corticosteroids increase glucose production in the liver and decrease the sensitivity of body tissues to insulin, potentially resulting in diabetes mellitus in susceptible individuals. These complications underscore the importance of careful monitoring and management in patients prescribed long-term corticosteroid therapy, as proactive measures can help mitigate some of these risks.

6. Which lab test is typically used to monitor liver function?

A. Complete blood count

B. Lipid panel

C. Liver enzyme tests

D. Thyroid panel

Liver enzyme tests are specifically designed to assess liver function by measuring the levels of certain enzymes and substances in the blood that reflect the health and performance of the liver. Common enzymes measured include alanine aminotransferase (ALT) and aspartate aminotransferase (AST), among others. Elevated levels of these enzymes can indicate liver inflammation, damage, or disease, making them critical for diagnosing and monitoring conditions such as hepatitis, cirrhosis, or liver cancer. The complete blood count evaluates overall health and can reveal issues such as anemia or infection but does not provide specific information about liver function. The lipid panel measures cholesterol and triglycerides, which are important for cardiovascular health but unrelated to liver function monitoring. The thyroid panel focuses on the function of the thyroid gland and its hormones, not the liver. Therefore, liver enzyme tests are the correct choice, as they directly measure substances that indicate liver health and function.

SAMPLE

7. What is one of the key factors to monitor in diabetic patients who are undergoing surgery?

A. Fluid intake levels only

B. Blood sugar levels

C. Nutritional supplement intake

D. Physical activity levels alone

Monitoring blood sugar levels in diabetic patients undergoing surgery is crucial for several reasons. Surgical stress can induce changes in glucose metabolism and lead to hyperglycemia, even in patients who are normally well-controlled. Elevated blood sugar levels can increase the risk of surgical complications, including infections, delayed wound healing, and poor recovery outcomes. In a surgical setting, it's essential to keep blood glucose levels within a target range to mitigate potential risks. This often requires careful adjustment of insulin or other diabetic medications preoperatively, intraoperatively, and postoperatively. Additionally, healthcare providers may implement protocols for regular monitoring of blood sugar to respond quickly to any fluctuations. While fluid intake, nutritional supplements, and physical activity levels are also important to consider in the overall care of diabetic patients, none of these factors directly impact the immediate surgical outcomes as significantly as blood sugar levels do. Proper management of blood glucose is fundamental to ensuring the safety and effectiveness of the surgical procedure and promoting optimal healing.

8. Which nursing intervention is beneficial for preventing thrombus formation in immobile patients?

A. Restricting fluids

B. Encouraging ambulation or using compression stockings

C. Increasing bed rest duration

D. Applying heat therapy

Encouraging ambulation or using compression stockings is crucial for preventing thrombus formation in immobile patients because both actions promote venous return and enhance blood circulation. When patients are immobile, blood flow can become sluggish, particularly in the lower extremities, increasing the risk of thrombosis, which is the formation of a clot within a blood vessel. Ambulation, even in a limited capacity, encourages the natural movement of muscles that helps pump blood back toward the heart. This reduces stasis, one of the key factors contributing to thrombus development. For patients who are unable to ambulate, compression stockings provide graduated compression that helps facilitate blood flow in the veins, thereby minimizing the risk of clot formation. In contrast, restricting fluids may lead to dehydration and potentially poor circulation. Increasing bed rest duration fails to address the risks associated with immobility and actually heightens the likelihood of thrombus formation. Applying heat therapy might seem beneficial for alleviating discomfort, but it does not contribute to improving circulation and can even lead to vasodilation and pooling of blood, which is counterproductive for patients at risk of thrombus formation.

SAMPLE

9. Which symptom may indicate an adverse reaction to a blood transfusion?

A. Weight gain

B. Bradycardia

C. Fever and chills

D. Nausea and vomiting

Fever and chills are common symptoms that may indicate an adverse reaction to a blood transfusion, particularly a febrile non-hemolytic transfusion reaction. This type of reaction is typically due to the recipient's immune response to white blood cells or donor platelets in the transfused blood product. The onset of fever, often accompanied by chills, can occur within a few hours of starting the transfusion and is a significant sign that the patient's body is reacting to the transfused blood. In the context of blood transfusion reactions, other symptoms may also be present, such as headache, malaise, or allergic symptoms, but fever and chills are among the most well-recognized indicators of a potential transfusion reaction. Other listed symptoms, such as weight gain, bradycardia, or nausea and vomiting, can occur in various medical situations but are not as specifically associated with blood transfusion reactions as fever and chills. For instance, weight gain can be related to fluid overload, bradycardia could be associated with other cardiovascular issues, and nausea and vomiting may arise from different causes unrelated to transfusion reactions. Thus, recognizing fever and chills as indicators is crucial for timely intervention and management of potential transfusion-related complications.

10. What does the Glasgow Coma Scale assess?

A. The level of pain tolerance in a patient

B. The level of consciousness in a patient based on eye, verbal, and motor responses

C. The effectiveness of medication administration

D. The patient's nutritional status

The Glasgow Coma Scale is specifically designed to assess a patient's level of consciousness, which is critical in evaluating neurological function. It quantifies a person's responsiveness based on three key components: eye opening, verbal responses, and motor responses. Each component is scored separately, and the total score gives healthcare providers a standardized measure to gauge the patient's neurological status. The eye opening response evaluates whether a patient opens their eyes spontaneously, in response to verbal commands, or to pain. The verbal response assesses the patient's alertness and ability to communicate effectively, ranging from oriented speech to no verbal response at all. Lastly, the motor response evaluates how well a patient can respond to commands or respond to stimuli, indicating both the integrity of their neurological pathways and their level of consciousness. This scale is particularly vital in emergency settings, as it allows for quick assessment and monitoring of changes in a patient's condition over time. Understanding and applying the Glasgow Coma Scale is essential in managing patients with potential head injuries or other conditions affecting consciousness.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://capstonemedsurg.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE