CAREFLITE PROTOCOL PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://careflitеprotocol.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What conditions warrant a high-priority notification to receiving hospitals?

A. Signs of major trauma

B. All routine transports

C. Minor injuries

D. Patients with stable vitals

2. What is the proper way to transport an amputated finger?

A. Wrapped in a dry cloth

B. Placed in a plastic bag and submerged in ice water

C. Simply wrapped in gauze

D. Kept in the patient's belongings

3. What is a vital reason for accurate documentation in the CareFlite Protocol?

A. To increase flight turnaround times

B. To ensure the legality of the dispatch process

C. To maintain continuity of care and provide legal protection

D. To facilitate insurance claims for patients

4. How many hours after an incident can secondary drowning symptoms appear?

A. 12 hours

B. 24 hours

C. 36 hours

D. 48 hours

5. How much oral glucose is generally administered to a patient?

A. 10g

B. 15g

C. 20g

D. 25g

SAMPLE

6. Under what circumstances should a ground transport be preferred over air transport in CareFlite?

A. When the patient's condition is unstable and the weather is poor

B. When the distance to the hospital is short and traffic is severe

C. When there are multiple casualties requiring immediate air lift

D. When the patient's family insists on ground transport

7. What constitutes a priority for air medical transport?

A. Patients who can wait for transportation

B. Life-threatening conditions requiring rapid transport

C. Patients with minor injuries needing attention

D. Transporting individuals with chronic conditions

8. The first step when treating a patient with a dry chemical burn is to?

A. Remove all clothing

B. Brush away the chemical

C. Wash the area with water

D. Apply a burn dressing immediately

9. What is the first intervention when you have a hyperthermic patient?

A. Administer fluids

B. Remove clothing

C. Apply ice packs

D. Transport to the hospital

10. What color of i-gel is recommended for patients weighing between 5-12 kg?

A. Pink

B. Blue

C. Grey

D. White

SAMPLE

Answers

SAMPLE

1. A
2. B
3. C
4. B
5. B
6. B
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What conditions warrant a high-priority notification to receiving hospitals?

A. Signs of major trauma

B. All routine transports

C. Minor injuries

D. Patients with stable vitals

A high-priority notification to receiving hospitals is warranted for patients exhibiting signs of major trauma because these cases often require immediate and specialized medical attention. Major trauma indicates severe injuries that could threaten life or limb, such as significant head injuries, spinal cord injuries, or multiple broken bones. Notifying hospitals of such cases allows them to prepare the necessary resources, including trauma teams, surgical preparations, and advanced imaging capabilities, before the patient arrives. This proactive approach significantly improves the chances of a positive outcome for the patient. The other options, while important in their own contexts, do not typically require the same level of urgency. Routine transports usually involve cases that are not critical and allow healthcare facilities to manage timing better. Minor injuries, while they may need treatment, generally do not constitute an immediate threat to life or well-being and can often be managed in less urgent settings. Patients with stable vitals indicate that they are not in critical condition and often do not require urgent notification for specialty care to be ready upon arrival. Thus, the focus on major trauma is essential for ensuring that the highest level of care is delivered as quickly as possible.

2. What is the proper way to transport an amputated finger?

A. Wrapped in a dry cloth

B. Placed in a plastic bag and submerged in ice water

C. Simply wrapped in gauze

D. Kept in the patient's belongings

The most effective method for transporting an amputated finger involves placing it in a plastic bag and submerging it in ice water. This approach ensures that the tissue remains as viable as possible. The cold temperature helps to slow down the metabolic processes of the cells, reducing the likelihood of tissue damage. Using a plastic bag helps prevent contamination and maintains moisture, which is crucial for preserving the cellular integrity of the amputated part. Submersion in ice water provides a dual benefit of cooling and keeping the finger hydrated, which is important for potential reattachment by medical professionals. In contrast, wrapping the finger in a dry cloth or simply in gauze does not offer adequate protection or moisture, which can lead to cell death due to dehydration. Keeping the finger with the patient's belongings fails to provide any form of cooling or moisture maintenance, thus compromising the chances of successful reattachment.

SAMPLE

3. What is a vital reason for accurate documentation in the CareFlite Protocol?

A. To increase flight turnaround times

B. To ensure the legality of the dispatch process

C. To maintain continuity of care and provide legal protection

D. To facilitate insurance claims for patients

Accurate documentation in the CareFlite Protocol is crucial for several reasons, with a vital one being to maintain continuity of care and provide legal protection. Documentation ensures that all actions taken during the care and transport of a patient are recorded comprehensively. This includes details about patient assessments, treatments given, and communication with other healthcare providers. Such thorough documentation supports healthcare continuity by ensuring that anyone involved in the patient's care can access accurate information regarding prior interventions and decisions. Additionally, well-documented records serve as a legal safeguard for the team members, protecting them in case of disputes or allegations related to the care provided. In the event of litigation, detailed records can demonstrate that appropriate protocols were followed, potentially mitigating liability for the care providers. While the other options touch on important aspects related to operational efficiency, legality, and financial matters, they do not encompass the broader implications of how documentation directly affects patient care quality and legal accountability. Accurate records facilitate more reliable patient transitions between care settings and uphold the standards of medical practice.

4. How many hours after an incident can secondary drowning symptoms appear?

A. 12 hours

B. 24 hours

C. 36 hours

D. 48 hours

Secondary drowning is a phenomenon where a person experiences complications after inhaling water, typically occurring in non-fatal drowning incidents. The symptoms can be delayed, and it is crucial to understand the timing of these symptoms to ensure proper monitoring and treatment. The correct timeframe for the onset of secondary drowning symptoms is generally recognized as up to 24 hours after the incident. This period allows for any water that may have been inhaled to cause inflammation or fluid accumulation in the lungs, potentially leading to respiratory distress. Individuals may initially appear fine after the incident but can later show signs such as coughing, difficulty breathing, or unusual behavior. Recognizing the importance of this timeframe ensures that caregivers and medical personnel are vigilant about monitoring for symptoms even after an individual seems to have recovered from the initial incident. Awareness of this critical window for symptoms helps prevent serious complications, emphasizing the need for immediate medical attention if there are any concerns.

SAMPLE

5. How much oral glucose is generally administered to a patient?

A. 10g

B. 15g

C. 20g

D. 25g

Administering 15g of oral glucose is the standard practice for treating hypoglycemia in alert patients who are able to swallow. This dosage is sufficient to raise blood glucose levels effectively without the risk of causing hyperglycemia. In emergency settings, it's crucial to provide a dosage that balances prompt relief of symptoms with safety. Using 15g allows for the rapid absorption and quick physiological response needed in the context of a hypoglycemic episode. If a patient does not respond within a specific timeframe, additional doses may be administered as needed to ensure that blood glucose levels are adequately controlled. Administering less than this amount might not produce the desired effect in quickly elevating blood sugar levels, while higher doses could lead to unnecessary fluctuations and complications in glucose levels.

6. Under what circumstances should a ground transport be preferred over air transport in CareFlite?

A. When the patient's condition is unstable and the weather is poor

B. When the distance to the hospital is short and traffic is severe

C. When there are multiple casualties requiring immediate air lift

D. When the patient's family insists on ground transport

Ground transport is preferred over air transport in circumstances where the distance to the hospital is short and traffic is severe. This is because ground transport can often reach its destination more quickly in such situations. Air transport can be significantly delayed due to weather conditions or air traffic, making it less efficient when the hospital is nearby. Additionally, ground ambulances can navigate through traffic and take alternative routes if necessary, which can be crucial when time is of the essence for patient care. In scenarios with a short distance to the hospital, ground transport can provide immediate care without the delays associated with air transport logistics, such as preparing the helicopter and ensuring that all protocols for safe air travel are followed. This allows for a faster overall response, which is vital for patient outcomes in emergencies.

7. What constitutes a priority for air medical transport?

A. Patients who can wait for transportation

B. Life-threatening conditions requiring rapid transport

C. Patients with minor injuries needing attention

D. Transporting individuals with chronic conditions

In the context of air medical transport, a priority is defined by the urgency of the medical condition presenting a significant threat to life. Patients with life-threatening conditions require rapid intervention and transport to a medical facility equipped to manage critical care situations. The faster these patients can receive advanced medical attention, the better their chances of survival and recovery. Air medical transport is specifically designed for situations where ground transport may be too slow due to distance, traffic conditions, or the critical nature of the patient's condition. This means that individuals experiencing severe trauma, cardiac arrest, or other emergent medical situations are the primary focus when determining transport priorities. In contrast, patients who can wait for transportation or have minor injuries generally do not require the immediate and specialized care that air medical transport provides, making them lower priority for this mode of transport. Similarly, transporting individuals with chronic conditions typically does not necessitate the urgency or rapid response capabilities of air medical services, further distinguishing the critical nature of those in life-threatening situations.

SAMPLE

8. The first step when treating a patient with a dry chemical burn is to?

A. Remove all clothing

B. Brush away the chemical

C. Wash the area with water

D. Apply a burn dressing immediately

When treating a patient with a dry chemical burn, the first step is to brush away the chemical. This is crucial because it helps to remove any residual chemical substances from the skin before introducing water or any other treatment. If the chemical is washed away with water before it has been fully removed from the skin, it may react with the moisture, potentially causing further injury or spreading the burn. By carefully brushing away the chemical, you minimize the risk of additional harm and prepare the area for subsequent care, such as irrigation with water. It is important to ensure the chemical does not linger on the skin to mitigate its damaging effects effectively. This approach also aligns with safety protocols for handling hazardous materials and first aid responses in emergency situations.

9. What is the first intervention when you have a hyperthermic patient?

A. Administer fluids

B. Remove clothing

C. Apply ice packs

D. Transport to the hospital

The first intervention for a hyperthermic patient is to remove clothing. This step is critical because it allows for better heat dissipation from the body. When a person is hyperthermic, their body temperature is elevated, and reducing the amount of clothing can help facilitate cooling through convection and evaporation. In a hyperthermic situation, the body's ability to cool itself is compromised, so removing clothing can enhance air circulation around the skin and increase the efficiency of any cooling measures that follow. Once clothing is removed, other interventions such as applying ice packs, administering fluids, or transporting the patient to a medical facility can be implemented as part of a comprehensive treatment strategy. However, the priority is to allow the body's natural cooling mechanisms to have the best chance at restoring normal temperature as quickly as possible.

10. What color of i-gel is recommended for patients weighing between 5-12 kg?

A. Pink

B. Blue

C. Grey

D. White

The recommended color of the i-gel for patients weighing between 5-12 kg is blue. The i-gel is a type of supraglottic airway device that comes in different sizes, each represented by a specific color. The blue i-gel is specifically designed to accommodate children within the 5-12 kg weight range, providing an appropriate fit that ensures effective ventilation and airway management during medical procedures. Using the correct size is critical to ensure that the device seals well and minimizes the risk of airway complications, thus improving patient safety and outcomes. Each of the other colors corresponds to different weight ranges, making them unsuitable for this specific category of patients.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://carefliteprotocol.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE