CARGO OPERATIONS SEA YEAR PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cargoopsseayear.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which action is essential for a safe crane lifting operation during cargo loading?

A. Check crane capacity vs load and inspect rigging

B. Use taglines only for heavy cargo

C. Ignore weather conditions during lifting

D. Operate the crane from the wheelhouse

2. What is the proper interpretation of pre-weighed cargo versus loaded cargo in terms of stability?

A. Pre-weighed cargo weight is unknown

B. Loading does not affect stability

C. Pre-weighed cargo weight is known; loading changes center of gravity; you must recalculate stability after loading and adjust ballast accordingly.

D. Stability depends only on ballast water

3. How should dangerous goods be labeled and placarded on packages and containers in compliance with IMDG?

A. Placards are required on containers carrying hazardous goods as specified by the hazard class and quantity.

B. Placards are never required.

C. Placards are optional regardless of cargo.

D. Placards are only for domestic voyages.

4. Container bays are organized in which direction?

A. Longitudinally

B. Laterally

C. Diagonally

D. Vertically

5. A hold has been partially loaded with dry bulk and previously loaded wet bulk. What issue might occur and how should it be addressed?

A. Moisture migration and contamination risk; perform hold cleaning, inspect moisture, and ensure proper segregation and venting before continuing.

B. Improved cargo density; proceed without changes.

C. No issue; mixing allowed.

D. Temperature rise; cover holds.

SAMPLE

6. Hazardous Cargo Class 2 corresponds to which category?

A. Oxidizers

B. Flammable liquids

C. Gases

D. Miscellaneous

7. Which survey type documents the overall condition of the ship, including hull and engines?

A. Hatch sealing survey

B. Onhire/offhire survey

C. Saltwater ingress survey

D. Cleanliness survey

8. How is a classification society requirement in cargo handling best described?

A. It is a routine inspection conducted by the ship's own crew

B. It is a third-party surveyor confirming vessel's compliance; some safety and load criteria require their approval; not routine

C. It is only applicable to tankers

D. It concerns only personal protective equipment

9. Never lash cargo over the top because it increases _____, use _____

A. Tension, full loops

B. Friction, half loops

C. Load, straps

D. Clearance, knots

10. Under IMDG regulation, when are placards required on containers?

A. Placards are required on containers carrying hazardous goods as specified by the hazard class and quantity.

B. Placards are never required.

C. Placards are optional regardless of cargo.

D. Placards are only for domestic voyages.

SAMPLE

Answers

SAMPLE

1. A
2. C
3. A
4. A
5. D
6. C
7. B
8. B
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. Which action is essential for a safe crane lifting operation during cargo loading?

A. Check crane capacity vs load and inspect rigging

B. Use taglines only for heavy cargo

C. Ignore weather conditions during lifting

D. Operate the crane from the wheelhouse

The key safety factor in a crane lift is confirming that the crane can handle the load at the planned radius and that the rigging is in good condition. This means checking the crane's working load limit as shown on its load chart for the exact boom angle or extension and radius, so the lift stays within what the equipment can safely support, even when you account for dynamic effects like acceleration, sway, or wind. Rigging inspection is part of this essential step because the lift depends on the integrity of slings, shackles, hooks, and other attachments. Damaged, worn, or improperly configured rigging can fail even if the crane itself is within its rating, leading to dropped loads or equipment damage. So, verifying both the capacity and the rigging setup prevents an overload scenario and ensures the load is securely balanced. Other practices are important for a safe operation, but they don't by themselves guarantee safety in the same way. Taglines assist with guiding the load and maintaining clear communication, but they don't address whether the crane is rated for the current lift. Weather and wind affect lift safety and may require precautions, but ignoring them is not acceptable. Operating from the wheelhouse may reduce visibility, which is not ideal for a precise lift.

2. What is the proper interpretation of pre-weighed cargo versus loaded cargo in terms of stability?

A. Pre-weighed cargo weight is unknown

B. Loading does not affect stability

C. Pre-weighed cargo weight is known; loading changes center of gravity; you must recalculate stability after loading and adjust ballast accordingly.

D. Stability depends only on ballast water

Stability hinges on how the center of gravity sits relative to buoyancy. When cargo is pre-weighed, you know how much weight will be added, but where that weight is placed as you load it moves the center of gravity. That shift changes the ship's trim and its righting lever, so you must recalculate stability after loading. Based on that recalculation, you adjust ballast to restore the desired trim and maintain adequate overall stability, including keeping the metacentric height and righting arms within safe limits. If you don't re-evaluate after loading, the vessel could adopt an unfavorable heel or trim, even though the total cargo weight is known.

SAMPLE

3. How should dangerous goods be labeled and placarded on packages and containers in compliance with IMDG?

A. Placards are required on containers carrying hazardous goods as specified by the hazard class and quantity.

B. Placards are never required.

C. Placards are optional regardless of cargo.

D. Placards are only for domestic voyages.

In IMDG operations, making the hazard clearly visible on the transport unit is essential. Dangerous goods must be marked and the containers openly show the appropriate danger placards that reflect both the hazard class and the quantity being shipped. This means placards are required on containers carrying hazardous goods, with the exact placard type determined by the hazard class and the amount being transported. The purpose is to communicate risk at a glance to anyone handling or responding to an incident. Options saying placards are never required, optional, or only for domestic voyages don't fit, because IMDG requires these placards for sea transport whenever hazardous goods are involved, with the specifics tied to the hazard class and quantity (though there are certain quantity-based exemptions in some cases).

4. Container bays are organized in which direction?

A. Longitudinally

B. Laterally

C. Diagonally

D. Vertically

Bays are laid out along the length of the ship, fore to aft. This longitudinal arrangement aligns with how containers are loaded and discharged and matches the way the ship's structure is framed, making planning, access, and balance easier. It allows the crane to reach each bay efficiently as it moves along the length of the vessel and helps distribute weight smoothly to maintain stability. Organizing bays across the width would complicate crane access and stability, while vertical stacking relates to height, not the directional layout of the bays themselves.

5. A hold has been partially loaded with dry bulk and previously loaded wet bulk. What issue might occur and how should it be addressed?

A. Moisture migration and contamination risk; perform hold cleaning, inspect moisture, and ensure proper segregation and venting before continuing.

B. Improved cargo density; proceed without changes.

C. No issue; mixing allowed.

D. Temperature rise; cover holds.

When a hold has already contained wet bulk, residual moisture can linger and interact with the next cargo being loaded. If dry bulk is added on top, moisture and heat can become trapped in the hold, potentially causing a temperature rise. A rise in temperature is a serious signal because it can affect cargo integrity and, in some cases, raise the risk of spontaneous combustion or other heat-related issues in the hold. Covering the holds is a way to control the environment by limiting airflow and moisture exchange with the surrounding atmosphere, which can help manage the heat buildup and prevent further reactions or heat gain while you assess and address the situation. In practice, this would be supplemented by temperature monitoring, hold cleaning, inspection for moisture, and appropriate ventilation and segregation steps before continuing.

SAMPLE

6. Hazardous Cargo Class 2 corresponds to which category?

A. Oxidizers

B. Flammable liquids

C. Gases

D. Miscellaneous

Gases is the correct category because hazardous cargo is grouped by the primary hazard, and Class 2 specifically covers substances that are in gaseous form (whether as compressed, liquefied, or dissolved gases) at ambient conditions or when stored under pressure. This includes common industrial gases like oxygen, nitrogen, and propane when shipped in cylinders or other containment. The other categories refer to different hazards: oxidizers are a separate class (they promote combustion but aren't defined by being gases), flammable liquids are a different class (Class 3 for liquids with low flash points), and miscellaneous is a catch all for items that don't fit the other classes (Class 9).

7. Which survey type documents the overall condition of the ship, including hull and engines?

A. Hatch sealing survey

B. Onhire/offhire survey

C. Saltwater ingress survey

D. Cleanliness survey

This type of survey is meant to capture the ship's overall condition at the start or end of a charter, including the hull and the engine-room machinery. It provides a baseline for assessing wear, damage, and changes during the charter and is used to settle deposits or claims. Hatch sealing surveys focus specifically on the watertight integrity of hatch covers, saltwater ingress surveys look at whether seawater has entered spaces due to leaks, and cleanliness surveys assess how clean the vessel and holds are. Because it covers the broad condition of the vessel—as well as the hull and engines—it best fits the requirement.

8. How is a classification society requirement in cargo handling best described?

A. It is a routine inspection conducted by the ship's own crew

B. It is a third-party surveyor confirming vessel's compliance; some safety and load criteria require their approval; not routine

C. It is only applicable to tankers

D. It concerns only personal protective equipment

Classification society requirements in cargo handling are third party surveys and approvals. Independent surveyors verify that the vessel and its cargo handling gear meet the rules and standards set by the classification society (and applicable conventions); their approval is required for certain safety and load criteria and is not a routine inspection by the ship's crew. This applies to many vessel types, not just tankers, and it is not about personal protective equipment.

SAMPLE

9. Never lash cargo over the top because it increases _____, use _____

A. Tension, full loops

B. Friction, half loops

C. Load, straps

D. Clearance, knots

Friction is the factor at play. When lashings go over the top of the cargo, the rope rubs against the top edges, increasing contact friction. That higher friction makes the securing effort more difficult, wears the rope and cargo, and can lead to damage or slippage. Using half loops avoids wrapping the rope fully over the top, reducing contact length and friction. This still provides effective restraint while minimizing wear and making the lashings easier to tighten and release.

10. Under IMDG regulation, when are placards required on containers?

A. Placards are required on containers carrying hazardous goods as specified by the hazard class and quantity.

B. Placards are never required.

C. Placards are optional regardless of cargo.

D. Placards are only for domestic voyages.

Placards communicate the hazard and must be used whenever dangerous goods are carried in containers. Under the IMDG Code, you determine the need for placards by the hazard class of the goods and the quantity being shipped. If the item is classified as dangerous and the amount meets the threshold for that class, the container must display the appropriate placards. This helps anyone handling the cargo and emergency responders quickly understand the risk and take proper precautions. Placards should be fixed on the exterior of the container, kept visible and legible, typically on two opposite sides, and maintained in good condition. If the cargo isn't dangerous or falls below the required threshold, placards aren't required. The rule applies to sea transport and isn't limited to domestic voyages, so statements that placards are never required, optional, or only for domestic voyages don't fit the IMDG requirement to placard based on hazard class and quantity.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cargoopsseayear.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE