CAS ADULT HEALTH PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://casadulthealth.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which lab value is a key indicator of renal function in a client with SLE?

A. Serum creatinine

B. Blood urea nitrogen (BUN)

C. Serum sodium

D. Urine-specific gravity

2. What is a common expectation for a client recovering from TURP regarding urinary patterns?

A. Increased urinary frequency

B. Decreased urinary output

C. Incontinence

D. Painful urination

3. What instruction should be included for a client after cataract extraction regarding activity restrictions?

A. Bend at the waist to pick objects up from the floor.

B. Sleep on the abdomen to facilitate wound healing.

C. Avoid lifting anything heavier than 4.5 kg (10 lb) for 1 week.

D. Notify the surgeon if white drainage develops on the eyelids.

4. Which statement from the client following cataract surgery should the nurse report to the provider?

A. My eye really itches, but I'm trying not to rub it.

B. It's hard to see with a patch on one eye. I'm afraid of falling.

C. The bright light in this room is really bothering me.

D. I need something for the pain in my eye. I can't stand it.

5. What is the purpose of end-of-life care?

A. To extend life at all costs

B. To provide comfort and support during the dying process

C. To ensure legal documentation is completed

D. To evaluate patient progress

SAMPLE

6. What should the nurse teach a client with hypertension about maintaining their condition?

A. Limit physical activity to avoid overexertion.

B. Increase salt intake for better blood pressure control.

C. Track blood pressure regularly at home.

D. Avoid monitoring blood pressure during stressful situations.

7. Which manifestation might a middle adult female experience during early menopause?

A. Urinary retention

B. Decreased blood pressure

C. Dryness with intercourse

D. Elevation in body temperature above 37.8° C (100° F)

8. What symptom should a nurse expect from a client suspected of having cataracts?

A. Loss of central vision.

B. Loss of peripheral vision.

C. Seeing bright flashes of light and floaters.

D. Decreased ability to perceive colors.

9. What is a common effect of unmanaged hypertension?

A. Enhanced kidney function

B. Increased risk of stroke

C. Improved cardiovascular health

D. Reduction in heart rate

10. What is a potential consequence of elevated serum creatinine levels?

A. Improved kidney function

B. Increased liver function

C. Indication of renal dysfunction

D. Decreased risk of hypertension

SAMPLE

Answers

SAMPLE

1. A
2. A
3. C
4. D
5. B
6. C
7. C
8. D
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. Which lab value is a key indicator of renal function in a client with SLE?

A. Serum creatinine

B. Blood urea nitrogen (BUN)

C. Serum sodium

D. Urine-specific gravity

Serum creatinine is a key indicator of renal function because it is a waste product produced from muscle metabolism, and its levels in the blood reflect how well the kidneys are filtering out wastes from the bloodstream. In the context of systemic lupus erythematosus (SLE), which can lead to renal involvement (lupus nephritis), monitoring serum creatinine levels is crucial as they can rise when kidney function declines. An increased serum creatinine level typically indicates an impairment in the kidneys' ability to clear creatinine, signaling potential kidney damage or decreased glomerular filtration rate (GFR). While blood urea nitrogen (BUN) can also indicate renal function, it is less specific than serum creatinine because BUN levels can be influenced by hydration status, protein intake, and liver function, among other factors. Serum sodium levels are not directly indicative of renal function, as sodium can be affected by various factors including hydration status and hormonal regulation. Urine-specific gravity provides information about kidney's ability to concentrate urine but does not serve as a definitive measure of overall renal function. Therefore, serum creatinine is the most reliable and direct indicator of renal function in patients with SLE.

2. What is a common expectation for a client recovering from TURP regarding urinary patterns?

A. Increased urinary frequency

B. Decreased urinary output

C. Incontinence

D. Painful urination

Following a Transurethral Resection of the Prostate (TURP), it is common for clients to experience increased urinary frequency. This can be attributed to several factors related to the procedure and its immediate aftermath. After TURP, the prostate tissue is reduced, which can lead to an initial increase in urinary frequency as the bladder adjusts to the changes. Additionally, the presence of edema or inflammation in the surgical area can further contribute to this phenomenon, as the bladder may become more sensitive and more prone to involuntary contractions. Moreover, it's important to note that while urinary frequency may increase, this is often temporary and should gradually resolve as the client continues to heal and the bladder returns to its normal function. Understanding this typical post-operative urinary pattern is crucial for both the client and the healthcare provider in managing expectations and providing appropriate education on what to expect during recovery. Other urinary patterns such as decreased output, incontinence, or painful urination may occur in some patients, but these are not typical expectations specifically related to the recovery process after TURP. Decreased urinary output, for instance, could indicate a complication such as obstruction, while incontinence might result from surgical effects but isn't considered a standard outcome for most patients. Painful urination

SAMPLE

3. What instruction should be included for a client after cataract extraction regarding activity restrictions?

A. Bend at the waist to pick objects up from the floor.

B. Sleep on the abdomen to facilitate wound healing.

C. Avoid lifting anything heavier than 4.5 kg (10 lb) for 1 week.

D. Notify the surgeon if white drainage develops on the eyelids.

After cataract extraction, it's essential to provide guidelines that ensure proper healing and minimize the risk of complications. The correct instruction to avoid lifting anything heavier than 4.5 kg (10 lb) for 1 week is crucial because heavy lifting can increase intraocular pressure. Such pressure can jeopardize the surgical site, potentially leading to complications like increased swelling or hindered healing of the eye. Maintaining a light activity level is advisable during the postoperative period to promote recovery and prevent strain on the eye. This recommendation aligns with typical post-surgical care standards aimed at ensuring that the client allows the eye to heal adequately. Other options suggest activities that may not support optimal recovery. Bending at the waist could increase the risk of strain and intraocular pressure, while sleeping on the abdomen is generally not advised, as it does not allow for a safe or comfortable position for the eye. Lastly, while monitoring for drainage is essential, the instruction regarding white drainage does not directly address the activity restrictions required after cataract surgery.

4. Which statement from the client following cataract surgery should the nurse report to the provider?

A. My eye really itches, but I'm trying not to rub it.

B. It's hard to see with a patch on one eye. I'm afraid of falling.

C. The bright light in this room is really bothering me.

D. I need something for the pain in my eye. I can't stand it.

Following cataract surgery, it's essential for the nurse to monitor the client's symptoms and responses to the procedure closely. When evaluating the statements made by the client, the one indicating a need for pain relief is particularly concerning. Pain that is significant enough for the client to express a need for medication can indicate a potential complication, such as infection, increased intraocular pressure, or other postoperative issues. In the context of cataract surgery, some discomfort is normal, but an acute or severe pain that is described as intolerable warrants immediate attention from the healthcare provider. This situation suggests the possibility of something more serious and indicates that the client may need further evaluation or intervention. Other statements from the client, while important to address for comfort and reassurance, do not suggest alarming complications. For example, itching may be common due to healing, difficulty seeing with a patch is a typical experience, and sensitivity to light can occur after surgery as the eyes adjust. These experiences do not usually indicate severe underlying problems that require urgent intervention. Thus, the reported pain level is the most critical symptom to relay to the provider promptly.

SAMPLE

5. What is the purpose of end-of-life care?

A. To extend life at all costs

B. To provide comfort and support during the dying process

C. To ensure legal documentation is completed

D. To evaluate patient progress

The purpose of end-of-life care is primarily to provide comfort and support during the dying process. This type of care focuses on the quality of life rather than a strict emphasis on prolonging life at all costs. It aims to alleviate pain and manage symptoms, allowing individuals to spend their final days with dignity and as much comfort as possible. Emotional, spiritual, and social support are also vital components, helping both patients and their families navigate this challenging time. Providing comfort can involve various approaches, including palliative care interventions, which prioritize relief from distress and improve the overall quality of life for patients facing terminal conditions. By focusing on comfort rather than aggressive treatments that may not enhance the quality of life, end-of-life care respects the wishes of the patient and acknowledges the natural process of dying. The other options do not align with the primary goals of end-of-life care. While legal documentation is important in healthcare, it is not the central focus of end-of-life care. Evaluating patient progress is typically more relevant in curative or rehabilitative contexts. Additionally, the idea of extending life at all costs contradicts the fundamental principles of end-of-life care, which prioritize comfort and support over aggressive interventions.

6. What should the nurse teach a client with hypertension about maintaining their condition?

A. Limit physical activity to avoid overexertion.

B. Increase salt intake for better blood pressure control.

C. Track blood pressure regularly at home.

D. Avoid monitoring blood pressure during stressful situations.

The recommended action of tracking blood pressure regularly at home is critical for clients with hypertension as it empowers them to take an active role in managing their health. Regular monitoring helps clients become more aware of their blood pressure patterns and provides valuable information about the effectiveness of their treatment regimen. This ongoing assessment allows for timely adjustments in lifestyle, diet, or medication if blood pressure levels fluctuate or remain consistently high. By understanding their blood pressure readings, clients can also identify triggers that may cause sudden increases. This information creates an opportunity for discussions with their healthcare provider about making necessary enhancements to their management plan, ultimately promoting better overall control of their condition. Monitoring at home complements the routine check-ups with healthcare providers and encourages adherence to prescribed treatment strategies.

SAMPLE

7. Which manifestation might a middle adult female experience during early menopause?

A. Urinary retention

B. Decreased blood pressure

C. Dryness with intercourse

D. Elevation in body temperature above 37.8° C (100° F)

During early menopause, many women experience a decline in estrogen levels, which can lead to various physical changes. One of the most common manifestations of this hormonal shift is vaginal dryness, which can significantly impact sexual health and intimacy. This occurs because estrogen is responsible for maintaining the moisture and elasticity of vaginal tissues. As its levels decrease, the lubricating effect is diminished, leading to discomfort during intercourse, often referred to as dyspareunia. This hormonal change and its effects are part of the broader physiological responses that women go through during the menopausal transition. Addressing vaginal dryness is important for maintaining sexual health and quality of life, leading to various treatment options such as lubricants or hormonal therapies. By understanding these changes, healthcare providers can better support women going through this natural but challenging stage of life.

8. What symptom should a nurse expect from a client suspected of having cataracts?

A. Loss of central vision.

B. Loss of peripheral vision.

C. Seeing bright flashes of light and floaters.

D. Decreased ability to perceive colors.

In the context of cataracts, decreased ability to perceive colors is indeed a common symptom. Cataracts often lead to the clouding of the lens in the eye, which can impact the way light is perceived. This clouding scatters light and reduces the clarity of vision, making it difficult to distinguish between similar colors or perceive colors as vividly as before. Patients may experience fading colors or a general dullness in their visual experience due to this effect. Other symptoms associated with cataracts typically include blurred vision, difficulty with night vision, and increased sensitivity to glare. While the other options mention symptoms related to various visual impairments, they are more aligned with other ocular conditions. Understanding the specific symptomatology associated with cataracts helps in distinguishing it from other eye disorders.

9. What is a common effect of unmanaged hypertension?

A. Enhanced kidney function

B. Increased risk of stroke

C. Improved cardiovascular health

D. Reduction in heart rate

Unmanaged hypertension, or high blood pressure that is not adequately controlled, can lead to a variety of serious health complications. One significant effect is an increased risk of stroke. High blood pressure can cause damage to the blood vessels over time, making them less elastic and more susceptible to rupture or blockage. When a blood vessel supplying the brain is affected, it can lead to a stroke, either through hemorrhage or ischemia (a lack of blood flow). In contrast, enhanced kidney function and improved cardiovascular health would be outcomes of well-managed hypertension rather than unmanaged. A reduction in heart rate is not typically a direct result of hypertension; in fact, hypertension can lead to an increased heart rate as the heart works harder to pump blood against elevated pressure. Therefore, the increased risk of stroke is a well-established consequence of prolonged, uncontrolled high blood pressure.

SAMPLE

10. What is a potential consequence of elevated serum creatinine levels?

A. Improved kidney function

B. Increased liver function

C. Indication of renal dysfunction

D. Decreased risk of hypertension

Elevated serum creatinine levels are a significant indicator of renal dysfunction. Creatinine is a waste product formed from muscle metabolism and is normally excreted by the kidneys. When the kidneys are not functioning properly, they cannot adequately filter creatinine from the blood, leading to increased serum levels. This rise in creatinine is often used as a laboratory marker to assess kidney health, with higher levels suggesting decreased kidney function and potential kidney injury or disease. The other options do not align with the implications of elevated serum creatinine. Improved kidney function would result in lower, not higher, creatinine levels. Increased liver function is unrelated since creatinine is primarily a product of muscle metabolism and indicates kidney health, not liver function. Finally, elevated creatinine levels are actually associated with an increased risk of hypertension, as renal dysfunction can affect blood pressure regulation. Thus, option C accurately reflects the significance of elevated serum creatinine levels in indicating renal dysfunction.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://casadulthealth.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE