CDCA NORTH EAST REGIONAL BOARD (NERB) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cdcanerb.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What dental material is notable for its protective properties but can also lead to pulp irritation?**

   A. Composite resin

   B. Zinc oxide eugenol

   C. Calcium hydroxide

   D. Zinc phosphate cement

2. **What should be done about a big diastema?**

   A. Close it with orthodontics

   B. Leave it alone

   C. Place a bridge

   D. Extract the adjacent teeth

3. **Which issue may arise if scaling and root planing are not done effectively?**

   A. Tooth decay

   B. Loss of tooth structure

   C. Periodontal disease worsening

   D. All of the above

4. **What could be observed clinically as a purple dot on the tongue?**

   A. Vascular malformation

   B. Apthous ulcer

   C. Squamous papilloma

   D. Oral fibroma

5. **What is the recommended treatment for a chemical burn in the mouth caused by hot food?**

   A. Palliative care

   B. Topical steroids

   C. Antibiotics

   D. Oral rinses

SAMPLE

6. What is the most appropriate first step in treating lingual tori before denture placement?

A. Prescribe analgesics

B. Conduct a thorough evaluation

C. Surgical excision

D. Adjust the existing dentures

7. What area is commonly associated with implant failure and lack of osseointegration?

A. Anterior mandible

B. Posterior mandible

C. Anterior maxilla

D. Posterior maxilla

8. What is the major concern associated with dental treatment in patients with congenital heart defects?

A. Excessive bleeding

B. Risk of endocarditis

C. Increased risk of dental caries

D. Difficulty in anesthesia

9. What type of oral condition could result from an injury on the tongue?

A. Bruising

B. Granular cell tumor

C. Fissured tongue

D. Fibroma

10. Which factor has no impact on the periodontal prognosis of stained teeth?

A. Severity of staining

B. Plaque control

C. Smoking history

D. Patient's oral hygiene practices

SAMPLE

Answers

SAMPLE

1. D
2. B
3. C
4. A
5. A
6. C
7. D
8. B
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. What dental material is notable for its protective properties but can also lead to pulp irritation?

A. Composite resin

B. Zinc oxide eugenol

C. Calcium hydroxide

D. Zinc phosphate cement

Zinc phosphate cement is notable for its protective properties due to its strength and ability to provide a good seal. It is often used as a cementation material for crowns and bridges, offering resistance to moisture and thermal changes while effectively bonding various restorations. However, one of the significant downsides is that it can lead to pulp irritation. This occurs particularly when it comes in direct contact with the pulp tissue or is improperly mixed, resulting in a highly acidic environment which can irritate the dental pulp. The material's acidity is responsible for causing inflammation or sensitivity when the pulp is exposed without adequate buffering. Given its use in restorative dentistry, it's crucial for dental professionals to be aware of the balance between its protective qualities and the potential for pulp irritation during its application. Other materials listed do have protective or therapeutic properties but do not possess the same combination of notable strength with accompanying pulp irritation risk as zinc phosphate cement does.

2. What should be done about a big diastema?

A. Close it with orthodontics

B. Leave it alone

C. Place a bridge

D. Extract the adjacent teeth

In managing a diastema, or a gap between the teeth, the clinical approach can vary based on several factors, including the underlying cause of the diastema, aesthetic considerations, and the overall dental health of the patient. Leaving a diastema alone might be appropriate in certain situations, especially if the gap does not affect the patient's bite, oral health, or self-esteem. For some individuals, particularly those who are asymptomatic and find the diastema acceptable or even desirable for aesthetic reasons, no intervention is necessary. Additionally, if the diastema is due to a natural spacing in an otherwise healthy dentition, it can be considered a normal variation in tooth alignment that does not require correction. In circumstances where the diastema results from issues such as missing teeth, periodontal disease, or canines that are not properly erupting, further evaluation and intervention might be warranted. However, when the gap is a benign characteristic and does not present functional concerns, the best approach could indeed be to leave it alone. The other options, such as closing the diastema with orthodontics, placing a bridge, or extracting adjacent teeth, imply more invasive procedures that may not be necessary depending on the individual case. Each of these alternatives carries its

SAMPLE

3. Which issue may arise if scaling and root planing are not done effectively?

A. Tooth decay

B. Loss of tooth structure

C. Periodontal disease worsening

D. All of the above

When scaling and root planing are not performed effectively, one significant issue that may arise is the worsening of periodontal disease. This procedure is crucial for removing plaque and calculus from the teeth and below the gum line. If residual deposits remain, it can lead to persistent inflammation and infection, ultimately resulting in the progression of periodontal disease. Effective scaling and root planing are essential for re-establishing periodontal health by reducing pocket depths and promoting the healing of the tissues. If not done properly, bacteria can continue to proliferate, causing further damage to the supporting structures of the teeth. While tooth decay and loss of tooth structure can be consequences of poor oral hygiene and ineffective cleaning, they are not the immediate complications directly linked to inadequate scaling and root planing. The primary concern remains the exacerbation of periodontal disease, making it critical to perform these procedures thoroughly for optimal oral health.

4. What could be observed clinically as a purple dot on the tongue?

A. Vascular malformation

B. Apthous ulcer

C. Squamous papilloma

D. Oral fibroma

A purple dot on the tongue can be clinically observed as a vascular malformation. This condition, often referred to as a hemangioma or a vascular lesion, results from an abnormal growth of blood vessels. These malformations can appear as purple or bluish spots or areas on the tongue and may vary in size. They are most often benign and may be present from birth or develop later in life. In contrast, the other conditions listed typically present differently. For instance, aphthous ulcers usually manifest as painful, shallow ulcers with a whitish base rather than distinct purple lesions. Squamous papillomas are generally identified as small, wart-like growths which can be whitish or flesh-colored but are not characterized by a purple hue. Oral fibromas are generally smooth, firm masses that tend to match the color of the surrounding mucosa and do not typically appear as purple dots. Hence, the distinct appearance and characteristics of a vascular malformation make it the correct choice in identifying a purple dot on the tongue.

SAMPLE

5. What is the recommended treatment for a chemical burn in the mouth caused by hot food?

A. Palliative care

B. Topical steroids

C. Antibiotics

D. Oral rinses

In the case of a chemical burn in the mouth caused by hot food, the recommended treatment focuses on palliative care. This involves providing relief from the symptoms and improving the patient's comfort, rather than pursuing more invasive or aggressive treatments. Palliative care for a burn typically includes ensuring proper hydration, suitable pain management, and possibly using soothing agents to mitigate discomfort. It's crucial to recognize that while there may be additional interventions for burns or injuries caused by other agents, the primary goal in this scenario is to ease the pain and promote healing without complicating the situation further. Other treatments, such as antibiotics or topical steroids, are generally not appropriate unless there is a specific concern regarding infection or inflammation that has been evaluated by a healthcare professional. In the case of burns, especially those requiring healing after thermal injury from food, oral rinses may be helpful in cleansing the area, but they would not provide the comprehensive symptom relief needed, which is why palliative care is prioritized in this context.

6. What is the most appropriate first step in treating lingual tori before denture placement?

A. Prescribe analgesics

B. Conduct a thorough evaluation

C. Surgical excision

D. Adjust the existing dentures

The most appropriate first step in treating lingual tori before placing dentures is surgical excision. Lingual tori are bony growths that can interfere with the retention and comfort of dentures. They may need to be surgically removed to create adequate space and ensure that the dentures fit properly and comfortably in the patient's mouth. When considering denture placement, it's important to have a clean and accommodating oral environment. If the tori are significant enough to pose a problem, excising them surgically will help prevent potential irritation or discomfort that could arise when the dentures are placed. This proactive step addresses the anatomical barriers to successful denture fitting before proceeding with further treatment. Prescribing analgesics might be a part of the management plan after the tori are addressed, but it does not resolve the underlying issue. Conducting a thorough evaluation is always important in treatment planning, yet if the presence of lingual tori is already confirmed and they are significant, it does not bypass the need for surgical removal. Adjusting existing dentures may be relevant if the dentures have already been fabricated, but if tori are present prior to denture placement, they should be removed to ensure proper fitting and function.

SAMPLE

7. What area is commonly associated with implant failure and lack of osseointegration?

A. Anterior mandible

B. Posterior mandible

C. Anterior maxilla

D. Posterior maxilla

The posterior maxilla is commonly associated with implant failure and lack of osseointegration due to several anatomical and physiological factors. This region typically has a thinner layer of bone compared to other areas of the jaw, particularly in terms of volume and density. Additionally, the presence of the maxillary sinuses can complicate the placement of implants in the posterior maxilla, as any invasion or proximity to the sinus can lead to complications such as sinusitis or implant failure. The trabecular bone in this area is not as dense, which can impede the initial stability of the implant and affect osseointegration, the process by which the implant integrates with the bone. In contrast, the anterior mandible is generally regarded as a more favorable site for implant placement due to the denser quality of bone and the greater availability of bone volume. The posterior mandible also tends to have better outcomes than the posterior maxilla, though it can present challenges related to the inferior alveolar nerve. The anterior maxilla can be impacted by aesthetic considerations and resorption but still has a better success rate compared to the posterior maxilla. Overall, the unique challenges posed by the posterior maxilla make it a significant area of concern in dental implantology when assessing potential failure

8. What is the major concern associated with dental treatment in patients with congenital heart defects?

A. Excessive bleeding

B. Risk of endocarditis

C. Increased risk of dental caries

D. Difficulty in anesthesia

The major concern in patients with congenital heart defects undergoing dental treatment is the risk of endocarditis. Endocarditis is an infection of the inner lining of the heart, which can occur if bacteria enter the bloodstream during dental procedures. Patients with congenital heart defects often have abnormal heart structures that can predispose them to this condition. During dental treatment, particularly procedures that manipulate the gums or oral tissues, there is a potential for bacteria present in the mouth to enter the bloodstream. As a preventive measure, dental professionals often recommend prophylactic antibiotics before certain procedures to mitigate this risk and protect the patient's heart. While excessive bleeding, increased risk of dental caries, and difficulty in anesthesia are concerns that may arise in various dental situations, they do not pose the same significant risk for patients with congenital heart defects as endocarditis does. Therefore, understanding the importance of infective endocarditis prevention is crucial for ensuring the safety and health of patients with congenital heart conditions during dental treatments.

SAMPLE

9. What type of oral condition could result from an injury on the tongue?

A. Bruising

B. Granular cell tumor

C. Fissured tongue

D. Fibroma

Bruising is a common outcome of trauma or injury to the tongue. When the tongue experiences physical trauma, such as biting or striking against a hard surface, blood vessels can rupture, leading to localized bleeding under the skin. This results in a discoloration or a bruise, which may vary in color and intensity depending on the severity of the injury and the time elapsed since the injury occurred. In contrast, the other conditions listed arise from different causes. A granular cell tumor is a benign neoplasm of neural origin that forms in the oral cavity, but it is not directly caused by trauma. Fissured tongue, characterized by deep grooves or fissures, may be associated with various systemic conditions or genetic factors rather than a singular injury. Similarly, a fibroma is a benign tumor composed of connective tissue, typically resulting from chronic irritation or trauma over time rather than a single, acute injury. Understanding these distinctions can help in recognizing the proper diagnosis in clinical scenarios related to oral injuries.

10. Which factor has no impact on the periodontal prognosis of stained teeth?

A. Severity of staining

B. Plaque control

C. Smoking history

D. Patient's oral hygiene practices

The severity of staining on teeth is primarily an aesthetic concern and does not directly affect the periodontal prognosis. Periodontal health is influenced more by the presence of disease, such as the level of inflammation, attachment loss, and the overall condition of the periodontal tissues. Factors like plaque control, smoking history, and a patient's oral hygiene practices are critical components in determining periodontal health and prognosis. Effective plaque control is vital, as plaque accumulation can lead to periodontal disease, which has significant implications for tooth and gum health. Smoking history is a known risk factor that adversely affects healing and increases the likelihood of periodontal disease progression. The state of a patient's oral hygiene practices plays a crucial role in maintaining periodontal health and preventing disease. In contrast, while stained teeth may indicate previous trauma, dietary influences, or habits, they do not fundamentally alter the periodontal tissues or support, hence their minimal role in prognosis.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cdcanerb.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE