CDFA MEASUREMENT VERIFICATION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cdfameasverification.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Vapor recovery systems are mandatory for which type of systems?

A. All motor fuel systems

B. Only diesel dispensing systems

C. Most motor fuel systems, except diesel

D. Exclusively for LPG systems

2. What information does the (MM) designation on an electric meter badge indicate?

A. Meter manufacturer

B. Watthour meter constant

C. Number of wires and form designation

D. Frequency rating

3. When conducting wholesale testing, how long must you drain a prover after the flow becomes a trickle?

A. 15 seconds

B. 30 seconds

C. 1 minute

D. 2 minutes

4. Which gas is most easily solidified?

A. Oxygen

B. Nitrogen

C. Carbon Dioxide

D. Hydrogen

5. Where must time, distance, and rate schedules be posted in a taxi?

A. In the trunk and instrument panel

B. Under the driver's seat

C. In the front and rear passenger compartments

D. Only in the front compartment

SAMPLE

6. Which best describes how liquids behave at low temperatures?

A. They become gaseous rapidly

B. They shrink to occupy less volume

C. They become denser and less compressible

D. They evaporate completely

7. What percentage of service capacity should an electric meter accurately measure?

A. 0-50%

B. 10-90%

C. 5-100%

D. 20-80%

8. What is the primary purpose of type approval for commercial devices?

A. To ensure devices can withstand extreme temperatures

B. To test devices for repeatability, durability, and calibration

C. To minimize manufacturing costs

D. To enhance the visual appeal of the devices

9. What is the normal test tolerance for LPG meters?

A. 0.5%

B. 1%

C. 2%

D. 3%

10. At what current load should the rotor or indicator of a meter start to rotate or increment continuously?

A. 1 ampere

B. 0.5 ampere

C. 2 amperes

D. 0.1 ampere

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. C
5. C
6. C
7. C
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. Vapor recovery systems are mandatory for which type of systems?

A. All motor fuel systems

B. Only diesel dispensing systems

C. Most motor fuel systems, except diesel

D. Exclusively for LPG systems

Vapor recovery systems are crucial for minimizing the release of volatile organic compounds (VOCs) into the atmosphere and are specifically designed for most motor fuel systems. This is particularly important for systems that dispense gasoline or similar fuels, as these substances can evaporate easily and contribute to air pollution and health problems. In the case of diesel dispensing systems, vapor recovery is generally not required because diesel fuel is less volatile than gasoline, and the amount of vapor produced during diesel dispensing is significantly lower. Therefore, the regulation primarily targets gasoline and other high-VOC fuels. While LPG systems may have specific requirements related to their use, vapor recovery systems are not exclusively mandated for them. Thus, the focus is predominantly on motor fuel systems, with diesel often excluded from the requirements. This distinction makes the choice referring to most motor fuel systems, except for diesel, the accurate answer regarding vapor recovery system mandates.

2. What information does the (MM) designation on an electric meter badge indicate?

A. Meter manufacturer

B. Watthour meter constant

C. Number of wires and form designation

D. Frequency rating

The (MM) designation on an electric meter badge signifies the number of wires and the form designation of the meter. This information is essential for understanding how the meter is designed to connect to the electrical system and how it measures the current flowing through the wires. In practical terms, the number of wires indicates whether the meter is for a single-phase or three-phase system, which affects both the installation and the accuracy of the meter readings. The form designation provides additional details about the specific configuration and capacity of the meter. Understanding the (MM) designation helps utility workers and engineers ensure that the correct meter is used for a given application, promoting efficient and accurate energy measurement. The other choices address different aspects of the meter but do not pertain to the specific information conveyed by the (MM) designation. The meter manufacturer pertains to the brand or company that produced the meter, the watthour meter constant is related to the calibration and measuring capability of the meter, and the frequency rating indicates the operational frequency but does not link to the wiring or form designation.

SAMPLE

3. When conducting wholesale testing, how long must you drain a prover after the flow becomes a trickle?

A. 15 seconds

B. 30 seconds

C. 1 minute

D. 2 minutes

In the context of wholesale testing, the requirement to drain a prover until flow becomes a trickle for a specified duration is crucial for ensuring accurate measurements and proper system operation. The standard practice, as outlined in industry guidelines, dictates that after the flow reduces to a trickle, the prover must be drained for 30 seconds. This allows any remaining product in the prover to exit and ensures that the volume being measured is as precise as possible. Draining for 30 seconds after the flow diminishes to a trickle enables adequate removal of the last residues of liquid, which could otherwise lead to inaccuracies in measurement and reporting. This practice helps confirm that any volume readings taken are consistent and reflective of the actual flow conditions during testing. Other time durations, like 15 seconds, 1 minute, or 2 minutes, do not align with these established procedures. Therefore, the correct duration of 30 seconds serves as an important operational guideline in wholesale testing to uphold the integrity of measurement verification processes.

4. Which gas is most easily solidified?

A. Oxygen

B. Nitrogen

C. Carbon Dioxide

D. Hydrogen

The correct choice is Carbon Dioxide, primarily because of its sublimation characteristics and phase transition properties. At standard atmospheric pressure, Carbon Dioxide transitions directly from a gas to a solid state at temperatures below -78.5 degrees Celsius, without passing through a liquid phase. This process is known as sublimation, which is unique compared to many other gases. In contrast, while gases like Oxygen and Nitrogen can also be solidified, they require much lower temperatures and specific pressures to achieve liquefaction before solidification, making them less readily solidifiable under standard conditions. Hydrogen, while it can be solidified too, also requires very low temperatures and high pressures, making it less practical than Carbon Dioxide in typical scenarios. Thus, Carbon Dioxide stands out as the most readily solidifiable gas under normal conditions, effectively demonstrating why this option is the best answer.

5. Where must time, distance, and rate schedules be posted in a taxi?

A. In the trunk and instrument panel

B. Under the driver's seat

C. In the front and rear passenger compartments

D. Only in the front compartment

The requirement to post time, distance, and rate schedules in both the front and rear passenger compartments is rooted in ensuring transparency and fairness in taxi fares. This allows passengers, regardless of where they are seated, to easily access and review the fare structure. It promotes an informed experience for riders, who can see how rates are calculated based on the distance traveled and time taken. Providing this information in both compartments helps to prevent disputes and fosters trust between the driver and passengers, ensuring that riders are fully aware of potential charges throughout their journey. By contrast, placing this information solely in one area, such as the instrument panel or only in the front compartment, could hinder access for passengers in the rear, reducing overall awareness and accountability.

EXAMPLE

6. Which best describes how liquids behave at low temperatures?

A. They become gaseous rapidly

B. They shrink to occupy less volume

C. They become denser and less compressible

D. They evaporate completely

Liquids at low temperatures tend to become denser as their molecules move closer together due to reduced kinetic energy. As the temperature drops, the thermal motion of the molecules decreases, allowing intermolecular forces to dominate and draw the molecules closer, resulting in increased density. Additionally, at lower temperatures, liquids generally exhibit decreased compressibility because the intermolecular forces are stronger and resist changes in volume. In contrast, the other options do not accurately reflect the behavior of liquids at low temperatures. The transition to a gaseous state typically occurs at higher temperatures due to the increased kinetic energy of the molecules, not at low temperatures. While some liquids may shrink in volume due to thermal contraction upon cooling, this is not the defining characteristic nor the primary behavior observed. Lastly, the idea of complete evaporation is related to higher temperatures where the kinetic energy is sufficient for molecules to escape the liquid phase, thus, does not apply to the behavior of liquids at low temperatures.

7. What percentage of service capacity should an electric meter accurately measure?

A. 0-50%

B. 10-90%

C. 5-100%

D. 20-80%

An electric meter is designed to provide accurate measurements across a wide range of service capacities to ensure reliability in billing and efficiency evaluations. A meter that measures from 5% to 100% of service capacity allows for both low-level usage and maximum capacity use to be monitored effectively. This range ensures that even at minimal load conditions, the meter can accurately register consumption, which is essential for both residential and commercial customers. Measuring from very low levels up to full capacity enables utility providers to gain a comprehensive understanding of energy usage patterns and ensures that meters remain effective across changing load conditions. This broad range is crucial for the meter's functionality and aligns with industry standards for measurement accuracy, making this the most appropriate choice.

SAMPLE

8. What is the primary purpose of type approval for commercial devices?

A. To ensure devices can withstand extreme temperatures

B. To test devices for repeatability, durability, and calibration

C. To minimize manufacturing costs

D. To enhance the visual appeal of the devices

The primary purpose of type approval for commercial devices is to ensure that they meet specific standards for repeatability, durability, and calibration. This process involves rigorous testing to confirm that the devices perform consistently under a variety of conditions and over time. Manufacturers must demonstrate that their devices can provide accurate and reliable measurements that comply with regulatory requirements. Repeatability refers to the ability of a device to produce the same results under the same conditions consistently. Durability implies that the device is built to last, being able to withstand normal operational wear and tear without failing. Calibration ensures that the device gives accurate readings, which is crucial for any measurement system, especially in commercial applications where precision is paramount. The other options, while they may relate to overall device quality or business considerations, do not encapsulate the primary intent of type approval. For instance, while extreme temperature resilience is an important characteristic, it is only one aspect of overall device performance and not the main focus of type approval. Minimizing manufacturing costs and enhancing visual appeal may be important business strategies but do not address the essential requirements for ensuring that devices can consistently perform their intended measurement functions.

9. What is the normal test tolerance for LPG meters?

A. 0.5%

B. 1%

C. 2%

D. 3%

The normal test tolerance for liquefied petroleum gas (LPG) meters is typically set at 1%. This indicates that during testing, the measurement of the gas dispensed by the meter is expected to fall within 1% of the actual volume delivered. This level of tolerance ensures accuracy in billing and measurement, which is crucial in maintaining fairness between consumers and suppliers. Moreover, this tolerance level is aligned with industry standards, ensuring that LPG meters function effectively under various conditions and maintain consistent performance. If meters were allowed higher tolerances, it could result in significant overcharging or undercharging over time, affecting both consumers and businesses. Thus, the 1% standard serves as a benchmark for acceptable meter performance in the LPG industry, promoting reliability and precision in measurements.

SAMPLE

10. At what current load should the rotor or indicator of a meter start to rotate or increment continuously?

A. 1 ampere

B. 0.5 ampere

C. 2 amperes

D. 0.1 ampere

The correct answer indicates that the rotor or indicator of a meter should start to rotate or increment continuously at a current load of 0.5 ampere. This load level is typically recognized as the threshold that activates the measurement mechanism within the meter. Below this current, the movement may not be steady, as the energy delivered by the current may be insufficient to create the continual engagement necessary for accurate, consistent measurement. In practical terms, many measurement devices, especially older or traditional types, are designed with specific sensitivity ranges. A threshold of 0.5 ampere strikes a balance between being low enough to measure smaller loads efficiently while still being high enough to ensure that there is enough energy to produce a reliable and constant reading. This is especially important in electrical applications where precise measurements are crucial for monitoring and managing performance, efficiency, and safety. Understanding this threshold is a key aspect of working with measurement devices, as it helps technicians and engineers set up and interpret readings accurately in various applications.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cdfameasverification.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE