CDL PRE-TRIP INSPECTION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cdlpretripinspection.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What should be checked regarding the floor and cross members of a trailer?

A. No holes in the floor; all cross members must be in place and secured

B. Cross members only need to be present in the front section

C. The floor should have visible holes

D. Cross members can be slightly broken if they are secured

2. To test the heater/defroster during a pre-trip inspection, what should you do?

A. Turn it on and check the temperature

B. Turn it on and check if it blows

C. Leave it off to save energy

D. Test only the defroster

3. What should a driver do if they notice a fluid leak during the pre-trip inspection?

A. Ignore it and continue with the trip

B. Investigate the source of the leak

C. Mark the spot and monitor it

D. Contact a mechanic after the trip

4. What is the acceptable condition for the tie rod during an inspection?

A. It should be bent

B. It must not be overly tight

C. It should not be bent or broken

D. It can be damaged

5. What is the requirement for the mud flap during pre-trip inspection?

A. It should be torn but functional

B. All nuts and bolts should be tight, not touching the ground

C. Should be loose enough to move freely

D. Must have a wear mark indicating usage

SAMPLE

6. For a proper pre-trip inspection, what should the water temperature gauge indicate?

A. It should remain constant

B. It should spike immediately

C. It should be starting to rise

D. It should show a decrease

7. What is a crucial requirement for the air compressor during a pre-trip inspection?

A. Must be electronically controlled

B. Gear-driven with no signs of leaks

C. Air compressor may be leaking slightly

D. Must not be accessible from the front

8. What should be the condition of the steering column or shaft during an inspection?

A. Bent or broken

B. Loose or wobbly

C. Not bent or broken

D. Rusty and corroded

9. What is indicated by the ABS and check engine lights during the safe start?

A. They should come on and stay on

B. They should come on and then go off

C. They should blink continuously

D. They should be disconnected

10. Why is checking tire pressure important during a pre-trip inspection?

A. It ensures proper traction and fuel efficiency

B. To prevent blowouts during travel

C. Both A and B

D. It's required by law

SAMPLE

Answers

SAMPLE

1. A
2. B
3. B
4. C
5. B
6. C
7. B
8. C
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What should be checked regarding the floor and cross members of a trailer?

A. No holes in the floor; all cross members must be in place and secured

B. Cross members only need to be present in the front section

C. The floor should have visible holes

D. Cross members can be slightly broken if they are secured

The correct answer emphasizes the importance of ensuring that the trailer's floor is completely intact and free from any holes, while also highlighting that all cross members should be present, securely fastened, and in good condition. This is crucial for the structural integrity of the trailer as the floor and cross members work together to support the load being carried. An intact floor without holes prevents cargo from falling through and maintains a safe environment for loading and unloading. The cross members provide support and stability for the floor, ensuring it can bear the weight of the cargo effectively. If any cross members are missing or not properly secured, it can lead to serious safety issues, including the risk of structural failure while the vehicle is in motion. Checking for these conditions is a standard part of a pre-trip inspection to ensure safety on the road, compliance with regulations, and overall vehicle reliability. The other options suggest compromising on structural integrity in various ways, which is not acceptable for safe operation.

2. To test the heater/defroster during a pre-trip inspection, what should you do?

A. Turn it on and check the temperature

B. Turn it on and check if it blows

C. Leave it off to save energy

D. Test only the defroster

To test the heater/defroster during a pre-trip inspection, it is crucial to ensure that it activates and blows air as intended. This involves not just turning it on but confirming that the system is functioning and directing airflow appropriately. A simple check of whether it blows air gives you the foundational proof that the system is operational, which is essential for passenger comfort and visibility issues a driver might face during inclement weather. Checking just the temperature, for instance, does not confirm airflow and could lead to misdiagnosing a malfunction. Leaving it off to save energy neglects the importance of ensuring the system is fully functional before hitting the road. Focusing only on the defroster could overlook potential issues with the heater aspect, which also requires validation for overall climate control in the vehicle.

SAMPLE

3. What should a driver do if they notice a fluid leak during the pre-trip inspection?

A. Ignore it and continue with the trip

B. Investigate the source of the leak

C. Mark the spot and monitor it

D. Contact a mechanic after the trip

If a driver notices a fluid leak during the pre-trip inspection, it is crucial to investigate the source of the leak. This ensures the safety and reliability of the vehicle before hitting the road. Fluid leaks can indicate serious issues, such as problems with the engine oil, coolant, transmission fluid, or brake fluid, which may lead to vehicle malfunctions or accidents if not addressed promptly. Investigating the leak allows the driver to determine its severity, whether it's a minor issue or if it could compromise the safety of the trip. This proactive approach helps in preventing potential breakdowns or dangerous situations while driving. Additionally, addressing leaks early can save on repair costs and prevent further damage to the vehicle. Choosing to ignore the leak or marking the spot without further action neglects the immediate safety concerns associated with operating a vehicle that could malfunction due to the leak. Waiting until after the trip to contact a mechanic means risking the possibility of encountering a serious problem while on the road, which could lead to accidents or further damage to the vehicle. Therefore, actively investigating the source of the leak is the most responsible and safety-conscious action for the driver.

4. What is the acceptable condition for the tie rod during an inspection?

A. It should be bent

B. It must not be overly tight

C. It should not be bent or broken

D. It can be damaged

The acceptable condition for the tie rod during an inspection is that it should not be bent or broken. The tie rod plays a crucial role in steering and suspension systems, linking the steering box to the steering knuckle. A bent or broken tie rod can compromise the vehicle's handling and safety, leading to potential loss of control while driving. Therefore, ensuring that the tie rod is straight and intact is vital to maintain the vehicle's steering accuracy and overall driving safety. This condition emphasizes the importance of structural integrity for critical components, as any deformity could lead to catastrophic failures while on the road. A tie rod that is free from damage ensures reliable function and contributes to the safe operation of the vehicle.

SAMPLE

5. What is the requirement for the mud flap during pre-trip inspection?

A. It should be torn but functional

B. All nuts and bolts should be tight, not touching the ground

C. Should be loose enough to move freely

D. Must have a wear mark indicating usage

For the mud flap during a pre-trip inspection, the requirement that all nuts and bolts should be tight and not touching the ground is essential for ensuring the proper function and safety of the vehicle. Well-secured mud flaps prevent them from dragging on the road, which could cause damage to both the vehicle and the roadway itself. A mud flap that is too loose may not be effective in its intended purpose of reducing mud, debris, and water spray from reaching other vehicles and road users. Moreover, having the mud flap secured properly helps in avoiding potential compliance issues with regulations regarding vehicle equipment. If the mud flaps were to touch the ground due to loose fittings, they could wear out more quickly, become detached, or even create hazards on the road. The other options do not meet the criteria needed for a properly functioning mud flap. For instance, the mud flap should not be torn, and while it should be able to function without being overly restricted, it certainly should not be loose to the point that it impacts performance or safety. Also, a wear mark indicating usage is not a specific requirement during a pre-trip inspection; rather, the emphasis should be on the mud flap's condition and proper attachment to the vehicle.

6. For a proper pre-trip inspection, what should the water temperature gauge indicate?

A. It should remain constant

B. It should spike immediately

C. It should be starting to rise

D. It should show a decrease

During a pre-trip inspection, it is crucial for the water temperature gauge to indicate that the temperature is starting to rise. This signifies that the engine and cooling system are functioning properly as the vehicle is warming up. A rising temperature is normal when the engine is running because it indicates that the coolant is circulating and absorbing heat from the engine. It's important to monitor this gauge because if the temperature remains too low for an extended period, it could indicate a problem with the thermostat or a coolant issue. Conversely, if it spikes rapidly, this could be a sign of overheating, which could lead to serious engine damage. Thus, observing the gauge starting to rise within a normal range confirms that the engine is operating as intended during the pre-trip process.

SAMPLE

7. What is a crucial requirement for the air compressor during a pre-trip inspection?

A. Must be electronically controlled

B. Gear-driven with no signs of leaks

C. Air compressor may be leaking slightly

D. Must not be accessible from the front

The requirement that the air compressor must be gear-driven with no signs of leaks is essential during a pre-trip inspection because the air compressor plays a critical role in the braking system of a commercial vehicle. A gear-driven compressor ensures consistent operation and efficiency. Identifying any signs of leaks is vital, as leaks can lead to a drop in air pressure, compromising the vehicle's braking capabilities and overall safety. Any leaks can result in inadequate air supply, which could cause brake failure while driving, posing significant risks to the driver and other road users. Ensuring there are no leaks and that the compressor operates effectively is essential for maintaining a safe and functional vehicle. The other options involve incorrect specifications for the air compressor, such as it being electronically controlled or leaking slightly, which would compromise performance and safety. Additionally, accessibility from the front isn't a relevant concern for the functionality of the air compressor, making it less critical for the pre-trip inspection process.

8. What should be the condition of the steering column or shaft during an inspection?

A. Bent or broken

B. Loose or wobbly

C. Not bent or broken

D. Rusty and corroded

The condition of the steering column or shaft is crucial for vehicle safety and handling. During an inspection, it is essential that the steering column or shaft is not bent or broken. A straight and intact steering column ensures that the driver can maintain proper control of the vehicle, which is vital for maneuvering and responding to road conditions. A bent or broken steering mechanism can lead to steering failure, making it difficult to direct the vehicle accurately. This could result in hazardous driving situations, such as loss of control or accidents. Maintaining a steering column in good condition is part of ensuring the overall reliability and safety of the vehicle. Therefore, confirming that the steering column or shaft is intact and does not show signs of damage is a primary component of a thorough pre-trip inspection.

SAMPLE

9. What is indicated by the ABS and check engine lights during the safe start?

A. They should come on and stay on

B. They should come on and then go off

C. They should blink continuously

D. They should be disconnected

During the safe start procedure, the ABS (Anti-lock Braking System) and check engine lights serve as important indicators of the vehicle's operational status. When the vehicle's ignition is turned on, these lights should illuminate briefly to indicate that the system is self-checking. This moment allows the driver to verify that the lights are functional and that the system is capable of providing alerts for any issues. Once the self-check is complete, both lights should turn off. This indicates that there are no existing faults with the ABS or the engine system at that moment, confirming that the vehicle is in a condition that allows safe operation. If the lights remain on after the initial check, or if they blink, it signifies that there is a problem that needs attention, which could compromise vehicle safety. This understanding is essential during the pre-trip inspection as it provides crucial information regarding the functionality of critical safety systems. Recognizing this sequence is part of the routine to ensure the vehicle is in good working order before beginning a trip.

10. Why is checking tire pressure important during a pre-trip inspection?

A. It ensures proper traction and fuel efficiency

B. To prevent blowouts during travel

C. Both A and B

D. It's required by law

Checking tire pressure during a pre-trip inspection is crucial for several reasons, making it vital to understand the importance of maintaining proper tire pressure. Firstly, ensuring proper tire pressure directly affects traction. When tires are inflated to the recommended pressure, they maintain optimal contact with the road surface, which enhances grip and handling. This is particularly important in adverse weather conditions, where proper traction can prevent accidents. Additionally, well-inflated tires contribute to better fuel efficiency. Under-inflated tires can increase rolling resistance, leading to reduced fuel economy and higher operational costs. Secondly, monitoring tire pressure helps in preventing blowouts. Tires that are under-inflated are at a higher risk of overheating, which can lead to tire failure. A blowout can not only be dangerous for the driver and passengers but also for other road users, as it can lead to a loss of control over the vehicle. Considering both the improvement in traction and fuel efficiency, along with the safety aspect of preventing blowouts, this makes checking tire pressure an essential part of the pre-trip inspection process. Furthermore, regulatory guidelines reinforce the importance of maintaining proper tire pressure, aligning with both safety standards and operational efficiency.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cdlpretripinspection.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE