
CELL MEMBRANE AND TRANSPORT PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cellmemtransport.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. How do diffusion and bulk flow differ in the context of membranes?

A. Diffusion requires energy input, while bulk flow does not.

B. Bulk flow across membranes is driven by concentration gradients, whereas diffusion is driven by hydrostatic pressure.

C. Diffusion is random molecular movement down gradients across membranes; bulk flow is movement of the entire fluid due to pressure differences and is not typical for crossing membranes.

D. Diffusion moves whole compartments; bulk flow moves individual molecules.

2. Which molecules typically use facilitated diffusion?

A. Oxygen and carbon dioxide.

B. Glucose and ions.

C. Water.

D. Nucleotides.

3. Which statement best describes receptor-mediated endocytosis?

A. It is receptor-specific and highly selective uptake.

B. It involves nonspecific uptake of extracellular fluid.

C. It occurs only in phagocytic cells.

D. It relies on passive diffusion through the lipid bilayer.

4. Which membrane components form passages that allow substances to cross the membrane?

A. Pumps

B. Protein channels

C. Receptors

D. Enzymes

5. What is the role of proton pumps (H+-ATPases) in cells, and where are they commonly found?

A. They synthesize ATP directly in mitochondria.

B. They move protons into the cytosol to acidify the cytoplasm.

C. They pump protons into the luminal side of organelles.

D. They create proton gradients used for secondary transport and pH regulation; common in bacterial membranes, plant vacuoles, and lysosomes.

SAMPLE

6. Selectively permeable refers to the property of the cell membrane that...

A. allows all substances to cross freely.

B. regulates what goes in and out based on size and charge.

C. requires energy for all transport.

D. Only water can cross.

7. Identify the transport term that describes releasing substances to the extracellular space via vesicle fusion with the plasma membrane.

A. Simple diffusion

B. Endocytosis

C. Exocytosis

D. Facilitated diffusion

8. Explain why some ions have a direct equilibrium potential while others are governed by the Goldman equation.

A. For a single ion with fixed permeability, the Nernst equation gives the equilibrium potential; with multiple permeant ions, the Goldman equation combines permeabilities to determine the resting potential.

B. The Nernst equation applies to all ions, while Goldman applies to none.

C. The Nernst equation accounts for temperature, while Goldman is independent of temperature.

D. The Goldman equation only applies to molecules, not ions.

9. Osmosis depends on relative solute concentrations.

A. Absolute temperature alone.

B. The relative solute concentrations between solutions.

C. Membrane thickness.

D. Solute charge.

10. What best describes facilitated diffusion compared to simple diffusion?

A. It uses energy from ATP to move substances.

B. It involves endocytosis of molecules.

C. It requires transport proteins to move larger or charged molecules.

D. It only occurs in living cells.

SAMPLE

Answers

SAMPLE

1. C
2. B
3. A
4. B
5. D
6. B
7. D
8. A
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. How do diffusion and bulk flow differ in the context of membranes?

A. Diffusion requires energy input, while bulk flow does not.

B. Bulk flow across membranes is driven by concentration gradients, whereas diffusion is driven by hydrostatic pressure.

C. Diffusion is random molecular movement down gradients across membranes; bulk flow is movement of the entire fluid due to pressure differences and is not typical for crossing membranes.

D. Diffusion moves whole compartments; bulk flow moves individual molecules.

The main idea here is that diffusion and bulk flow move substances in different ways relative to membranes. Diffusion is the random movement of individual molecules down their concentration gradient; across a membrane this means molecules move from areas of higher to lower concentration, often through the lipid bilayer or via channels, without needing direct energy input. Bulk flow, on the other hand, is the movement of an entire volume of fluid driven by pressure differences. It carries fluid as a whole rather than pushing individual molecules across a membrane, so it isn't the typical mechanism for solutes crossing a membrane. That's why the best answer describes diffusion as random molecular movement down gradients across membranes and bulk flow as movement of the entire fluid due to pressure differences, not typically involved in crossing membranes. The other statements don't fit because diffusion does not require energy input, bulk flow is driven by pressure (not concentration gradients) for crossing membranes is not the usual mode, and diffusion involves individual molecules moving, not whole compartments moving as a unit.

2. Which molecules typically use facilitated diffusion?

A. Oxygen and carbon dioxide.

B. Glucose and ions.

C. Water.

D. Nucleotides.

Facilitated diffusion uses membrane proteins—channels or carriers—to move substances across the membrane down their concentration gradient without energy input. Glucose and ions fit this mode because they are polar or charged and can't easily cross the hydrophobic core on their own, so they rely on specific transport proteins to carry them through the membrane. Glucose moves via a carrier protein that changes shape to shuttle it across, while ions pass through selective channels. Oxygen and carbon dioxide, on the other hand, are small and nonpolar and can diffuse directly through the lipid bilayer without help. Water can cross too, often through aquaporin channels, but that's a specialized case of facilitated diffusion. Nucleotides are large and charged and don't cross by facilitated diffusion, typically requiring other transport methods.

SAMPLE

3. Which statement best describes receptor-mediated endocytosis?

A. It is receptor-specific and highly selective uptake.

B. It involves nonspecific uptake of extracellular fluid.

C. It occurs only in phagocytic cells.

D. It relies on passive diffusion through the lipid bilayer.

Receptor-mediated endocytosis is driven by specific binding between cargo molecules and their cell-surface receptors, which gathers the cargo at specialized spots on the membrane where vesicles form. This receptor-ligand recognition makes uptake highly selective and saturable: only ligands that fit and bind their receptors are pulled into the cell, and once all receptors are occupied, increasing ligand concentration can't increase the rate until receptors recycle. The process often involves clathrin-coated pits and energy-dependent vesicle formation, which explains why it can efficiently import particular nutrients and signaling molecules, and why some pathogens hijack this route. This contrasts with nonspecific uptake of extracellular fluid (pinocytosis), which lacks targeted binding; with phagocytosis, which handles large particles and is carried out by specialized cells; and with passive diffusion, which would not selectively transport large or complex molecules or require receptor engagement.

4. Which membrane components form passages that allow substances to cross the membrane?

A. Pumps

B. Protein channels

C. Receptors

D. Enzymes

Channel proteins create passages in the lipid bilayer, forming a hydrophilic pore that lets ions and small polar molecules diffuse through the membrane. This movement follows concentration or electrochemical gradients and can be rapid, especially when channels are gated open. Pumps, while they transport substances, use energy to move things against their gradient and don't provide a simple pore for passive flow. Receptors aren't for transport—they bind outside signals to trigger responses. Enzymes catalyze chemical reactions, not transport substances across the membrane.

5. What is the role of proton pumps (H+-ATPases) in cells, and where are they commonly found?

A. They synthesize ATP directly in mitochondria.

B. They move protons into the cytosol to acidify the cytoplasm.

C. They pump protons into the luminal side of organelles.

D. They create proton gradients used for secondary transport and pH regulation; common in bacterial membranes, plant vacuoles, and lysosomes.

Proton pumps use energy from ATP hydrolysis to move H+ across a membrane, building an electrochemical gradient (a proton motive force). This gradient concentrates protons on the luminal side of a membrane, creating a pH difference and a membrane potential that other transport proteins can exploit to move solutes against their own gradient. It also helps keep organelles like lysosomes and vacuoles appropriately acidic for enzyme activity and function. These pumps are commonly found in bacterial membranes and in the membranes of plant vacuoles (tonoplast) and lysosomes. In contrast, in mitochondria the proton gradient is established mainly by the electron transport chain, and ATP synthase uses that gradient to make ATP rather than pumping protons.

SAMPLE

6. Selectively permeable refers to the property of the cell membrane that...

A. allows all substances to cross freely.

B. regulates what goes in and out based on size and charge.

C. requires energy for all transport.

D. Only water can cross.

The idea being tested is that the cell membrane is selectively permeable, meaning it controls which substances can cross and how easily, based on properties like size, charge, and polarity. Because the lipid bilayer is hydrophobic, small nonpolar molecules such as oxygen and carbon dioxide diffuse through easily, while ions and larger polar molecules need help from specific transport proteins or energy-driven pumps. This selective gatekeeping maintains the cell's internal conditions, supports essential gradients, and allows nutrients in while keeping harmful substances out. The other statements don't fit: not every substance can cross freely, transport isn't always energy-requiring (some is passive), and water is not the only molecule that can cross the membrane.

7. Identify the transport term that describes releasing substances to the extracellular space via vesicle fusion with the plasma membrane.

A. Simple diffusion

B. Endocytosis

C. Exocytosis

D. Facilitated diffusion

Exocytosis is the process by which substances are released to the extracellular space by vesicles fusing with the plasma membrane. Cargo is packed into vesicles inside the cell, these vesicles travel to the membrane, and when they fuse, their contents spill outside the cell. This mechanism is used for secretion of hormones, neurotransmitters, and enzymes, and it often requires specific fusion machinery like SNARE proteins and, in many cases, calcium signals. By contrast, endocytosis brings material into the cell via vesicle formation, while simple diffusion and facilitated diffusion move substances across the membrane without vesicle fusion.

SAMPLE

8. Explain why some ions have a direct equilibrium potential while others are governed by the Goldman equation.

A. For a single ion with fixed permeability, the Nernst equation gives the equilibrium potential; with multiple permeant ions, the Goldman equation combines permeabilities to determine the resting potential.

B. The Nernst equation applies to all ions, while Goldman applies to none.

C. The Nernst equation accounts for temperature, while Goldman is independent of temperature.

D. The Goldman equation only applies to molecules, not ions.

When a membrane is permeable to only one ion, the voltage at which there is no net current for that ion—the electrochemical driving force—equals the ion's Nernst potential. In other words, with a single permeant species, the equilibrium potential is determined directly by the concentration gradient of that ion. But real membranes are permeable to several ions, and each ion contributes to the total current in proportion to how easily it moves across the membrane (its permeability) and its own electrochemical gradient. The Goldman-Hodgkin-Katz equation combines these weighted contributions to give the resting potential. This is why the membrane potential isn't simply the Nernst potential of one ion when multiple ions matter; it reflects a balance of currents from all permeant ions. If only one ion dominates the permeability, the Goldman equation effectively reduces to the Nernst potential for that ion. Temperature factors appear in both equations, so the idea that Goldman is independent of temperature isn't accurate.

9. Osmosis depends on relative solute concentrations.

A. Absolute temperature alone.

B. The relative solute concentrations between solutions.

C. Membrane thickness.

D. Solute charge.

Water moves across a semipermeable membrane in response to differences in solute concentrations on the two sides. The driving force is the osmotic gradient: the side with higher solute concentration has lower water potential, so water flows toward that side to even things out. That's why the statement about osmosis depends on the relative solute concentrations between solutions is correct. Temperature can affect how fast water moves but not whether osmosis occurs, while membrane thickness or permeability mainly changes the rate of movement rather than the existence of the gradient. Solute charge can influence interactions with the membrane, but the fundamental factor determining direction is the difference in solute concentration.

10. What best describes facilitated diffusion compared to simple diffusion?

A. It uses energy from ATP to move substances.

B. It involves endocytosis of molecules.

C. It requires transport proteins to move larger or charged molecules.

D. It only occurs in living cells.

Facilitated diffusion is a form of passive transport that uses membrane proteins (channels or carriers) to help substances cross the membrane when they're too large or charged to pass through the lipid bilayer on their own. It moves substances down their concentration gradient without using cellular energy. That's why the correct description is that it requires transport proteins to move larger or charged molecules. The other ideas don't fit: it doesn't require ATP (that would be active transport), it doesn't involve endocytosis (that's vesicle-based), and while it does occur in living cells, the key feature is the protein-facilitated passage, not a property exclusive to living cells.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cellmemtransport.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE