CERTIFICATION BOARD OF INFECTION CONTROL AND EPIDEMIOLOGY (CBIC) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cbic.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What type of healthcare facilities are included under the Joint Commission's accreditation programs?

A. Only emergency response centers

B. A mix of hospitals, labs, and outpatient services

C. Only specialty clinics

D. Insurance companies only

2. In vector transmission, what is the first step before infecting a host?

A. Ingestion of the pathogen

B. Vector invasion by the microbe

C. Host immune response activation

D. Development of the pathogen

3. What is defined as an infection acquired by a patient during healthcare treatment?

A. Community-acquired infection

B. Healthcare-associated infection

C. Latent infection

D. Chronic infection

4. Which of the following is NOT a recognized method of sterilization?

A. Steam

B. Pasteurization

C. Filtration

D. Ionizing Radiation

5. Why is regular training important in infection control practices?

A. It allows for team-building activities

B. It enhances awareness and compliance among staff

C. It focuses solely on regulatory compliance

D. It is required by law

SAMPLE

6. When is it appropriate to suspect a Clostridium difficile (C. diff) infection?

A. When 3 or more unformed/watery stools occur within 24 hours

B. When there is a fever and abdominal pain

C. When a patient has been on antibiotics for more than a week

D. When diarrhea occurs without any other symptoms

7. Which personal protective equipment (PPE) is essential during procedures involving blood exposure?

A. Surgical gloves

B. Safety goggles

C. Face shields

D. All of the above

8. According to CDC recommendations for preventing BSIs in the NICU, which antiseptic is preferred for vascular access?

A. 0.3% chlorhexidine without alcohol

B. 0.5% chlorhexidine gluconate with alcohol

C. Povidone iodine solution

D. 70% isopropyl alcohol

9. What is the primary reason for conducting a risk assessment in infection control?

A. To train staff effectively

B. To identify potential infection hazards

C. To report cases to health authorities

D. To analyze patient satisfaction

10. What is the primary role of infection control in outbreak management?

A. To ensure proper sanitation practices

B. To contain the outbreak and prevent further transmission

C. To improve public health education

D. To develop new medications

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. B
5. B
6. A
7. D
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What type of healthcare facilities are included under the Joint Commission's accreditation programs?

A. Only emergency response centers

B. A mix of hospitals, labs, and outpatient services

C. Only specialty clinics

D. Insurance companies only

The Joint Commission's accreditation programs encompass a diverse range of healthcare facilities, including hospitals, laboratories, and outpatient services. This broad inclusion is essential for ensuring that various types of healthcare settings meet established quality and safety standards. Hospitals are primarily recognized for delivering comprehensive care, while laboratories play a critical role in diagnostics, and outpatient services facilitate care beyond inpatient settings. In contrast, emergency response centers and specialty clinics are more specific types of facilities that may not encompass the entire range of healthcare services accredited by the Joint Commission. Insurance companies are not directly involved in the provision of healthcare services, making them ineligible for the accreditation programs intended for direct healthcare providers. Therefore, the accurate representation of the Joint Commission's accreditation reflects its commitment to a variety of healthcare settings to promote overall healthcare quality and safety.

2. In vector transmission, what is the first step before infecting a host?

A. Ingestion of the pathogen

B. Vector invasion by the microbe

C. Host immune response activation

D. Development of the pathogen

The first step in vector transmission before infecting a host involves the vector invasion by the microbe. In the context of vector-borne diseases, vectors, such as mosquitoes or ticks, carry pathogens and play a crucial role in the transmission process. For infection to occur, the pathogen must first invade the vector, where it can replicate or undergo necessary developmental stages. This invasion allows the pathogen to subsequently be transmitted to a host when the vector feeds on their blood or tissue. Ingestion of the pathogen is not applicable here, as the vector typically acquires the pathogen from an infected host rather than ingesting it in a conventional sense like food consumption. Host immune response activation occurs after the pathogen has entered a new host and is not a precursor to vector transmission. Development of the pathogen can occur within the vector after invasion but is not the initial step in the transmission process itself. Therefore, the sequence logically begins with vector invasion by the microbe before any subsequent steps can take place in the infection process.

SAMPLE

3. What is defined as an infection acquired by a patient during healthcare treatment?

A. Community-acquired infection

B. Healthcare-associated infection

C. Latent infection

D. Chronic infection

The term that describes an infection acquired by a patient during healthcare treatment is Healthcare-associated infection (HAI). HAIs can occur in hospitals, outpatient settings, nursing homes, or any healthcare facility, and they are distinct from community-acquired infections, which are infections that a person contracts outside of a healthcare setting. Healthcare-associated infections are a significant concern because they can arise from various sources, such as surgical procedures, catheter use, and the presence of multi-drug resistant organisms in healthcare environments. The focus on HAIs is crucial for infection control and epidemiology, as these infections can lead to prolonged hospital stays, increased resistance to antibiotics, and higher healthcare costs. In contrast, community-acquired infections originate in the general environment outside of healthcare facilities, latent infections refer to infections that remain inactive in the body until they reactivate, and chronic infections are long-lasting infections that can persist for months or years. Understanding the definition and implications of healthcare-associated infections is essential for effective infection prevention and control strategies in healthcare settings.

4. Which of the following is NOT a recognized method of sterilization?

A. Steam

B. Pasteurization

C. Filtration

D. Ionizing Radiation

The method of pasteurization is primarily used for reducing the microbial load in food and beverages, making it safer for consumption, rather than achieving complete sterilization. Pasteurization involves heating liquids to a specific temperature for a certain period to kill or deactivate pathogenic microorganisms without significantly altering the product's quality. While it effectively reduces the number of viable microorganisms, it does not eliminate all forms of microbial life, such as spores. In contrast, other methods listed—steam, filtration, and ionizing radiation—are all recognized processes that can achieve complete sterilization. Steam sterilization, often referred to as autoclaving, uses high-pressure steam to destroy all microorganisms, including spores. Filtration can remove bacteria and viruses, especially when using membrane filters designed for sterilization purposes. Ionizing radiation employs high-energy radiation to effectively destroy microorganisms by damaging their DNA, leading to their inability to reproduce and survive. Thus, while pasteurization is an important process for food safety, it does not meet the strict criteria for sterilization, making it the correct choice in this context.

SAMPLE

5. Why is regular training important in infection control practices?

A. It allows for team-building activities

B. It enhances awareness and compliance among staff

C. It focuses solely on regulatory compliance

D. It is required by law

Regular training in infection control practices is crucial as it enhances awareness and compliance among staff. This is essential in healthcare settings where exposure to various pathogens occurs, and understanding proper infection control measures can significantly reduce the risk of transmission. When staff members are routinely educated about the latest infection control protocols, the importance of hand hygiene, the use of personal protective equipment, sterilization techniques, and response strategies to outbreaks, they are better equipped to implement these practices in their daily routines. Awareness fosters a culture of safety, encouraging all personnel to prioritize infection prevention in their tasks. Increased compliance with established guidelines implies a cohesive approach to maintaining a safe environment for patients and healthcare workers alike. Moreover, regular training can address changing guidelines and emerging pathogens, ensuring that the team is up-to-date on best practices and prepared to handle challenges effectively. This continuous improvement in knowledge not only benefits staff but ultimately leads to better patient outcomes.

6. When is it appropriate to suspect a Clostridium difficile (C. diff) infection?

A. When 3 or more unformed/watery stools occur within 24 hours

B. When there is a fever and abdominal pain

C. When a patient has been on antibiotics for more than a week

D. When diarrhea occurs without any other symptoms

Suspecting a Clostridium difficile (C. diff) infection is primarily based on the clinical presentation of the patient. The occurrence of three or more unformed or watery stools within a 24-hour period is a hallmark sign of potential C. diff infection. This characteristic is consistent with the diarrhea typically associated with this pathogen, which is often the result of antibiotic use that disrupts the normal gut flora and allows for the overgrowth of C. difficile. While fever and abdominal pain can be associated with various gastrointestinal illnesses, they are not specific indicators of a C. diff infection by themselves. Additionally, antibiotic use is a significant risk factor for C. diff, but merely being on antibiotics for more than a week does not necessarily confirm an infection without the accompanying symptom of diarrhea. Lastly, diarrhea occurring without any other symptoms does not provide enough context or evidence to suspect C. diff, as many other conditions can cause diarrhea that isn't specifically related to C. difficile. Thus, the clinical definition involving the frequency of stools is essential for making a proper suspicion of a C. diff infection.

SAMPLE

7. Which personal protective equipment (PPE) is essential during procedures involving blood exposure?

A. Surgical gloves

B. Safety goggles

C. Face shields

D. All of the above

In procedures involving blood exposure, it is crucial to use personal protective equipment (PPE) to protect healthcare workers from bloodborne pathogens and other infectious agents. Each type of PPE serves a specific purpose in ensuring safety. Surgical gloves are essential as they provide a barrier between the hands of the healthcare worker and any blood or bodily fluids. Wearing gloves reduces the risk of direct contact with infectious materials. Safety goggles are important to protect the eyes from splashes of blood or other infectious fluids. The eyes can be a route of entry for pathogens, and goggles create a seal around the eyes to prevent exposure. Face shields offer additional protection for both the face and the eyes, providing a broader barrier against any potential splashes or sprays. They serve as a frontline defense when working on procedures with a higher risk of exposure. Since each piece of PPE plays a vital role in preventing exposure to blood and ensuring the safety of healthcare workers, it is necessary to use all three—surgical gloves, safety goggles, and face shields—during such procedures.

8. According to CDC recommendations for preventing BSIs in the NICU, which antiseptic is preferred for vascular access?

A. 0.3% chlorhexidine without alcohol

B. 0.5% chlorhexidine gluconate with alcohol

C. Povidone iodine solution

D. 70% isopropyl alcohol

The preferred antiseptic for vascular access in the Neonatal Intensive Care Unit (NICU) according to CDC recommendations is 0.5% chlorhexidine gluconate with alcohol. This combination is favored due to its effectiveness in reducing the risk of bloodstream infections (BSIs). Chlorhexidine is a broad-spectrum antiseptic that provides both immediate and residual antimicrobial activity, which is particularly important in settings like the NICU where patients are vulnerable. The addition of alcohol enhances the antiseptic effect, as it helps to quickly kill microorganisms on the skin, and the chlorhexidine continues to work after the alcohol evaporates, providing longer-lasting protection. This option aligns with the current best practices and recommendations for infection control in healthcare settings, particularly for high-risk populations. In contrast, other antiseptics listed may not provide the same level of efficacy or duration of action that chlorhexidine with alcohol offers, making them less suitable for preventing BSIs in this delicate patient population.

SAMPLE

9. What is the primary reason for conducting a risk assessment in infection control?

A. To train staff effectively

B. To identify potential infection hazards

C. To report cases to health authorities

D. To analyze patient satisfaction

The primary reason for conducting a risk assessment in infection control is to identify potential infection hazards. This process involves systematically evaluating the environment, procedures, and practices within a healthcare setting to determine where risks for infection transmission exist. By identifying these hazards, healthcare facilities can implement appropriate measures to mitigate risks, such as improving sterilization techniques, enhancing hand hygiene practices, and ensuring that staff are aware of potential sources of infection. This proactive approach is crucial because it helps prevent outbreaks of infections, protects both patients and healthcare personnel, and ultimately contributes to better overall health outcomes. Identifying hazards is foundational to developing effective infection control policies and practices. Through this assessment, organizations can prioritize interventions based on the level of risk, allocate resources appropriately, and create an environment conducive to safety and quality care.

10. What is the primary role of infection control in outbreak management?

A. To ensure proper sanitation practices

B. To contain the outbreak and prevent further transmission

C. To improve public health education

D. To develop new medications

The primary role of infection control in outbreak management is to contain the outbreak and prevent further transmission. This focus involves implementing strategies that limit the spread of infectious agents among individuals and populations. Key interventions may include isolating cases, implementing contact tracing, enhancing surveillance, and reinforcing hygiene practices among both healthcare workers and the affected community. Preventing the further spread of infection is crucial as it minimizes the number of new cases and mitigates the overall impact of the outbreak on public health resources and the community. Effective containment measures can significantly reduce the burden of disease and support a quicker return to normalcy. While ensuring proper sanitation practices, improving public health education, and developing new medications are important components of public health initiatives, they serve as supportive measures rather than the primary role during active outbreak management. The immediate goal in an outbreak context is to swiftly prevent transmission and protect the health of the population.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cbic.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE