CERTIFIED ADDICTIONS REGISTERED NURSE (CARN) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://
certifiedaddictionsregisterednurse.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What percentage of patients using lamotrigine develop a skin rash?

A. 5%

B. 10%

C. 15%

D. 20%

2. Somatoform disorder is characterized by symptoms that:

A. Have a clear medical diagnosis

B. Do not have a medical diagnosis or separate mental disorder

C. Are related to substance use

D. Involve multiple psychiatric disorders

3. Baclofen acts as a receptor agonist for which neurotransmitter?

A. Serotonin

B. Dopamine

C. GABA

D. Norepinephrine

4. The assessment of which areas is addressed in the Addiction Severity Index Test?

A. Legal and social areas only

B. Medical, employment, and psychiatric areas

C. Employment and family areas only

D. Substance use and educational areas

5. Depression is most often linked to which condition?

A. Anxiety

B. Insomnia

C. Migraines

D. Personality disorders

6. Hydrocodone is primarily eliminated from the body through which organ?

A. Liver

B. Heart

C. Kidneys

D. Lungs

SAMPLE

7. According to Myers Briggs, information is measured and processed primarily through which two preferences?

A. Sensing and analyzing

B. Sensing and intuition

C. Intuition and logical reasoning

D. Visual and auditory

8. What type of therapy is often beneficial for individuals with bipolar disorder?

A. Cognitive Behavioral Therapy

B. Group Therapy

C. Family Therapy

D. All of the above

9. Akathisia is characterized by what type of movement disorder?

A. Involuntary muscle contractions

B. Slow, rigid movements

C. Excessive voluntary movements

D. Loss of coordination

10. Nortriptyline, a tricyclic antidepressant, correlates the clinical effect with which measurement?

A. Heart rate

B. Blood level

C. Sleep quality

D. Error rate in tasks

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. B
5. A
6. C
7. B
8. D
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What percentage of patients using lamotrigine develop a skin rash?

A. 5%

B. 10%

C. 15%

D. 20%

The percentage of patients who develop a skin rash while taking lamotrigine is approximately 10%. This is significant in the context of lamotrigine because skin rashes can be an important adverse effect to monitor for, as they can sometimes progress to more severe conditions such as Stevens-Johnson syndrome. In clinical practice, awareness of this statistic helps healthcare providers engage in thorough patient education regarding potential side effects, as well as helps them monitor patients more closely during the initiation of treatment. Patients must also be advised to report any skin changes they experience while on lamotrigine, emphasizing the importance of vigilance during medication management. Understanding this statistic is crucial for safe prescribing practices, ensuring that the phenomena of skin rash as a side effect is adequately communicated and that timely intervention can be instituted if necessary.

2. Somatoform disorder is characterized by symptoms that:

A. Have a clear medical diagnosis

B. Do not have a medical diagnosis or separate mental disorder

C. Are related to substance use

D. Involve multiple psychiatric disorders

Somatoform disorder is indeed characterized by physical symptoms that cannot be fully explained by a medical condition or a separate mental disorder. Those experiencing somatoform disorder often present with genuine distress and impairment in functioning due to their symptoms, even though medical evaluations show a lack of corresponding physical illness. The absence of a clear medical diagnosis aligns with the definition of somatoform disorders, as individuals may not have a discernible pathology to explain their complaints, yet their experiences are very real to them. This classification helps differentiate somatoform disorders from conditions where there is a clear medical cause for the symptoms. Understanding the correct choice is critical for the management and treatment approach, as it emphasizes the need for psychological assessment and intervention rather than solely focusing on physical health care.

3. Baclofen acts as a receptor agonist for which neurotransmitter?

A. Serotonin

B. Dopamine

C. GABA

D. Norepinephrine

Baclofen acts as a receptor agonist for GABA (gamma-aminobutyric acid), which is an important inhibitory neurotransmitter in the central nervous system. When baclofen is administered, it binds to GABA-B receptors, leading to decreased neuronal excitability. This action results in muscle relaxation and has been found to be beneficial in the treatment of spasticity, certain types of pain, and alcohol use disorders. The role of GABA is crucial as it helps regulate anxiety, stress, and muscle tone, among other functions. By stimulating GABA-B receptors, baclofen can help mitigate withdrawal symptoms in individuals with alcohol dependence, making it a useful tool within addiction treatment. Understanding the relationship between baclofen and GABA can aid healthcare professionals in managing withdrawal symptoms and planning effective treatment strategies for patients with substance use disorders.

SAMPLE

4. The assessment of which areas is addressed in the Addiction Severity Index Test?

A. Legal and social areas only

B. Medical, employment, and psychiatric areas

C. Employment and family areas only

D. Substance use and educational areas

The Addiction Severity Index (ASI) Test is a comprehensive tool used for assessing the severity of addiction in various life domains. The correct answer highlights that the assessment covers medical, employment, and psychiatric areas, among others. The ASI is designed to provide a holistic view of an individual's life situation in relation to their substance use and addiction. By focusing on medical aspects, the test assesses health issues related to substance use, including any physical or mental health disorders that may arise from substance abuse. The employment component evaluates the impact of addiction on job performance, work history, and the individual's ability to maintain employment. Lastly, the psychiatric area assesses any mental health disorders or psychological issues that may co-occur with substance use, which is critical for developing an effective treatment plan. The other options lack the comprehensive nature of the ASI test. For instance, focusing solely on legal and social areas would miss essential health and employment factors, while concentrating only on employment and family overlooks critical medical and psychiatric components. Similarly, assessing only substance use and educational areas does not encompass the broad scope necessary for effective addiction treatment, which the ASI provides by including multiple domains of a person's life affected by addiction.

5. Depression is most often linked to which condition?

A. Anxiety

B. Insomnia

C. Migraines

D. Personality disorders

Depression is most often linked to anxiety because both conditions commonly coexist and share overlapping symptoms. This comorbidity can lead to a more complex clinical picture, making it essential for healthcare providers to assess and treat both conditions simultaneously. For instance, individuals experiencing depression may also feel excessive worry or fear, which are characteristic of anxiety disorders. Research indicates that the neurobiological and psychological pathways involved in both anxiety and depression often interact, leading to higher rates of one condition in those who experience the other. Therefore, understanding the relationship between anxiety and depression is crucial for effective treatment, as addressing one condition can significantly influence the management of the other. While insomnia, migraines, and personality disorders can be associated with depression, their connections are not as strong or prevalent as the link with anxiety. Insomnia can be a symptom of depression, and migraines may be experienced during depressive episodes; however, the more common co-occurring condition that frequently impacts treatment approaches is anxiety.

SAMPLE

6. Hydrocodone is primarily eliminated from the body through which organ?

A. Liver

B. Heart

C. Kidneys

D. Lungs

Hydrocodone is primarily eliminated from the body through the kidneys, making this the correct choice. When hydrocodone is metabolized, its metabolites, along with unchanged drug, are excreted through the urine. This renal clearance is a crucial component of drug elimination as the kidneys filter waste products and excess substances from the bloodstream, allowing for their excretion. The liver does play a significant role in metabolizing hydrocodone through the process of cytochrome P450 enzyme activity, particularly involving CYP2D6 and CYP3A4. However, while the liver is essential for breaking down the drug, it is not primarily responsible for its elimination from the body. Instead, this function predominantly involves the kidneys. The heart does not play a role in the elimination of hydrocodone; its primary functions are related to circulation, including pumping blood and sustaining circulation throughout the body. The lungs are involved in gas exchange and the excretion of volatile substances but are not a pathway for hydrocodone elimination. Drug elimination primarily occurs via the kidneys for substances like hydrocodone, highlighting their vital role in processing and excreting drugs and metabolites.

7. According to Myers Briggs, information is measured and processed primarily through which two preferences?

A. Sensing and analyzing

B. Sensing and intuition

C. Intuition and logical reasoning

D. Visual and auditory

The correct choice highlights that in the Myers-Briggs Type Indicator (MBTI), individuals primarily measure and process information through the preferences of Sensing and Intuition. Sensing refers to a preference for concrete, tangible information that can be perceived through the five senses. People with a Sensing preference tend to focus on the present and on facts and realities, relying on what is actual and observable. On the other hand, Intuition refers to a preference for abstract information and patterns. Individuals with an Intuition preference are more inclined to think about possibilities, concepts, and future-oriented ideas. They enjoy exploring the deeper meanings behind the information and looking for innovative solutions. This distinction is crucial in understanding how different personality types approach situations, process experiences, and make decisions based on the way they gather and interpret information in their environment.

SAMPLE

8. What type of therapy is often beneficial for individuals with bipolar disorder?

A. Cognitive Behavioral Therapy

B. Group Therapy

C. Family Therapy

D. All of the above

Selecting "All of the above" as the correct answer reflects an understanding of the multifaceted treatment approach often beneficial for individuals with bipolar disorder. Each of these therapies can play a significant role in managing the disorder. Cognitive Behavioral Therapy (CBT) is effective in helping individuals identify and change negative thought patterns and behaviors associated with bipolar disorder. It can help patients develop coping strategies for managing their mood swings and improve their overall functioning. Group Therapy provides a supportive environment where individuals can share experiences and learn from one another. This type of therapy can help reduce feelings of isolation and provide peer support, which is crucial for individuals managing a chronic condition like bipolar disorder. Family Therapy involves the family in the treatment process, helping to address dynamics that may contribute to the individual's condition and fostering a supportive home environment. Educating families about bipolar disorder can improve communication and relationships, ultimately aiding the individual's recovery and stability. Therefore, each of these therapeutic modalities contributes to a comprehensive treatment plan that addresses various aspects of bipolar disorder, reinforcing the idea that a combination of therapies is often the most effective approach.

9. Akathisia is characterized by what type of movement disorder?

A. Involuntary muscle contractions

B. Slow, rigid movements

C. Excessive voluntary movements

D. Loss of coordination

Akathisia is best characterized by excessive voluntary movements, which reflect the inner restlessness and inability to remain still that individuals experiencing this condition feel. It is a type of movement disorder that often manifests as an uncontrollable urge to be in constant motion. Patients with akathisia may demonstrate behaviors such as pacing, tapping their feet, or shifting positions frequently, demonstrating that these movements are not just fidgeting but are driven by a compelling need to move. The nature of akathisia is linked to various factors, including the use of certain medications, particularly antipsychotics. These excessive movements serve as a physiological response to the discomfort associated with akathisia, which contrasts with other types of movement disorders that might be characterized by involuntary contractions, rigidity, or lack of coordination. Understanding akathisia and its symptoms is crucial in managing patients, especially in psychiatric nursing contexts, to help alleviate their distress and improve their quality of life.

SAMPLE

10. Nortriptyline, a tricyclic antidepressant, correlates the clinical effect with which measurement?

A. Heart rate

B. Blood level

C. Sleep quality

D. Error rate in tasks

The clinical effect of nortriptyline, like many tricyclic antidepressants, is closely correlated with its serum blood levels. This is because the therapeutic effects and side effects of nortriptyline can be dose-dependent, and maintaining an appropriate level in the blood helps ensure that a patient achieves the desired antidepressant effect while minimizing adverse reactions. Monitoring blood levels allows healthcare providers to adjust the dosage based on how well the patient is responding to the medication and whether they are experiencing any significant side effects. Blood level measurements are particularly important with tricyclics due to their narrow therapeutic index. This means that the difference between the effective dose and the harmful dose is small. Therefore, understanding the serum levels helps healthcare professionals make informed decisions regarding treatment adjustments, ensuring the effectiveness of the medication while safeguarding the patient's health. Other options like heart rate, sleep quality, and error rate in tasks may be indirectly related to a patient's overall clinical status while on nortriptyline but are not as directly indicative of the medication's primary action or therapeutic effectiveness as blood levels are. They can provide information about side effects or overall functioning but do not correlate as strongly with the medication's pharmacological effects.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://certifiedaddictionsregisterednurse.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE