CERTIFIED ALCOHOL AND DRUG COUNSELOR (CADC) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://certalcoholanddrugcounselor.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **How is the LGBT community likely to act regarding substance abuse compared to the general population?**

   A. Less likely to use alcohol or drugs

   B. About as likely to use alcohol or drugs

   C. More likely to use alcohol or drugs

   D. Insufficient data to make these comparisons

2. **What is the status of a subpoena signed by a judge regarding the release of client information?**

   A. Sufficient for release of information, provided it is delivered by a law officer

   B. Sufficient for information release, if signed by a federal court judge

   C. Insufficient for information release, unless signed by two qualified judges

   D. Insufficient, unless a qualified hearing is first held in court

3. **What does the ask-tell-ask technique in client engagement involve?**

   A. Asking for feedback after providing information

   B. Inquiring permission, sharing concerns, and soliciting client thoughts

   C. Assessing understanding before and after explanations

   D. Encouraging clients to express dissenting opinions

4. **What is the primary focus of the early intervention services in the substance abuse treatment continuum?**

   A. Establishing treatment independence

   B. Exploring risks associated with substance use

   C. Developing sober social networks

   D. Learning relapse prevention strategies

5. **Which of the statements below is MOST correct regarding THC content in marijuana?**

   A. THC content in all marijuana is about the same.

   B. THC content in hashish is lower than in a joint.

   C. THC content in marijuana is predictable.

   D. THC content in marijuana varies widely.

SAMPLE

6. Which term refers to the psychological process where earlier developmental coping mechanisms are utilized during therapy?

A. Transference

B. Regression

C. Projection

D. Countertransference

7. What is the usual recommended minimum duration for the intensive outpatient treatment (IOT) phase?

A. Thirty days

B. Sixty days

C. Ninety days

D. One hundred twenty days

8. When receiving appropriate treatment for substance abuse, older adults are likely to act how?

A. Less likely to continue to use alcohol or drugs

B. About as likely to continue to use alcohol or drugs

C. More likely to continue to use alcohol or drugs

D. Insufficient data to make these comparisons

9. What distinguishes a treatment plan from a progress note?

A. The treatment plan evaluates client achievements, while a progress note ensures action steps are taken to meet objectives.

B. The treatment plan assesses client needs, while a progress note coordinates service providers' interventions.

C. The treatment plan records events and activities, while a progress note captures the client's current clinical presentation.

D. The treatment plan provides an action blueprint, while the progress note captures what did or did not occur.

10. How is "homeostasis" defined in the context of family therapy?

A. The inability to sustain balanced relationships

B. Dynamic tension between opposing family members

C. The designation of family roles

D. Family balance through equilibrium

SAMPLE

Answers

SAMPLE

1. C
2. D
3. B
4. B
5. D
6. B
7. C
8. A
9. D
10. D

SAMPLE

Explanations

SAMPLE

1. How is the LGBT community likely to act regarding substance abuse compared to the general population?

A. Less likely to use alcohol or drugs

B. About as likely to use alcohol or drugs

C. More likely to use alcohol or drugs

D. Insufficient data to make these comparisons

The LGBT community is recognized to have a higher prevalence of substance use compared to the general population. Various factors contribute to this trend, including social pressures, discrimination, stigma, and the mental health challenges that can arise from living in a society where individuals may face ostracism or marginalization due to their sexual orientation or gender identity. In many studies, members of the LGBT community report higher rates of alcohol and drug use, which can be linked to attempts to cope with stressors, including societal rejection and internalized homophobia. The role of community and social environments can also influence substance use patterns—while some within the community may use substances as a means of socialization, others may do so to escape feelings of alienation or to manage mental health difficulties. The recognized increased likelihood of substance abuse in the LGBT community highlights the importance of culturally competent care and targeted prevention strategies that address the unique challenges faced by these individuals. This understanding aids counselors and healthcare providers in tailoring interventions that are sensitive to the specific needs of the LGBT population.

2. What is the status of a subpoena signed by a judge regarding the release of client information?

A. Sufficient for release of information, provided it is delivered by a law officer

B. Sufficient for information release, if signed by a federal court judge

C. Insufficient for information release, unless signed by two qualified judges

D. Insufficient, unless a qualified hearing is first held in court

The status of a subpoena signed by a judge regarding the release of client information is nuanced, particularly in the context of confidentiality standards that protect client information in counseling and therapeutic settings. A subpoena, while a legal document ordered by a court, is not always sufficient on its own to warrant the release of sensitive client information. In many jurisdictions, especially regarding mental health and substance use records, there is an emphasis on ensuring that client confidentiality is maintained unless there is a compelling reason for disclosure. This often requires that a court hearing occurs prior to any release of information. During this hearing, various factors, such as the relevance of the requested information and the potential harm of disclosure to the client, would be evaluated. Therefore, the requirement for a qualified hearing helps to ensure that the rights of the client are protected and that any release of information is warranted based on the circumstances presented in a judicial setting. This protects the integrity of the therapeutic relationship and upholds legal and ethical standards in counseling practice.

SAMPLE

3. What does the ask-tell-ask technique in client engagement involve?

A. Asking for feedback after providing information

B. Inquiring permission, sharing concerns, and soliciting client thoughts

C. Assessing understanding before and after explanations

D. Encouraging clients to express dissenting opinions

The ask-tell-ask technique in client engagement emphasizes a collaborative approach to communication between the counselor and the client. It involves three key steps: first, inquiring permission from the client to discuss sensitive topics or share information; second, sharing the counselor's concerns or information in a clear and supportive manner; and third, soliciting the client's perspective or thoughts on what has been discussed. This technique is effective because it fosters a sense of partnership and respect, allowing clients to feel more involved in the process and ensuring that their input is valued. By asking for permission to share, the counselor demonstrates respect for the client's autonomy. Sharing concerns provides clients with insight and information, while asking for their thoughts encourages engagement and deeper reflection. This approach ultimately enhances the therapeutic alliance and supports meaningful dialogue, leading to better outcomes in counseling. The other options, while relevant to various aspects of communication or assessment in counseling, do not fully encapsulate the essence of the ask-tell-ask technique as it focuses specifically on permission, information sharing, and client involvement in the conversation.

4. What is the primary focus of the early intervention services in the substance abuse treatment continuum?

A. Establishing treatment independence

B. Exploring risks associated with substance use

C. Developing sober social networks

D. Learning relapse prevention strategies

The primary focus of early intervention services in the substance abuse treatment continuum is to explore the risks associated with substance use. This stage is critical as it involves identifying individuals who may be at risk for developing more serious substance use disorders. By focusing on risk factors, early intervention services can provide education, support, and resources that help individuals understand the consequences of their substance use, thereby facilitating informed decision-making. Early intervention is designed to reduce the likelihood of progression to more severe addiction by addressing behaviors and patterns of use early on. This approach encourages individuals to recognize their substance use behaviors and consider their potential consequences, which is essential for initiating change and seeking further treatment if necessary. Overall, this proactive stance is crucial in mitigating future harm and supporting individuals in their journey toward healthier behaviors.

SAMPLE

5. Which of the statements below is MOST correct regarding THC content in marijuana?

A. THC content in all marijuana is about the same.

B. THC content in hashish is lower than in a joint.

C. THC content in marijuana is predictable.

D. THC content in marijuana varies widely.

The statement about THC content in marijuana varying widely is the most accurate. THC, or tetrahydrocannabinol, is the primary psychoactive compound in cannabis, and its concentration can differ significantly based on numerous factors. These include the strain of the marijuana plant, the growing conditions (such as light, temperature, and nutrients), the method of cultivation, and how the marijuana is processed and prepared. Different strains of marijuana are cultivated for varying THC levels, ranging from low levels in some strains to very high levels in others. This variance means that not only do different producers yield plants with different levels of THC, but also that different batches from the same grower can show significant differences. Additionally, marijuana products like oils, edibles, and concentrates can contain varying levels of THC, contributing further to the overall inconsistency in THC content. Understanding this variability is crucial for clients and patients who are using marijuana for medical or recreational purposes, as it directly affects dosage and effects. This makes the recognition of the wide-ranging THC content essential for safe and effective use.

6. Which term refers to the psychological process where earlier developmental coping mechanisms are utilized during therapy?

A. Transference

B. Regression

C. Projection

D. Countertransference

The term that refers to the psychological process where earlier developmental coping mechanisms are utilized during therapy is regression. Regression occurs when an individual reverts to behaviors, thoughts, and emotional responses from an earlier stage of development in response to stress or anxiety. In therapy, this can manifest as a client displaying childlike behavior or emotions, indicative of earlier coping strategies that were used in less mature developmental stages. This concept is particularly important in therapeutic settings, as it can provide insight into a client's history and coping strategies. When a client regresses, it can indicate that they are struggling with current stressors, and addressing these behaviors can facilitate deeper exploration of unresolved issues from their past. Other terms present in the choices have different meanings. Transference would imply that clients project feelings or attitudes from previous relationships onto the therapist, while countertransference involves the therapist's emotional entanglement with the client's issues. Projection refers to attributing one's own unwanted thoughts or feelings to another person. Understanding these distinctions reinforces the relevance of regression in the context of utilizing previous coping mechanisms during therapy.

SAMPLE

7. What is the usual recommended minimum duration for the intensive outpatient treatment (IOT) phase?

A. Thirty days

B. Sixty days

C. Ninety days

D. One hundred twenty days

The recommended minimum duration for the intensive outpatient treatment (IOT) phase is typically around ninety days. This duration is based on numerous studies and clinical guidelines that suggest a longer engagement in treatment is correlated with better outcomes for individuals addressing substance use disorders. IOT is designed to provide a structured framework that allows for intensive therapy while still enabling clients to maintain some level of independence, such as attending work or school. A ninety-day commitment provides ample time for clients to explore underlying issues, develop coping strategies, and make lifestyle changes necessary for recovery, all within a supportive environment. While shorter durations can be beneficial under certain circumstances, they may not provide sufficient time for deep therapeutic work and recovery integration, which is why treatments spanning at least ninety days are favored for more complex cases of substance use disorders.

8. When receiving appropriate treatment for substance abuse, older adults are likely to act how?

A. Less likely to continue to use alcohol or drugs

B. About as likely to continue to use alcohol or drugs

C. More likely to continue to use alcohol or drugs

D. Insufficient data to make these comparisons

The understanding that older adults receiving appropriate treatment for substance abuse are less likely to continue using alcohol or drugs aligns with research and evidence-based practices in addiction counseling. Treatment programs tailored specifically for older adults often address not only the substance use itself but also the underlying issues such as mental health, social isolation, and chronic illnesses that may contribute to substance abuse. Older adults typically respond positively to interventions that are sensitive to their unique life circumstances and health considerations. These treatments create an environment conducive to recovery, which can include physical and emotional support, education about substance use, coping strategies, and engagement in social activities. As a result, they often show a decreased likelihood of continuing harmful substance use behaviors when receiving appropriate and effective care. The other options do not take into account the benefits of targeted substance abuse treatment for older adults, which is why they do not reflect the outcomes observed in clinical practice and research.

SAMPLE

9. What distinguishes a treatment plan from a progress note?

A. The treatment plan evaluates client achievements, while a progress note ensures action steps are taken to meet objectives.

B. The treatment plan assesses client needs, while a progress note coordinates service providers' interventions.

C. The treatment plan records events and activities, while a progress note captures the client's current clinical presentation.

D. The treatment plan provides an action blueprint, while the progress note captures what did or did not occur.

A treatment plan serves as a comprehensive outline that details the specific strategies and interventions that will be employed to address a client's needs and goals. It provides an action blueprint, laying out objectives, expected outcomes, and the methods that will be used to achieve these goals. This document is crucial for guiding the course of treatment and ensuring that all involved in the client's care are aligned in their approach. On the other hand, a progress note functions as a record of what transpired during a specific session or over a set period. It captures the actual events, activities, and observations of the clinician regarding the client's current state, including behaviors, responses to treatment, and overall progress. The progress note documents what did or did not occur, reflecting how well the treatment is being adhered to and whether adjustments are necessary. Understanding this distinction is essential in maintaining thorough documentation and providing effective client care. Each document serves a different, yet complementary, purpose within the treatment process, ensuring both planning and evaluation elements are evident in the client's treatment journey.

10. How is "homeostasis" defined in the context of family therapy?

A. The inability to sustain balanced relationships

B. Dynamic tension between opposing family members

C. The designation of family roles

D. Family balance through equilibrium

In the context of family therapy, "homeostasis" refers to the concept of family balance through equilibrium. This pertains to how families strive to maintain stability and harmony within their relationships and interactions. Homeostasis operates as a regulating mechanism where familial systems seek to preserve their overall functioning, even in the face of challenges or changes. When families experience disruptions, such as conflicts or changes in dynamics, they often work to restore a sense of balance. This process can involve adhering to established patterns of interaction or roles that help maintain a stable environment. While this striving for equilibrium might sometimes inhibit necessary growth or adaptation, it is fundamentally about maintaining a coherent family system. Thus, understanding homeostasis within family therapy supports recognizing how families can resist or embrace change based on their inherent tendencies toward balance.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://certalcoholanddrugcounselor.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE