CERTIFIED CARDIOVASCULAR REGISTERED NURSE – BOARD CERTIFIED (CVRN-BC) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cvrnbc.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What dietary restrictions are typically recommended for managing patients with DCM?**

   A. Low potassium diet

   B. Salt and alcohol restriction

   C. High protein diet

   D. Low carbohydrate diet

2. **What should be the primary focus when monitoring a patient post-sheath removal?**

   A. Heart rhythm

   B. Insertion site

   C. Chest pain

   D. Blood pressure

3. **What is a characteristic of stable angina symptoms?**

   A. They appear unpredictably

   B. They are relieved by rest

   C. They last longer than 20 minutes

   D. They predominantly affect men

4. **Which of the following factors is related to the risk of developing alcoholic cardiomyopathy?**

   A. High sodium intake

   B. Alcohol abuse

   C. Lack of physical activity

   D. High cholesterol

5. **What clinical condition results from severe pre-eclampsia during pregnancy?**

   A. Gestational diabetes

   B. Thrombocytopenia

   C. HELLP syndrome

   D. Early labor

SAMPLE

6. Which of the following is part of Cushing's triad?

A. Bradycardia

B. Increased heart rate

C. Hypotension

D. Decreased breathing rate

7. In a late-stage STEMI, which of the following is most likely to show signs of active necrosis?

A. ST depression and T wave inversion

B. Q waves

C. Bradycardia

D. Normal EKG

8. What is the primary management goal for dilated cardiomyopathy (DCM)?

A. Treat underlying cause if known

B. Increase physical activity

C. Reduce cholesterol levels

D. Connect patients with support groups

9. Which of the following would be indicative of a serious arrhythmia when assessing a patient's ECG?

A. Normal sinus rhythm with occasional PVCs

B. Wide QRS complexes

C. Shortened QT interval

D. Narrow complex tachycardia

10. What is the expected outcome if patients adhere to the lifting restrictions after sheath removal?

A. Faster recovery

B. Increased risk of complications

C. Delayed healing

D. Reduced energy levels

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. B
5. C
6. A
7. B
8. A
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What dietary restrictions are typically recommended for managing patients with DCM?

A. Low potassium diet

B. Salt and alcohol restriction

C. High protein diet

D. Low carbohydrate diet

For patients with dilated cardiomyopathy (DCM), managing dietary intake is crucial in alleviating symptoms and improving heart function. One of the primary recommendations involves salt and alcohol restriction. A low-sodium diet is essential for individuals with DCM to help prevent fluid retention. Excess sodium can lead to increased blood volume, which can exacerbate heart failure symptoms, such as swelling and shortness of breath. By reducing sodium intake, patients can help manage blood pressure and decrease the workload on the heart. Alcohol restriction is also advised since alcohol can have a negative impact on heart function and may worsen the condition in individuals with DCM. Chronic alcohol consumption can lead to further heart muscle damage, so minimizing or eliminating alcohol intake is beneficial for promoting better cardiovascular health. This dual approach of restricting both salt and alcohol is aimed at reducing the strain on the heart and improving overall health outcomes for patients with DCM. The other choices do not align with the standard dietary recommendations for managing this condition, as low potassium, high protein, and low carbohydrate diets are not typically indicated or necessary for DCM management.

2. What should be the primary focus when monitoring a patient post-sheath removal?

A. Heart rhythm

B. Insertion site

C. Chest pain

D. Blood pressure

When monitoring a patient post-sheath removal, the primary focus should be on the insertion site. This area is crucial because it is where the vascular access was made, and there is significant potential for complications such as bleeding, hematoma formation, or infection. Close observation of the insertion site allows for early detection of any abnormal findings, which can be critical for timely intervention. In the context of post-sheath removal care, ensuring that the site is clean, dry, and without excessive swelling or bleeding is essential. Nurses should assess the site for any signs of complications and ensure that the patient is stable and that the site remains well-compressed to prevent any post-procedural issues. While heart rhythm, chest pain, and blood pressure are also important parameters to monitor in a post-interventional setting, the immediate attention to the insertion site holds priority to mitigate any serious risks associated with the procedure.

SAMPLE

3. What is a characteristic of stable angina symptoms?

A. They appear unpredictably

B. They are relieved by rest

C. They last longer than 20 minutes

D. They predominantly affect men

Stable angina is characterized by predictable symptoms that arise during physical exertion or emotional stress and are typically relieved by rest or by the use of nitroglycerin. The pattern of stable angina is generally consistent; symptoms tend to occur at similar levels of activity and resolve with rest, which indicates that the myocardial oxygen demand exceeds the supply but is relieved once the demand decreases. This predictable pattern is a key differentiator from unstable angina, where symptoms can occur unpredictably and are not consistently relieved by rest or medication. Understanding these features is crucial for effectively assessing and managing patients with angina and ensuring timely interventions.

4. Which of the following factors is related to the risk of developing alcoholic cardiomyopathy?

A. High sodium intake

B. Alcohol abuse

C. Lack of physical activity

D. High cholesterol

Alcoholic cardiomyopathy is a form of heart disease that results from chronic and excessive consumption of alcohol. This condition occurs due to the direct toxic effects of alcohol on the heart muscle, leading to changes in the structure and function of the heart. Over time, the heart can become enlarged and weakened, which impairs its ability to pump blood effectively. Chronic alcohol abuse also contributes to nutritional deficiencies, electrolyte imbalances, and other complications that further damage cardiac tissues. The mechanism behind alcoholic cardiomyopathy includes the disruption of cardiac myocyte function, mitochondrial damage, and inflammation, which ultimately results in systolic dysfunction and heart failure. While factors such as high sodium intake, lack of physical activity, and high cholesterol can contribute to cardiovascular disease in general, they are not specifically linked to the development of alcoholic cardiomyopathy. This condition is distinctly associated with alcohol consumption, making it the primary risk factor in this context. Thus, acknowledging alcohol abuse as the key factor provides vital insight for both prevention and management of alcoholic cardiomyopathy in clinical practice.

SAMPLE

5. What clinical condition results from severe pre-eclampsia during pregnancy?

A. Gestational diabetes

B. Thrombocytopenia

C. HELLP syndrome

D. Early labor

Severe pre-eclampsia can lead to HELLP syndrome, which is a serious condition characterized by hemolysis, elevated liver enzymes, and low platelets (thrombocytopenia). This syndrome is considered a severe manifestation of pre-eclampsia and can occur when the pre-eclampsia progresses, often leading to life-threatening complications for both the mother and the fetus. In the case of HELLP syndrome, the risks include not only deterioration in maternal health due to liver and blood problems, but also an increased risk of premature birth and other complications. The timely management of HELLP syndrome is crucial to stabilize the mother's condition, often necessitating delivery of the baby, especially if the situation is life-threatening. While other conditions can arise during pregnancy, such as gestational diabetes, which is primarily related to insulin resistance, they are not direct complications of severe pre-eclampsia. Similarly, while thrombocytopenia can occur in HELLP syndrome, it is not a separate clinical condition that directly results from severe pre-eclampsia without the other features of HELLP. Early labor can occur due to various pregnancy complications, but it is not specifically tied to the pathophysiology of severe pre-eclampsia

6. Which of the following is part of Cushing's triad?

A. Bradycardia

B. Increased heart rate

C. Hypotension

D. Decreased breathing rate

Cushing's triad is a clinical syndrome characterized by a specific set of signs that indicate increased intracranial pressure (ICP). The components of Cushing's triad typically include hypertension, bradycardia, and abnormal respiratory patterns, most often seen as irregularities such as cheyne-stokes or gasping breaths. Bradycardia is a key component because, as increased ICP occurs, the body's response can lead to a decreased heart rate. This occurs as pressure experiences changes in the brain's autonomic control mechanisms. The body's compensatory mechanisms aim to maintain cerebral perfusion, which can paradoxically result in a lower heart rate in the face of rising blood pressure (often elevated to counteract the increased ICP). In contrast, an increased heart rate often does not align with the typical presentation of Cushing's triad which involves bradycardia. Hypotension is also contradictory to the specific cardiovascular signs in Cushing's triad, as hypertension, rather than low blood pressure, is characteristic of this condition. Similarly, a decreased breathing rate is not a primary feature; instead, irregular and often abnormal patterns are observed. Thus, understanding bradycardia's place in Cushing's triad highlights its importance in recognizing increased

SAMPLE

7. In a late-stage STEMI, which of the following is most likely to show signs of active necrosis?

A. ST depression and T wave inversion

B. Q waves

C. Bradycardia

D. Normal EKG

In the context of a late-stage ST-Elevation Myocardial Infarction (STEMI), the presence of Q waves is indicative of significant myocardial necrosis. Q waves develop as a result of the heart muscle dying due to prolonged ischemia, which is a crucial aspect of the infarction process. In a late-stage STEMI, the damage to the heart tissue has progressed, leading to the formation of these pathological Q waves. Their appearance on an electrocardiogram (EKG) signifies that a portion of the heart muscle has undergone cell death and is not recovering, which distinguishes it as evidence of active necrosis. In contrast, other signs mentioned, like ST depression and T wave inversions, can indicate ischemia but may not necessarily point to irreversible damage as they are often seen in prior ischemic episodes or as transient changes. Bradycardia can occur during various cardiac events but does not specifically indicate the presence of necrosis, and a normal EKG would suggest that there is no ongoing ischemic injury or prior necrosis. Hence, the identification of Q waves is a clear and critical marker for recognizing active necrosis in a late-stage STEMI.

8. What is the primary management goal for dilated cardiomyopathy (DCM)?

A. Treat underlying cause if known

B. Increase physical activity

C. Reduce cholesterol levels

D. Connect patients with support groups

The primary management goal for dilated cardiomyopathy (DCM) is to treat the underlying cause if known. DCM can result from various factors such as coronary artery disease, hypertension, viral infections, or genetic predispositions. Identifying and addressing these root causes is crucial as it can significantly impact the progression of the disease and improve the patient's overall prognosis. For instance, if DCM is caused by a viral infection, managing that infection may help in recovery or stabilization of heart function. Similarly, if it is related to chronic hypertension or ischemic heart disease, appropriate management of these conditions could lead to better outcomes. By focusing on the underlying cause, healthcare providers can tailor treatment plans that not only aim to alleviate symptoms but also potentially reverse or mitigate the progression of the disease. The other options, while they may contribute to overall patient care and wellness, do not address the primary concern of managing DCM directly. Increasing physical activity, reducing cholesterol levels, and connecting patients with support groups are important aspects of comprehensive care but are secondary to the primary goal of treating the underlying causes of dilated cardiomyopathy. Each of these can play a role in improving quality of life and overall heart function, but without addressing the root cause, the fundamental issues associated

SAMPLE

9. Which of the following would be indicative of a serious arrhythmia when assessing a patient's ECG?

A. Normal sinus rhythm with occasional PVCs

B. Wide QRS complexes

C. Shortened QT interval

D. Narrow complex tachycardia

The presence of wide QRS complexes on an ECG is a significant indicator of a serious arrhythmia. Wide QRS complexes generally suggest that there is a delay in the conduction of electrical impulses through the ventricles, which can arise from various conditions, such as bundle branch block, ventricular tachycardia, or other forms of intraventricular conduction delay. These wide complexes indicate that the electrical activity is not following the normal pathway through the heart. Depending on the underlying cause, these abnormalities can lead to reduced cardiac output and increase the risk of adverse events like syncope or sudden cardiac death. Therefore, wide QRS complexes are crucial to identify and may require immediate attention and intervention. In contrast, while occasional premature ventricular contractions (PVCs) might warrant monitoring, they typically do not indicate a serious arrhythmia unless they occur frequently or in specific patterns. A shortened QT interval, while warranting attention, is not typically classified as an indicator of serious arrhythmia. Narrow complex tachycardia may also appear less concerning as it could represent a reentrant mechanism that is generally more stable than wide QRS complexes. Hence, the presence of wide QRS complexes is a clear marker of potential danger in the context of arrhythmias.

10. What is the expected outcome if patients adhere to the lifting restrictions after sheath removal?

A. Faster recovery

B. Increased risk of complications

C. Delayed healing

D. Reduced energy levels

Adhering to the lifting restrictions after sheath removal is crucial for optimal recovery. When patients follow these guidelines, they minimize the risk of complications such as bleeding, hematoma formation, or vascular injury. Staying within the recommended limits allows the body time to heal properly, ensuring that the access site and underlying structures have adequate time to stabilize. This adherence contributes significantly to a smoother recovery process, allowing patients to return to their regular activities more quickly and safely. In contrast, not adhering to these restrictions could lead to adverse outcomes, including increased complications, delayed healing, and other concerns related to physical exertion during a critical healing phase. Therefore, following the lifting restrictions is directly associated with faster recovery and a lower likelihood of complications.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cvrnbc.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE