CERTIFIED EMERGENCY NURSE (CEN) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cen.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What does acute buccolingual crisis produce?**
   - A. Facial spasm with difficulty speaking
   - B. Neck twisting to one side
   - C. Hyperextension of the neck and trunk
   - D. Muscular rigidity throughout the body

2. **What is a key component in the treatment of thyroid storm?**
   - A. Reverse hyperthermia using acetaminophen
   - B. Administer high doses of aspirin
   - C. Provide IV calcium supplementation
   - D. Increase thyroid hormone output

3. **Which treatment is commonly recommended for fractured teeth?**
   - A. Immediate extraction of the tooth
   - B. Calcium hydroxide to protect the tooth
   - C. Antibiotics to prevent infection
   - D. Surgical intervention

4. **What symptom may occur with thrombocytopenia due to minor trauma?**
   - A. Fatigue
   - B. Bruising
   - C. Weight gain
   - D. Pain in joints

5. **Is isolation recommended for patients who are a threat to themselves?**
   - A. Yes, always
   - B. No, it is not recommended
   - C. Only if they request it
   - D. Yes, if they are endangering others

6. **Which leads are associated with a left anterior descending myocardial infarction?**
   - A. V1, V2, V3, V4
   - B. II, III, aVF
   - C. I, aVL, V5, V6
   - D. V3, V4, V5, V6

SAMPLE

7. What is the mechanism of action of diphenhydramine in treating dystonic reactions?

A. Calming the CNS

B. Reversing the effects of antipsychotics

C. Reducing inflammation

D. Blocking dopamine receptors

8. What monitors for complications such as pulmonary embolism, stroke, or myocardial infarction in venous occlusion management?

A. Fluid Restriction

B. Watch for Symptoms

C. Increase Activity

D. Immediate Operative Intervention

9. What does the term "inotropes" refer to in cardiac function?

A. Affecting heart rate

B. Affecting contractility

C. Affecting electrical conduction

D. Affecting preload

10. What is the preferred placement for external transcutaneous pacing?

A. Anterolateral placement

B. Anterior/posterior placement

C. Inferior/superior placement

D. Lateral placement

SAMPLE

Answers

SAMPLE

1. A
2. A
3. B
4. B
5. B
6. A
7. A
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What does acute buccolingual crisis produce?

A. Facial spasm with difficulty speaking

B. Neck twisting to one side

C. Hyperextension of the neck and trunk

D. Muscular rigidity throughout the body

Acute buccolingual crisis, often related to severe extrapyramidal symptoms, typically results in facial spasms that can hinder the ability to speak. This condition often arises as a reaction to certain medications, particularly antipsychotics, and presents with dystonic movements, particularly affecting the facial and lingual muscles. The spasm can cause significant distress and impair communication, making it challenging for individuals to articulate their words effectively and leading to noticeable facial contortions. Other manifestations of muscle rigidity or twisting are typically associated with different conditions or syndromes. The hyperextension of the neck and trunk is more characteristic of a condition called opisthotonus, while generalized muscular rigidity throughout the body (often seen in conditions like tetanus) does not specifically pertain to the buccolingual crisis. Similarly, neck twisting to one side is indicative of torticollis but does not accurately describe the symptoms of an acute buccolingual episode. Thus, the clinical presentation of facial spasms with difficulty in speaking aligns appropriately with the characteristics of acute buccolingual crisis.

2. What is a key component in the treatment of thyroid storm?

A. Reverse hyperthermia using acetaminophen

B. Administer high doses of aspirin

C. Provide IV calcium supplementation

D. Increase thyroid hormone output

The key component in the treatment of thyroid storm is to reverse hyperthermia using acetaminophen. Thyroid storm is a severe and life-threatening condition characterized by an excessive release of thyroid hormones and is often associated with significantly elevated body temperatures. Managing hyperthermia is critical in the treatment process because high temperatures can lead to further metabolic stress on the body and exacerbate the symptoms of thyroid storm. Acetaminophen is commonly used because it effectively lowers body temperature and is relatively safe to administer in this context. While there are other supportive measures to manage thyroid storm, controlling hyperthermia is a priority, as it helps stabilize the patient and prevents complications. The other choices either do not directly address the immediate needs of a patient in thyroid storm or are inappropriate in this context. For instance, administering high doses of aspirin is not recommended because it does not significantly aid in lowering body temperature and can lead to other adverse effects. IV calcium supplementation does not target the underlying cause of hyperthyroidism and is not standard treatment for thyroid storm. Increasing thyroid hormone output would only exacerbate the condition rather than alleviate the symptoms.

SAMPLE

3. Which treatment is commonly recommended for fractured teeth?

A. Immediate extraction of the tooth

B. Calcium hydroxide to protect the tooth

C. Antibiotics to prevent infection

D. Surgical intervention

Calcium hydroxide is commonly recommended for fractured teeth because it serves as a protective material that helps to promote healing and can stimulate the formation of secondary dentin. In cases of tooth fractures, especially those that involve the pulp or deep layers of the tooth, calcium hydroxide provides a barrier against bacteria and can effectively protect the pulp from further damage. This approach allows for the possibility of preserving the tooth and maintaining its function, rather than resorting to more invasive treatments. Other treatments such as immediate extraction, antibiotics, and surgical intervention may be appropriate in specific scenarios, but they do not generally represent the first-line approach to managing fractured teeth. Immediate extraction may be considered in cases where the tooth is beyond repair, while antibiotics are typically used when an infection is present rather than as a preventive measure for all fractures. Surgical intervention would be reserved for more complex cases involving jaw fractures or significant tissue damage, rather than routine treatment for fractured teeth. Thus, the use of calcium hydroxide represents a supportive and conservative treatment strategy aimed at preserving the dental structure and promoting recovery.

4. What symptom may occur with thrombocytopenia due to minor trauma?

A. Fatigue

B. Bruising

C. Weight gain

D. Pain in joints

Bruising is a common symptom that may occur with thrombocytopenia, particularly following minor trauma. Thrombocytopenia, which is a condition characterized by a low platelet count, can lead to increased bleeding tendencies. When the skin or underlying blood vessels are injured, even slightly, the lack of sufficient platelets makes it harder for the body to form clots, resulting in the appearance of bruises. Patients with thrombocytopenia may notice this bruising occurring more readily after minimal or no apparent trauma, as their blood's capacity to stop bleeding is compromised. This symptom is particularly notable because the bruising can appear larger or more pronounced than what one might expect given the slight trauma—this signifies that the body's normal response to injury is impaired. Other symptoms like fatigue, weight gain, or joint pain do not directly correlate with the situation of experiencing minor trauma in the context of thrombocytopenia. Fatigue can be present in various medical conditions but isn't specifically linked to minor trauma in this scenario. Weight gain is unrelated to thrombocytopenia and tends to connect more to metabolic or dietary issues. Joint pain, while it may be a standalone symptom or associated with other underlying conditions, does not typically arise specifically from minor trauma related to low

SAMPLE

5. Is isolation recommended for patients who are a threat to themselves?

A. Yes, always

B. No, it is not recommended

C. Only if they request it

D. Yes, if they are endangering others

In the context of patients who may pose a threat to themselves, the correct practice often emphasizes the need for supportive and therapeutic environments rather than strict isolation. Isolation can exacerbate feelings of loneliness and desperation, potentially worsening the patient's mental state. It may also limit opportunities for therapeutic interaction, which is crucial in emergency settings. A more appropriate approach is to assess the nature of the threat and provide interventions that promote safety while maintaining a connection with healthcare providers. This might include close monitoring, engagement in therapeutic activities, or interventions that foster communication and support, which are important for recovery. Isolation might be necessary in specific scenarios, such as when there is an immediate danger to the patient or others, but it is not a blanket recommendation. Each case requires careful evaluation to ensure the patient's well-being and to encourage recovery rather than isolate and further alienate them from necessary support.

6. Which leads are associated with a left anterior descending myocardial infarction?

A. V1, V2, V3, V4

B. II, III, aVF

C. I, aVL, V5, V6

D. V3, V4, V5, V6

The leads associated with a left anterior descending (LAD) myocardial infarction are typically V1, V2, V3, and V4. This correlation arises because these leads monitor the anterior wall of the left ventricle, an area that is predominantly supplied by the left anterior descending artery. In an LAD myocardial infarction, damage occurs to the anterior part of the heart, resulting in characteristic changes in these leads on the electrocardiogram. V1 and V2 provide information from the septal and anterior regions, while V3 and V4 extend into the anterior wall, allowing for a comprehensive view of the area affected by the obstruction. The other choices represent leads that correspond to different regions of the heart. II, III, and aVF are primarily indicative of inferior wall ischemia, while I, aVL, V5, and V6 are associated with lateral wall infarctions. V3, V4, V5, and V6 include anterior and lateral leads, but do not encompass the full extent of the LAD territory as effectively as V1 through V4, which cover the anterior region specifically connected to the left anterior descending artery.

SAMPLE

7. What is the mechanism of action of diphenhydramine in treating dystonic reactions?

A. Calming the CNS

B. Reversing the effects of antipsychotics

C. Reducing inflammation

D. Blocking dopamine receptors

Diphenhydramine is an antihistamine that exerts its therapeutic effects primarily through its anticholinergic properties and its ability to cross the blood-brain barrier, where it can exert influence on the central nervous system (CNS). In the context of treating dystonic reactions, which may arise as a side effect of antipsychotic medications, diphenhydramine works by calming the CNS. This calming effect can counteract the heightened motor activity and abnormal muscle contractions characteristic of dystonia. While it is true that diphenhydramine interacts with various neurotransmitter systems, its primary action in alleviating dystonic reactions in this scenario does not specifically involve reversing the effects of antipsychotics or directly blocking dopamine receptors. Instead, the calming mechanism helps to reduce the agitation and rigidity associated with dystonic reactions. This makes it effective in providing symptomatic relief for patients experiencing these types of movement disorders.

8. What monitors for complications such as pulmonary embolism, stroke, or myocardial infarction in venous occlusion management?

A. Fluid Restriction

B. Watch for Symptoms

C. Increase Activity

D. Immediate Operative Intervention

Monitoring for complications such as pulmonary embolism, stroke, or myocardial infarction in venous occlusion management is crucial, and an effective method to achieve this is by watching for symptoms. When managing venous occlusion, being vigilant for the emergence of symptoms associated with these serious complications allows for early detection and intervention, which can significantly impact patient outcomes. For instance, in the case of pulmonary embolism, symptoms may include sudden shortness of breath, chest pain, or hemoptysis; for stroke, look for sudden weakness, facial drooping, or changes in speech; and for myocardial infarction, monitor for chest pain, radiating pain to the arms or jaw, and dyspnea. Although other strategies, like fluid restriction, increasing activity, or immediate operative intervention, can be employed in managing venous occlusion, they do not specifically address the ongoing monitoring for complications. While fluid management may help prevent further issues, and increasing activity can promote circulation and reduce clot risk, close surveillance for the development of symptoms remains paramount. This proactive approach is essential for timely recognition and treatment of life-threatening conditions that may arise from venous occlusions.

SAMPLE

9. What does the term "inotropes" refer to in cardiac function?

A. Affecting heart rate

B. Affecting contractility

C. Affecting electrical conduction

D. Affecting preload

The term "inotropes" specifically refers to agents that affect the contractility of the heart muscle. These agents can increase or decrease the strength of the heart's contractions, which is critical in managing various cardiac conditions, especially in situations like heart failure or cardiogenic shock. By enhancing the force of contraction, inotropes help improve cardiac output and ensure that adequate blood is pumped throughout the body, which is vital for tissue perfusion and oxygen delivery. Other options relate to different cardiac functions. The first option pertains to heart rate, which is influenced by chronotropic agents rather than inotropic agents. The third option deals with electrical conduction, which is modulated by dromotropic effects and is also distinct from the impact of inotropes. The fourth option concerns preload, which is associated with the volume of blood in the ventricles before contraction and is not directly affected by inotropic agents. Understanding these distinctions highlights the specific role of inotropes in cardiac physiology.

10. What is the preferred placement for external transcutaneous pacing?

A. Anterolateral placement

B. Anterior/posterior placement

C. Inferior/superior placement

D. Lateral placement

The preferred placement for external transcutaneous pacing is anterior/posterior placement. This positioning enhances the delivery of electrical impulses through the heart by maximizing the surface area through which the pacing electricity flows. The anterior electrode is typically placed over the left precordium (chest area), and the posterior electrode is placed on the back, opposite the anterior electrode. This configuration helps to align the electrical vector properly through the heart's conduction system, thereby improving the likelihood of capturing a rhythm in patients requiring pacing, such as those with bradycardia or certain types of heart blocks. Additionally, this placement can reduce the risk of discomfort for the patient, as it can be less irritating than other placements. Effective pacing is critical in emergency situations, so understanding the ideal electrode placement is essential for successful intervention.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cen.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE