CERTIFIED HAND THERAPIST (CHT) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://certifiedhandtherapist.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is a common result of collateral ligament disruption at the PIP joint?

A. Inability to flex the distal phalanx

B. Varus or valgus instability at the joint

C. Complete dislocation of the joint

D. Inflammation of surrounding tissues

2. What is the empirical significance of establishing a baseline functional assessment?

A. It helps in understanding patient pain thresholds

B. It aids in customizing therapeutic exercises

C. It serves as a benchmark for progress in therapy

D. It identifies comorbid psychological issues

3. What does effective task-specific training focus on?

A. Generalized physical conditioning

B. Improving specific daily functional tasks

C. Enhancing cardiovascular fitness

D. Learning new sports techniques

4. Paradoxical extension occurs when what action is performed?

A. Making a fist and experiencing finger extension

B. Extending the fingers with resistance at the wrist

C. Flexing at the PIP while attempting to make a fist

D. Opening the hand rapidly

5. What is the primary goal of postoperative hand therapy following a tendon repair?

A. To maintain immobilization for healing

B. To increase surgical pain management

C. To restore mobility and functionality while protecting the repaired tendon

D. To conduct strength training immediately

SAMPLE

6. In hand rehabilitation, what does "joint mobilization" refer to?

A. The use of exercise to strengthen muscles

B. The use of manual therapy techniques to restore joint mobility

C. Application of therapeutic heat

D. Passive stretching exercises

7. What is a grade 1 ligament injury characterized by?

A. Complete disruption of the ligament

B. Significant instability

C. Damage to individual fibers with no loss of stability

D. Partial tear of the ligament

8. How does the CHT assess the effectiveness of interventions?

A. By personal judgment alone

B. Through regular re-evaluations

C. Using patient surveys exclusively

D. By comparing treatment costs

9. What is a common post-surgical complication encountered in hand therapy?

A. Nerve damage

B. Infection

C. Adhesions leading to limited motion

D. Fractures

10. What assessment is critical for evaluating wrist stability post-fracture?

A. The Tinel's sign test

B. Provocative tests such as the Watson test

C. The Phalen's maneuver

D. The Scaphoid compression test

SAMPLE

Answers

SAMPLE

1. B
2. C
3. B
4. A
5. C
6. B
7. C
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What is a common result of collateral ligament disruption at the PIP joint?

A. Inability to flex the distal phalanx

B. Varus or valgus instability at the joint

C. Complete dislocation of the joint

D. Inflammation of surrounding tissues

Collateral ligament disruption at the proximal interphalangeal (PIP) joint typically results in instability of the joint in the coronal plane, leading to varus (medial) or valgus (lateral) instability. This occurs because the collateral ligaments provide essential support and stability, preventing excessive side-to-side movement of the finger. When these ligaments are disrupted, this stability is compromised, which can manifest as difficulty in maintaining proper alignment of the joint during activities or when stress is applied. The condition can lead to a functional impairment, as the joint may demonstrate abnormal movement patterns or excessive gapping when tested for stability. It is important for hand therapists to recognize this instability during evaluations, as it necessitates specific treatment protocols aimed at restoring joint integrity and function. Proper stabilization and rehabilitation strategies will help in regaining lost function and preventing long-term complications such as joint deformity or chronic pain.

2. What is the empirical significance of establishing a baseline functional assessment?

A. It helps in understanding patient pain thresholds

B. It aids in customizing therapeutic exercises

C. It serves as a benchmark for progress in therapy

D. It identifies comorbid psychological issues

Establishing a baseline functional assessment is crucial in the context of therapy because it serves as a benchmark for measuring a patient's progress over time. This initial assessment provides objective data regarding the patient's functional capabilities at the beginning of treatment. By having this baseline, clinicians can track changes more effectively, allowing for the evaluation of the effectiveness of the chosen interventions and modifications to treatment plans as necessary. As therapy progresses, practitioners can compare future assessments to the baseline results, thereby determining if functional improvements have occurred, if a plateau has been reached, or if adjustments in the therapeutic approach are warranted. This process can enhance communication with the patient regarding their progress and motivate them by highlighting improvements that might otherwise go unnoticed. In contrast, while understanding pain thresholds, customizing exercises, or identifying psychological issues are all relevant aspects of patient care, they do not specifically represent the primary empirical significance of establishing a baseline functional assessment. The focus of the baseline assessment is on tracking functional changes over time, which is essential for optimizing therapeutic outcomes.

SAMPLE

3. What does effective task-specific training focus on?

A. Generalized physical conditioning

B. Improving specific daily functional tasks

C. Enhancing cardiovascular fitness

D. Learning new sports techniques

Effective task-specific training concentrates on enhancing an individual's ability to perform specific activities or daily functional tasks. This approach is tailored to meet the unique needs of the patient, targeting the skills required for their particular lifestyle or occupational demands. By focusing on daily tasks, the training becomes more relevant and applicable, facilitating better transfer of skills to real-life situations. For instance, if an individual is recovering from a hand injury and struggles with opening jars, task-specific training would involve exercises and activities designed to improve the dexterity and strength necessary for that specific action. This targeted practice promotes functional independence, allowing individuals to regain their confidence and proficiency in activities that matter most to them. In contrast, generalized physical conditioning might improve overall fitness levels but may not directly translate to enhanced performance in specific daily tasks. Similarly, enhancing cardiovascular fitness and learning new sports techniques are more focused on overall health or athletic performance rather than the functional skills necessary for everyday living.

4. Paradoxical extension occurs when what action is performed?

A. Making a fist and experiencing finger extension

B. Extending the fingers with resistance at the wrist

C. Flexing at the PIP while attempting to make a fist

D. Opening the hand rapidly

Paradoxical extension refers to a phenomenon where an action intended to promote flexion of the fingers instead results in unintended extension. This typically occurs due to the complex interplay of musculotendinous and neural control over the hand's muscles and joints. In the case of making a fist, the expectation is that the fingers should flex; however, due to issues such as nerve injuries or muscle imbalances, the fingers may instead extend. This can happen when the intrinsic muscles of the hand are compromised, causing the extrinsic extensors to dominate the movement when an attempt is made to flex. Such a scenario can be observed in certain pathologies or conditions affecting hand function. The other options presented involve actions that either do not specifically result in paradoxical extension or do not align with the physiological principles governing this particular phenomenon.

SAMPLE

5. What is the primary goal of postoperative hand therapy following a tendon repair?

A. To maintain immobilization for healing

B. To increase surgical pain management

C. To restore mobility and functionality while protecting the repaired tendon

D. To conduct strength training immediately

The primary goal of postoperative hand therapy following a tendon repair is to restore mobility and functionality while also protecting the repaired tendon. This is crucial because following a tendon repair, preserving the structural integrity of the tendon during the healing process is essential. Gentle, controlled movements and therapeutic interventions help to promote healing while preventing complications such as adhesions or stiffness. Restoring range of motion is vital to ensure that the patient can regain normal hand function, which is often compromised after surgery. This approach involves a balance between mobilization and protection, as excessive stress on the repaired tendon can lead to re-tear or other complications. Therefore, therapy focuses on carefully progressing exercises that promote mobility and increase functionality without jeopardizing the surgical repair. While maintaining immobilization is important during the early phases of healing, the aim eventually shifts towards mobilization. Pain management post-surgery is necessary, but it isn't the primary focus of hand therapy. Strength training would not be an immediate goal, as it typically follows a recovery period where attending to mobility and tendon protection takes precedence.

6. In hand rehabilitation, what does "joint mobilization" refer to?

A. The use of exercise to strengthen muscles

B. The use of manual therapy techniques to restore joint mobility

C. Application of therapeutic heat

D. Passive stretching exercises

Joint mobilization refers to the use of manual therapy techniques aimed at restoring joint mobility. This approach is essential in hand rehabilitation, particularly for patients who experience stiffness or decreased range of motion due to injury, surgery, or certain health conditions. Manual therapy techniques involve the skilled application of pressure or movement to the joints and surrounding tissues. This can include oscillations or gliding movements that facilitate improved joint function, enhance circulation, and help alleviate pain. By employing these specific techniques, therapists can effectively address restrictions and improve the overall motion at the affected joint, making it a crucial component of hand rehabilitation. While strengthening exercises, the application of therapeutic heat, and passive stretching exercises play significant roles in a comprehensive rehabilitation program, they do not specifically target the restoration of joint mobility in the same manner as joint mobilization.

SAMPLE

7. What is a grade 1 ligament injury characterized by?

A. Complete disruption of the ligament

B. Significant instability

C. Damage to individual fibers with no loss of stability

D. Partial tear of the ligament

A grade 1 ligament injury is characterized by damage to individual fibers of the ligament while maintaining overall stability. This type of injury is often referred to as a "sprain" and indicates that the ligament has not been completely torn, meaning the ligament's structural integrity remains largely intact. In contrast to more severe injuries, a grade 1 sprain typically entails minimal pain, swelling, and tenderness, allowing for normal function and movement without significant loss of stability in the affected joint. Understanding this classification is important for therapists when designing treatment plans, as it influences rehabilitation strategies and timelines for recovery. Recognizing that a grade 1 injury does not involve significant structural compromise helps in educating clients about their condition and setting appropriate expectations for healing.

8. How does the CHT assess the effectiveness of interventions?

A. By personal judgment alone

B. Through regular re-evaluations

C. Using patient surveys exclusively

D. By comparing treatment costs

The effectiveness of interventions in hand therapy is assessed through regular re-evaluations. This process allows the Certified Hand Therapist (CHT) to systematically evaluate the patient's progress and response to treatment over time. Regular assessments give insight into whether the goals set for the patient are being met and help in making necessary adjustments to the treatment plan. This approach is grounded in evidence-based practice and ensures that therapy remains relevant to the patient's evolving condition. While personal judgment, patient surveys, and treatment costs may provide some insights into treatment effectiveness, they lack the comprehensive nature that regular re-evaluations offer. Personal judgment alone can introduce bias, and patient surveys, while useful, do not always capture the clinical nuances. Additionally, treatment costs may be a factor in overall assessment but do not reflect clinical effectiveness or patient outcomes directly. Thus, using regular re-evaluations stands out as the most robust and reliable method for assessing intervention effectiveness in therapy.

SAMPLE

9. What is a common post-surgical complication encountered in hand therapy?

A. Nerve damage

B. Infection

C. Adhesions leading to limited motion

D. Fractures

A common post-surgical complication encountered in hand therapy is the development of adhesions leading to limited motion. Following surgical procedures on the hand, the body's natural healing process can result in the formation of scar tissue. This scar tissue can stick to surrounding structures, such as tendons, ligaments, and joint capsules, which limits the ability of these structures to glide smoothly over one another. As a result, patients may experience decreased range of motion, stiffness, and pain in the affected area. In hand therapy, addressing these limitations is crucial for optimal recovery. Therapists often incorporate specific exercises, manual therapy techniques, and modalities to minimize the impact of adhesions and promote better mobility. Recognizing the potential for adhesions allows therapists to implement preventative strategies in the early stages of rehabilitation to enhance functional outcomes. While other complications like nerve damage, infection, and fractures can also occur after surgery, adhesions are particularly prominent in the context of hand therapy and greatly influence the rehabilitation process. Thus, they are a key focus in post-surgical care.

10. What assessment is critical for evaluating wrist stability post-fracture?

A. The Tinel's sign test

B. Provocative tests such as the Watson test

C. The Phalen's maneuver

D. The Scaphoid compression test

Evaluating wrist stability post-fracture is essential, and provocative tests such as the Watson test are particularly valuable in this context. The Watson test specifically assesses scapholunate instability, which is a common issue following fractures around the wrist, particularly those that involve the scaphoid or distal radius. This test helps identify the presence of instability between the scaphoid and lunate bones, allowing for better understanding of the wrist's functional integrity and guiding rehabilitation strategies or further intervention. The other assessment options serve different purposes. For example, Tinel's sign tests for nerve irritation, typically associated with carpal tunnel syndrome. The Phalen's maneuver is also related to testing for carpal tunnel syndrome, assessing for median nerve compression. The Scaphoid compression test focuses on scaphoid fractures rather than stability assessment. While these assessments play important roles in diagnosing specific conditions, they do not directly address wrist stability post-fracture as the provocative tests do.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://certifiedhandtherapist.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE