CERTIFIED HOSPICE AND PALLIATIVE ASSISTANT (CHPNA) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://chpna.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. How does subcutaneous morphine compare to intravenous injections in terms of onset of effects?

A. It has an immediate peak effect

B. It has a quicker onset

C. It has a delayed peak effect

D. It is ineffective

2. What effect can benzodiazepines have on a patient who is restless as death approaches?

A. Relieve anxiety effectively

B. Have a paradoxical effect, worsening restlessness

C. Ensure peaceful passing

D. Stabilize emotional responses

3. What type of pain can corticosteroids like dexamethasone help relieve?

A. Musculoskeletal pain

B. Bone pain and liver metastasis-related pain

C. Chronic headaches

D. Abdominal cramps

4. Which of the following describes the purpose of lymphatic massage?

A. To promote relaxation

B. To stimulate the immune system

C. To assist in the reduction of fluid buildup

D. To improve circulation and oxygen delivery

5. Which factor is important when providing care to dying patients?

A. Availability of medical resources

B. Presence of a support system

C. Patient's financial status

D. Length of time left to live

SAMPLE

6. What constitutes the "unit of care" in palliative care?

A. Only the patient

B. The patient and their family

C. The medical team alone

D. The community of caregivers

7. What does the guiding principle in postmortem care suggest about changes after death?

A. Postmortem changes are permanent

B. All changes are superficial

C. Postmortem changes are temporary

D. Changes signify physical deterioration

8. What are the Medicare hospice benefit periods?

A. 30-, 60-, and unlimited 90-day periods

B. 90-, 90-, and unlimited 60-day periods

C. 60-day periods only

D. Unlimited periods with annual renewals

9. Which of the following is NOT a symptom of alcohol withdrawal?

A. Agitation

B. Shaking

C. Increased sleep

D. Sweating

10. What are common signs of posttraumatic stress disorder (PTSD)?

A. Increased happiness and calmness

B. Anxiety, intrusive memories, and distressing dreams

C. Frequent social interactions

D. Loss of interest in topics of past interest

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. C
5. B
6. B
7. C
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. How does subcutaneous morphine compare to intravenous injections in terms of onset of effects?

A. It has an immediate peak effect

B. It has a quicker onset

C. It has a delayed peak effect

D. It is ineffective

Subcutaneous morphine administration is characterized by a delayed peak effect compared to intravenous injections. This delayed peak occurs because subcutaneous morphine must first diffuse through the subcutaneous tissue and then enter the bloodstream, which takes more time than the direct injection of morphine into the bloodstream through an intravenous route. In contrast, intravenous injections deliver the medication directly into the venous circulation, leading to a more rapid increase in blood concentration and a quicker onset of effects. While subcutaneous morphine is effective and useful, especially in palliative settings where intravenous access might be challenging, the physiological differences in absorption result in a more gradual onset of effects than what is seen with intravenous administration. It is important to understand this distinction in the context of palliative care, where timing and management of pain relief are crucial. In scenarios where rapid pain control is necessary, intravenous morphine might be preferred due to its quicker onset, whereas the subcutaneous route may be more appropriate for longer-term management where gradual symptom control is acceptable.

2. What effect can benzodiazepines have on a patient who is restless as death approaches?

A. Relieve anxiety effectively

B. Have a paradoxical effect, worsening restlessness

C. Ensure peaceful passing

D. Stabilize emotional responses

Benzodiazepines are often utilized in end-of-life care primarily for their anxiolytic properties, which means they can help relieve anxiety and promote relaxation. However, in some patients—particularly those who may be elderly or have a certain neurochemical profile—benzodiazepines can have a paradoxical effect, leading to heightened restlessness or agitation rather than a calming effect. This paradoxical reaction occurs because the medication may trigger an overactive response in the central nervous system of some individuals, resulting in increased agitation rather than alleviating it. In these situations, despite the intention of the medication, it can inadvertently worsen the restlessness, which is particularly concerning when addressing the comfort needs of patients in a hospice setting. Recognizing this potential effect is crucial for clinicians as they assess and tailor interventions for individuals nearing the end of life. It underscores the importance of closely monitoring medication effects and being prepared to adjust treatment plans according to the patient's response. This understanding helps to ensure that care is patient-centered and as effective as possible during a vulnerable time.

SAMPLE

3. What type of pain can corticosteroids like dexamethasone help relieve?

A. Musculoskeletal pain

B. Bone pain and liver metastasis-related pain

C. Chronic headaches

D. Abdominal cramps

Corticosteroids, such as dexamethasone, are particularly effective in managing pain associated with bone metastasis and liver metastasis. These drugs work by reducing inflammation and can help alleviate pain that arises from the pressure of tumors on surrounding tissues, as well as from the bone pain that often accompanies metastatic cancers. The anti-inflammatory properties of corticosteroids can lead to significant pain relief in patients with certain types of cancer-related pain, making them a valuable option in palliative care settings. In the case of musculoskeletal pain, while corticosteroids might have some effect, they are not the primary choice for treating typical pain originating from muscles, tendons, or joints. Chronic headaches can have a variety of causes that may not respond well to corticosteroids alone, and pain from abdominal cramps usually indicates other underlying issues which may require different types of treatment. Therefore, the use of corticosteroids is most beneficial in situations involving bone pain and liver metastasis-related pain, where their specific properties can effectively address the pain mechanism involved.

4. Which of the following describes the purpose of lymphatic massage?

A. To promote relaxation

B. To stimulate the immune system

C. To assist in the reduction of fluid buildup

D. To improve circulation and oxygen delivery

The purpose of lymphatic massage primarily focuses on assisting in the reduction of fluid buildup within the lymphatic system. This technique helps facilitate the flow of lymph, which is a fluid that contains immune cells, and plays a crucial role in the body's ability to manage fluid balance and remove waste products. When fluid accumulates due to various conditions, lymphatic massage can aid in enhancing lymphatic drainage, thereby reducing swelling and improving overall tissue health. The other options, while they may have some relevance to general massage practices, are not the specific primary purpose of lymphatic massage. For instance, promoting relaxation and improving circulation are more associated with traditional massage therapies rather than lymphatic massage. While lymphatic massage may incidentally stimulate the immune system and improve circulation, these are secondary benefits compared to its main focus on fluid reduction, which is vital for managing conditions like lymphedema.

SAMPLE

5. Which factor is important when providing care to dying patients?

A. Availability of medical resources

B. Presence of a support system

C. Patient's financial status

D. Length of time left to live

The presence of a support system is crucial when providing care to dying patients. A strong support system can significantly enhance the quality of life for both the patient and their family during this difficult time. Emotional support from family, friends, and healthcare professionals helps to alleviate feelings of isolation and anxiety, providing comfort to the patient. Support systems also play a practical role; they can assist with day-to-day tasks, facilitate communication with healthcare providers, and advocate for the patient's wishes. Furthermore, a supportive environment contributes to a sense of dignity and peace for the patient, which is essential in palliative care. The focus is not only on the physical aspects of care but also on the emotional and psychological well-being of the dying individual. Other factors, such as the availability of medical resources, financial status, and the estimated length of time left to live, may impact care delivery but do not replace the importance of emotional and social support in the final stages of life. The atmosphere of love, understanding, and presence from close ones can make a significant difference in the patient's experience at the end of life.

6. What constitutes the "unit of care" in palliative care?

A. Only the patient

B. The patient and their family

C. The medical team alone

D. The community of caregivers

In palliative care, the "unit of care" encompasses both the patient and their family. This approach is rooted in the understanding that a patient's illness not only affects their physical well-being but also has profound emotional, social, and spiritual implications for their family and loved ones. Integrating the family into the care process acknowledges their critical role in support, decision-making, and coping. In contrast, focusing solely on the patient or the medical team neglects the vital dynamics of how illness impacts family relationships and the important support systems that contribute to the patient's quality of life. Recognizing the family as part of the unit of care enhances communication, shared decision-making, and holistic support tailored to the needs of both patients and their loved ones. Overall, palliative care aims to support the well-being of the entire unit rather than just the individual patient.

SAMPLE

7. What does the guiding principle in postmortem care suggest about changes after death?

A. Postmortem changes are permanent

B. All changes are superficial

C. Postmortem changes are temporary

D. Changes signify physical deterioration

The guiding principle in postmortem care indicates that postmortem changes are temporary. This is because after death, the body undergoes a series of physical changes, including rigor mortis, livor mortis, and decomposition, which unfold over time. These changes might affect the appearance of the body but do not reflect any enduring state; rather, they are part of a natural process that occurs after life ceases. Understanding that these changes are temporary is essential for caregivers, as it influences the approach to handling and treating the body with respect and dignity during postmortem care. It also helps in managing the expectations of family members during the grieving process. While some changes may seem alarming, they are simply part of the body's transition and should be understood within the context of natural biological processes. Thus, acknowledging that postmortem changes are temporary reinforces the idea that they will progress until the body is no longer recognizable, which is part of the overall journey of the body after death.

8. What are the Medicare hospice benefit periods?

A. 30-, 60-, and unlimited 90-day periods

B. 90-, 90-, and unlimited 60-day periods

C. 60-day periods only

D. Unlimited periods with annual renewals

The Medicare hospice benefit offers a structured way to provide care for patients with terminal conditions, typically organized into specific benefit periods. The correct choice outlines the benefit periods as 90-day, 90-day, and then an unlimited number of 60-day periods. Initially, a patient is entitled to two consecutive 90-day benefit periods. This means that for the first 180 days, they've guaranteed access to hospice care, allowing time for thoughtful management of their conditions and support for their families. After these two initial periods, if the patient continues to be eligible for hospice care, they can enter an unlimited number of 60-day periods. This flexibility allows for ongoing hospice care as needed, through physician re-evaluation of the patient's terminal illness and continued need for the specialized services provided by hospice. This structure promotes both immediate and long-term planning in the face of terminal illness, ensuring that patients have consistent access to necessary care while also allowing for reassessment and extended support as circumstances change.

SAMPLE

9. Which of the following is NOT a symptom of alcohol withdrawal?

A. Agitation

B. Shaking

C. Increased sleep

D. Sweating

In the context of alcohol withdrawal, an increase in sleep is not typically observed. Instead, individuals going through alcohol withdrawal can experience a range of symptoms that are opposite in nature, such as insomnia or disturbances in sleep patterns. Common symptoms of alcohol withdrawal include agitation, shaking, and sweating, all of which are manifestations of the body's reaction to the absence of alcohol, a substance it has become dependent on. Agitation reflects the nervous system's heightened state of arousal as it tries to function without alcohol. Shaking, or tremors, is also a direct physical response related to the withdrawal effects. Sweating is part of the autonomic response to withdrawal, where the body tries to regulate itself and experiences hyperactivity of the sympathetic nervous system. These symptoms indicate an overactive neurochemical system trying to adapt to the sudden lack of alcohol.

10. What are common signs of posttraumatic stress disorder (PTSD)?

A. Increased happiness and calmness

B. Anxiety, intrusive memories, and distressing dreams

C. Frequent social interactions

D. Loss of interest in topics of past interest

The presence of anxiety, intrusive memories, and distressing dreams characterizes common signs of posttraumatic stress disorder (PTSD). Individuals dealing with PTSD often experience heightened levels of anxiety as a response to reminders of the traumatic event. Intrusive memories, which may occur as flashbacks or uncontrollable thoughts about the trauma, are a hallmark symptom and indicate the distress that can arise when recalling the event. Additionally, distressing dreams, or nightmares related to the trauma, can disrupt sleep patterns and further exacerbate anxiety. In contrast, feelings of increased happiness and calmness, frequent social interactions, and a lack of interest in previously enjoyed activities do not align with the typical symptoms of PTSD. Increased happiness would generally suggest emotional stability rather than the distress characteristic of PTSD. Frequent social interactions may reflect a compensatory behavior rather than a symptom of the disorder. Lastly, while loss of interest in past interests can occur in various mental health conditions, it is not specific to PTSD and is instead more prominently associated with depression.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://chpna.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE