CERTIFIED PROCUREMENT TRANSPLANT COORDINATOR (CPTC) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://procurementtransplantcoord.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What guidelines require hospitals to manage potential donors?

A. The End Stage Renal Disease Act (ESRD)

B. The Brain Death Act (BDA)

C. The Centers for Medicare and Medicaid Conditions of Participation (CMS)

D. The Uniform Determination of Death Act (UDDA)

2. During donor transport to the OR, which of the following is NOT appropriate for evaluating ventilation/oxygenation?

A. Breath sounds

B. PulseOx

C. Changes in EKG

D. ET tube size

3. How is the tidal volume (TV) for males calculated?

A. TV = 50 + 2.3 (height in inches - 60)

B. TV = 50 + 3.1 (height in inches - 60)

C. TV = 50 - 2.3 (height in inches - 60)

D. TV = 50 + 2.3 (height in centimeters - 150)

4. What is the name of the federal contract awarded to UNOS that governs allocation policy and data management?

A. The Allocation and Recovery Contract (ARC) Agreement

B. The Data Analysis and Education Contract

C. The Organ Procurement Transplant Network (OPTN)

D. The Education and Allocation Agreement

5. From which region should preoperative lymph nodes for HLA typing be surgically obtained?

A. Axillary region

B. Cervical region

C. Inguinal region

D. Abdominal region

SAMPLE

6. What is considered the normal range for HCO3 in a healthy adult?

A. 20 - 22 mmHg

B. 22 - 26 mmHg

C. 26 - 30 mmHg

D. 30 - 34 mmHg

7. In the context of organ procurement, what factor is critical for maintaining organ functionality?

A. Cold Ischemic Time

B. Duration of Surgery

C. Pre-Operative Hydration

D. Type of Anesthesia Used

8. What is marked by the end result of successful donation procedures?

A. Referral rate

B. Consent rate

C. Conversion rate

D. Organs transplanted per donor

9. What is the next step to improve the strained relationship between the OPO and Tissue Bank?

A. Increase training for ICU staff

B. Call the Tissue Bank Coordinator for in-services

C. Request a review of tissue donation policies

D. Organize a meeting with hospital administrators

10. What action should be taken if the OPO and transplant center cannot agree on a procurement time?

A. The host OPO must accommodate the request of the TXPC

B. The host OPO may withdraw the offer from the TXPC

C. The organ center will make a decision via a conference call

D. The OPO medical director will contact the TXPC to resolve the disagreement

SAMPLE

Answers

SAMPLE

1. C
2. D
3. A
4. C
5. C
6. B
7. A
8. C
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What guidelines require hospitals to manage potential donors?

A. The End Stage Renal Disease Act (ESRD)

B. The Brain Death Act (BDA)

C. The Centers for Medicare and Medicaid Conditions of Participation (CMS)

D. The Uniform Determination of Death Act (UDDA)

The correct answer is that the Centers for Medicare and Medicaid Conditions of Participation (CMS) establish guidelines that require hospitals to manage potential organ donors. These conditions set forth specific requirements for hospitals participating in Medicare and Medicaid programs, which include protocols for identifying and managing potential donors. CMS guidelines ensure that hospitals have procedures in place to handle situations involving potential organ donation systematically. This includes training staff on how to recognize potential donors and the necessity of timely interventions, which are critical for the success of organ procurement. In contrast, while the other options relate to various aspects of organ donation and the management of end-of-life decisions, they do not specifically mandate hospitals to manage potential donors in the same structured way that CMS does. For instance, the Brain Death Act deals with the legal definition of death, the Uniform Determination of Death Act focuses on the criteria for determining death, and the End Stage Renal Disease Act primarily addresses the treatment and management of patients with end-stage renal disease rather than donor management protocols.

2. During donor transport to the OR, which of the following is NOT appropriate for evaluating ventilation/oxygenation?

A. Breath sounds

B. PulseOx

C. Changes in EKG

D. ET tube size

The evaluation of ventilation and oxygenation during donor transport to the operating room is critical in ensuring that the donor organs are preserved optimally. Breath sounds, pulse oximetry (PulseOx), and changes in EKG are all relevant indicators of the donor's respiratory and cardiovascular status. Breath sounds provide immediate feedback on the patency of the airway and the presence of any respiratory complications, such as fluid in the lungs or bronchospasm. This assessment helps determine if the donor is adequately ventilated. Pulse oximetry is a non-invasive method that measures the level of oxygen saturation in the blood, indicating how well oxygen is being delivered to the tissues. It is a direct assessment of the efficiency of gas exchange in the lungs, making it essential for monitoring oxygenation. Changes in the EKG, such as variations in heart rate and rhythm, can give insights into the cardiovascular response to oxygenation levels and overall organ perfusion. It is an important part of assessing the donor's hemodynamic status. On the other hand, the size of the endotracheal (ET) tube does not provide any direct information about ventilation or oxygenation. While it is essential to use an appropriately sized ET tube for airway management and to ensure proper ventilation,

SAMPLE

3. How is the tidal volume (TV) for males calculated?

A. TV = 50 + 2.3 (height in inches - 60)

B. TV = 50 + 3.1 (height in inches - 60)

C. TV = 50 - 2.3 (height in inches - 60)

D. TV = 50 + 2.3 (height in centimeters - 150)

The correct calculation for tidal volume (TV) for males is based on a formula that estimates the desired lung volume based on a person's height. In this context, the formula takes into account a baseline volume of 50 milliliters, which serves as a standard starting point for males. The additional volume is determined by taking into account height, where each inch above 60 inches contributes an increment to the tidal volume. In the correct formula, the addition of 2.3 milliliters for every inch over 60 inches reflects a recognition that larger individuals require more lung capacity, which is vital for effective breathing and ventilation. This formula is particularly relevant in the field of medicine and respiratory therapy, as it provides a guideline for estimating an individual's tidal volume, which is essential for proper assessment and treatment of patients, especially those undergoing procedures that involve anesthesia or mechanical ventilation. The other options presented either miscalculate the increments for height or use inappropriate metrics, such as centimeters instead of inches, which could lead to inaccurate assessments of tidal volume in males.

4. What is the name of the federal contract awarded to UNOS that governs allocation policy and data management?

A. The Allocation and Recovery Contract (ARC) Agreement

B. The Data Analysis and Education Contract

C. The Organ Procurement Transplant Network (OPTN)

D. The Education and Allocation Agreement

The correct answer is the Organ Procurement Transplant Network (OPTN). The OPTN is a comprehensive network established by the federal government to ensure the equitable allocation of organs for transplantation across the United States. It is responsible for maintaining the national database that tracks organ donations and transplants, as well as developing policies related to organ allocation to ensure fairness and transparency. The OPTN also serves the vital purpose of providing data management and supporting research initiatives aimed at improving organ transplant outcomes. This governance is crucial for maintaining the integrity of the organ transplantation process, allowing for real-time monitoring and adjustments to allocation policies as necessary based on changes in medical evidence and ethical considerations. In contrast, the other options refer to various aspects of the organ transplant process but do not designate the overarching federal contract that directly addresses allocation policy and data management in the same comprehensive way as the OPTN does.

SAMPLE

5. From which region should preoperative lymph nodes for HLA typing be surgically obtained?

A. Axillary region

B. Cervical region

C. Inguinal region

D. Abdominal region

The correct answer is based on the anatomical and clinical considerations relevant to human leukocyte antigen (HLA) typing in transplant coordination. When preparing for organ transplantation, it is crucial to assess the HLA compatibility between donors and recipients. The inguinal region, which refers to the area groin, is significant because it contains lymph nodes that drain the lower extremities and pelvis. These lymph nodes can be reflective of the systemic immune response and can provide meaningful data regarding HLA typing. Inguinal lymph nodes are often less involved in direct surgical access issues compared to lymph nodes that are located in more complex anatomical areas. While the other specified regions—axillary, cervical, and abdominal—also have lymph nodes that can be sampled for HLA typing, the inguinal region is frequently chosen in clinical practices for its accessibility and the quality of the sample obtained. Understanding the source of lymph nodes is critical because they contribute essential immunological information for evaluating potential transplant compatibility, ensuring that the donor organ matches the recipient as closely as possible to reduce the risk of rejection.

6. What is considered the normal range for HCO3 in a healthy adult?

A. 20 - 22 mmHg

B. 22 - 26 mmHg

C. 26 - 30 mmHg

D. 30 - 34 mmHg

The normal range for bicarbonate (HCO3) in a healthy adult is 22 to 26 mmHg. Bicarbonate is an important buffer in the body that helps maintain acid-base balance. It is primarily produced by the kidneys and plays a critical role in maintaining the pH of blood and other fluids. Values below 22 mmHg may indicate acidosis, a condition where there is too much acid in the body or not enough bicarbonate, while values above 26 mmHg may suggest alkalosis, which is the opposite condition where there is too much bicarbonate or insufficient acid. Understanding this normal range is vital for healthcare professionals, as it assists in diagnosing various metabolic conditions, managing patients with respiratory or metabolic disorders, and assessing acid-base status effectively.

SAMPLE

7. In the context of organ procurement, what factor is critical for maintaining organ functionality?

A. Cold Ischemic Time

B. Duration of Surgery

C. Pre-Operative Hydration

D. Type of Anesthesia Used

Maintaining organ functionality during organ procurement is crucial for ensuring the viability of the organ for transplantation. Cold ischemic time is the period during which the organ is kept at low temperatures after being removed from the donor until it is either transplanted into a recipient or preserved for later use. This timeframe is critical because prolonged cold ischemic time can lead to cellular damage and compromise organ function. Cells metabolize differently at lower temperatures, and keeping organs in a cold state minimizes metabolic processes, reducing the risk of damage until transplantation can occur. Research has shown that exceeding certain thresholds of cold ischemic time can significantly decrease the success rates of organ acceptance and post-transplant function. While other factors like the duration of surgery, pre-operative hydration, and the type of anesthesia used can also play roles in overall surgical outcomes and patient care, the specific impact on organ viability and functionality in the context of organ procurement is most acutely governed by cold ischemic time. Thus, understanding and managing this factor is essential for procurement coordinators to ensure optimal outcomes for organ transplant candidates.

8. What is marked by the end result of successful donation procedures?

A. Referral rate

B. Consent rate

C. Conversion rate

D. Organs transplanted per donor

The conversion rate is an essential metric in the context of donation procedures, representing the percentage of eligible organ donors who ultimately progress to the donation phase. It reflects the success of the donation process in converting potential donors into actual organ donors. This figure indicates how effectively the donation network is able to engage with families, educate them about the importance of organ donation, and successfully navigate the consent and medical criteria necessary for organ recovery. Tracking the conversion rate is vital for transplant coordinators and organizations as it provides insights into the optimization of procedures and protocols that lead to successful donations. By focusing on improving the conversion rate, donation programs can enhance overall organ availability, contributing directly to better outcomes for patients in need of transplants. This metric serves as a clear indicator of the effectiveness of a donation program's strategies and practices.

SAMPLE

9. What is the next step to improve the strained relationship between the OPO and Tissue Bank?

A. Increase training for ICU staff

B. Call the Tissue Bank Coordinator for in-services

C. Request a review of tissue donation policies

D. Organize a meeting with hospital administrators

The selection of organizing in-services with the Tissue Bank Coordinator is a pivotal step towards enhancing collaboration and understanding between the Organ Procurement Organization (OPO) and the Tissue Bank. This option emphasizes direct communication and education, which are crucial for improving relationships that may have become strained. In-services led by the Tissue Bank Coordinator can address specific issues, clarify roles and responsibilities, and foster a better understanding of the processes involved in tissue donation. Such sessions can promote teamwork, establish common goals, and create an environment of shared knowledge, ultimately leading to improved interactions and cooperation between the two entities. While options such as increasing training for ICU staff and reviewing tissue donation policies might also contribute positively to the relationship, they do not directly address the immediate need for open dialogue and collaborative problem-solving that in-services can facilitate. Organizing a meeting with hospital administrators, while important for strategic oversight, may not address the day-to-day operational issues that often cause misunderstandings or friction between the OPO and the Tissue Bank.

10. What action should be taken if the OPO and transplant center cannot agree on a procurement time?

A. The host OPO must accommodate the request of the TXPC

B. The host OPO may withdraw the offer from the TXPC

C. The organ center will make a decision via a conference call

D. The OPO medical director will contact the TXPC to resolve the disagreement

When considering what action to take if the Organ Procurement Organization (OPO) and the transplant center cannot agree on a procurement time, the correct approach is for the host OPO to have the option to withdraw the offer from the transplant center. This is based on the understanding that the OPO maintains the responsibility for the organ's procurement process and must ensure that it can be carried out effectively. If no mutual agreement can be reached regarding timing, which is critical for the viability of the organ, the OPO must prioritize the appropriate management of the donation process, which may necessitate withdrawing the offer if it cannot be fulfilled satisfactorily. In such situations, the emphasis is on ensuring that both parties act within their respective roles and responsibilities. The host OPO has the authority to make decisions regarding the organs it manages, and if a delay or disagreement on timing could compromise the success of the transplant, withdrawal of the offer is a necessary and legitimate course of action. This scenario highlights the importance of communication and agreement in the procurement process; however, it is ultimately the prerogative of the OPO to manage the logistics concerning organ donation efficiently and in accordance with established protocols and guidelines.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://procurementtransplantcoord.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE