CERTIFIED REHABILITATION REGISTERED NURSE (CRRN) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://crrn.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the most effective way to manage fatigue in a patient with an exacerbation of MS?

A. Schedule high-energy activities in the evening

B. Incorporate moderate conditioning exercise in the morning

C. Encourage long periods of rest throughout the day

D. Limit physical activity completely

2. Which theorist's work is influenced by principles of physics?

A. Lydia Hall

B. Imogene King

C. Sister Calista Roy

D. Martha Rogers

3. Which rehabilitative goal is particularly important for a patient who is post-stroke?

A. Maximizing independence in activities of daily living

B. Reducing overall body weight

C. Increasing strength in the unaffected limb

D. Improving cardiovascular fitness

4. Which bowel program is best for a patient with a spinal cord injury at C5-6?

A. Enemas daily during the morning

B. Using laxatives and suppositories every evening

C. Consistent time of day with gastrocolic reflex triggering

D. Bulk fiber products for stool formation

5. At what level of spinal cord injury does a patient typically become ventilator-dependent?

A. T5

B. C3

C. C2

D. L1

SAMPLE

6. In the context of case management, what benefit does a specialized physician provide during an Independent Medical Examination?

A. They provide emotional support.

B. They offer insights based on their specialized training.

C. They are more cost-effective than general practitioners.

D. They can conduct the examination without referrals.

7. What outcome is expected from improving bladder contractility?

A. Increase in incontinence episodes

B. Enhanced ability to void

C. Lower intravesical pressure

D. Reduced frequency of urinary tract infections

8. Subluxation of the shoulder in a patient with hemiplegia can be prevented by:

A. Exercise therapy

B. Medications

C. Positioning

D. Use of slings

9. In healthcare, what does the term 'palliative' primarily refer to?

A. Curative treatments for diseases

B. Care focused on providing relief from symptoms

C. Long-term rehabilitation programs

D. Surgical interventions to treat illness

10. In Bobath's third stage of recovery for a stroke patient, what happens to spasticity?

A. Increases significantly

B. Remains unchanged

C. Decreases

D. Becomes uncontrollable

SAMPLE

Answers

SAMPLE

1. B
2. D
3. A
4. C
5. C
6. B
7. B
8. C
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What is the most effective way to manage fatigue in a patient with an exacerbation of MS?

A. Schedule high-energy activities in the evening

B. Incorporate moderate conditioning exercise in the morning

C. Encourage long periods of rest throughout the day

D. Limit physical activity completely

In managing fatigue for a patient with an exacerbation of multiple sclerosis (MS), incorporating moderate conditioning exercise in the morning is the most effective approach. Exercise is known to improve overall stamina and can help in reducing fatigue by enhancing physical conditioning and promoting energy efficiency. When performed at a moderate level, morning exercise can activate the body's natural rhythm and may help the patient feel more awake and alert for the rest of the day. It also contributes to better sleep patterns, which can further reduce feelings of fatigue. Engaging in regular physical activity is beneficial, as it helps maintain muscle strength, reduces deconditioning, and may improve mood, which is important as emotional well-being can significantly influence a patient's perception of fatigue. In contrast, scheduling high-energy activities in the evening may not align with the natural energy levels of someone experiencing fatigue due to MS. Long periods of rest throughout the day can actually lead to increased feelings of fatigue when it results in deconditioning, and while some rest is necessary, prolonged inactivity can exacerbate the symptoms. Limiting physical activity completely can lead to further decline in physical fitness and stamina, which ultimately might worsen fatigue in the long term. Therefore, a balanced approach that includes moderate exercise in the morning is essential for managing fatigue effectively in

2. Which theorist's work is influenced by principles of physics?

A. Lydia Hall

B. Imogene King

C. Sister Calista Roy

D. Martha Rogers

Martha Rogers is known for her comprehensive theory of unitary human beings, which significantly integrates concepts from physics, particularly those related to energy fields. Her work emphasizes the notion that humans are an integral part of the environment and that there are continual interactions between humans and their surroundings, which can be likened to the principles of energy dynamics in physics. Rogers introduced the idea that both humans and their environment are involved in the constant exchange of energy, resonating with the laws of thermodynamics and the idea of energy fields in physics. Rogers' model suggests that understanding a person requires looking at them not in isolation but as an entity that is intrinsically connected to the larger universe. This perspective highlights the interconnectedness between living beings and their environment, paralleling concepts found in physical sciences about energy transfer and interdependence. Through her theoretical framework, she encouraged nursing to focus on promoting harmony in this energy exchange, marking significant advancements in the field by applying scientific principles to nursing practice.

SAMPLE

3. Which rehabilitative goal is particularly important for a patient who is post-stroke?

A. Maximizing independence in activities of daily living

B. Reducing overall body weight

C. Increasing strength in the unaffected limb

D. Improving cardiovascular fitness

Maximizing independence in activities of daily living is a particularly crucial rehabilitative goal for a patient who is post-stroke because one of the primary challenges faced by stroke survivors is the impact on their ability to perform daily tasks. A stroke often results in varying degrees of physical impairment, which can significantly hinder an individual's capability to care for themselves and engage in routine activities, such as dressing, bathing, eating, and mobility. By focusing on maximizing independence, the rehabilitation process emphasizes the importance of functional recovery. This goal not only helps the patient regain skills necessary for self-care but also enhances their quality of life and sense of autonomy. Rehabilitation strategies often include physical therapy, occupational therapy, and adaptive techniques designed to facilitate participation in these everyday tasks. While reducing body weight, increasing strength in the unaffected limb, and improving cardiovascular fitness are valuable aspects of overall health, they are not as immediately fundamental to the recovery and independence of a stroke patient as the ability to manage activities of daily living. The ultimate aim of rehabilitation following a stroke is to support patients in re-establishing their independence and ability to function within their environment, making this the most pertinent goal.

4. Which bowel program is best for a patient with a spinal cord injury at C5-6?

A. Enemas daily during the morning

B. Using laxatives and suppositories every evening

C. Consistent time of day with gastrocolic reflex triggering

D. Bulk fiber products for stool formation

A consistent time of day with gastrocolic reflex triggering is key for establishing an effective bowel program in patients with a spinal cord injury at C5-6. This reflex can stimulate bowel movements in response to food intake, making it a reliable mechanism to promote regularity. By scheduling bowel movements at the same time each day and pairing them with meals, it utilizes the natural physiological response, enhancing the likelihood of successful and predictable bowel evacuations. This approach is particularly beneficial in patients with high-level spinal cord injuries, where autonomic dysreflexia is a concern and may impact bowel control. The routine reinforces the body's natural rhythms and may alleviate some of the complications associated with bowel management in this population. In contrast, while enemas, laxatives, and bulk fiber products can be part of a bowel program, they might not address the underlying need for consistency and timing that capitalizes on the gastrocolic reflex effectively. Relying heavily on interventions like enemas or laxatives may overlook this important aspect and can sometimes lead to complications or irregularity if not carefully managed.

SAMPLE

5. At what level of spinal cord injury does a patient typically become ventilator-dependent?

A. T5

B. C3

C. C2

D. L1

A patient becomes ventilator-dependent typically with spinal cord injuries at levels C3 and above, as these levels involve the loss of diaphragm function, which is crucial for spontaneous breathing. The cervical spinal cord houses the phrenic nerve, which innervates the diaphragm. Injuries at level C3 indicate that the patient has significant impairment of respiratory function. If the injury is at C3, the nerve supply to the diaphragm is severely compromised, leading to respiratory failure and the need for mechanical ventilation to assist with breathing, as the patient cannot generate adequate tidal volumes or respiratory effort. C2 spinal injuries also lead to ventilator dependence due to the absence of diaphragm control, as the control centers for the diaphragm reside at C3. While spinal injuries at T5 and L1 affect lower trunk and legs but do not impact diaphragm function, they would not lead to the necessity for mechanical ventilation. Therefore, C3 is the critical level at which a patient may require ventilatory support due to compromised ability to breathe independently.

6. In the context of case management, what benefit does a specialized physician provide during an Independent Medical Examination?

A. They provide emotional support.

B. They offer insights based on their specialized training.

C. They are more cost-effective than general practitioners.

D. They can conduct the examination without referrals.

In the context of case management, the involvement of a specialized physician during an Independent Medical Examination (IME) is crucial because they offer insights based on their specialized training. This specialization allows them to assess the specific medical conditions, injuries, or needs relevant to the case with a depth of knowledge that general practitioners may not possess. Specialized physicians are trained to understand the nuances of particular medical issues, enabling them to make informed decisions regarding diagnosis, treatment options, and prognoses that are vital for case management discussions. For example, a specialized physician such as an orthopedic surgeon would have extensive experience evaluating musculoskeletal injuries, allowing them to provide a more accurate and comprehensive assessment compared to a generalist. Their insights contribute significantly to the development of an effective care plan and can lead to improved outcomes for the patient within the rehabilitation process. Other options do not hold the same relevance in this specific context. Emotional support, while important, is not the primary role of a physician during an IME. Cost-effectiveness is a consideration in healthcare but doesn't pertain directly to the expertise required for an accurate examination. While specialized physicians may sometimes conduct examinations without referrals in certain scenarios, that is not the core benefit that pertains to the quality and depth of insight they bring to the evaluation process

SAMPLE

7. What outcome is expected from improving bladder contractility?

A. Increase in incontinence episodes

B. Enhanced ability to void

C. Lower intravesical pressure

D. Reduced frequency of urinary tract infections

Improving bladder contractility leads to an enhanced ability to void because it allows for more effective and coordinated muscular contractions of the bladder during the process of urination. This increased contractility means that the bladder can empty more completely, which is crucial for maintaining normal urinary function. When the bladder contracts adequately, it assists in fully expelling urine, reducing the likelihood of residual urine left in the bladder after voiding. In contrast, the other options do not align with the primary benefit of improved bladder contractility. For example, an increase in incontinence episodes would not be expected as effective contractions help control urination. Similarly, while improved bladder function could potentially lower intravesical pressure, the primary outcome is related to the ability to void rather than a direct reduction in pressure. Lastly, bladder contractility influences voiding efficiency but does not directly correlate with the frequency of urinary tract infections, which are typically influenced by other factors such as hygiene and the presence of bacteria.

8. Subluxation of the shoulder in a patient with hemiplegia can be prevented by:

A. Exercise therapy

B. Medications

C. Positioning

D. Use of slings

Preventing subluxation of the shoulder in a patient with hemiplegia involves careful attention to positioning. Proper positioning is critical as it can help maintain the alignment of the shoulder joint and prevent excessive strain on the surrounding muscles and ligaments. When a hemiplegic patient lacks voluntary control or muscle tone on one side, the shoulder may become unstable, leading to subluxation. Correct positioning ensures that gravity does not pull the shoulder downward excessively, avoiding further joint laxity. Techniques such as placing the affected arm on a supportive surface, using pillows for elevation, or adjusting the patient's overall body alignment in bed or while sitting can significantly contribute to joint stability. Although exercise therapy, medications, and the use of slings may have roles in rehabilitation or symptom management, they do not specifically target the immediate prevention of shoulder subluxation as effectively as proper positioning. Exercise therapy may strengthen supporting muscles over time, medications can help relieve pain, and slings may offer some support, but without appropriate positioning, the risk of subluxation remains high.

SAMPLE

9. In healthcare, what does the term 'palliative' primarily refer to?

A. Curative treatments for diseases

B. Care focused on providing relief from symptoms

C. Long-term rehabilitation programs

D. Surgical interventions to treat illness

The term 'palliative' primarily refers to care focused on providing relief from symptoms associated with serious illnesses. This approach centers on improving the quality of life for patients by addressing physical, emotional, and spiritual suffering without aiming to cure the underlying disease. Palliative care can be provided alongside curative treatments or as the main focus when curative options are not available. This is distinct from curative treatments, which aim to eliminate the disease itself. While rehabilitation and surgical interventions are important components of comprehensive healthcare, they do not fully capture the essence of palliative care, which is about symptom management and enhancing the patient's comfort and quality of life during serious health challenges.

10. In Bobath's third stage of recovery for a stroke patient, what happens to spasticity?

A. Increases significantly

B. Remains unchanged

C. Decreases

D. Becomes uncontrollable

In Bobath's third stage of recovery, which is often associated with the patient's ability to gain more control over their movements following a stroke, spasticity typically decreases. This stage indicates a transition toward improved motor control and coordination. During this phase, patients may exhibit more voluntary movement, and as they engage in therapeutic activities, they often experience reduced muscle tone and less resistance to passive movement. This decrease in spasticity is crucial for rehabilitation, as it allows for greater freedom of movement and enhances the potential for functional independence. By facilitating more normal movement patterns, therapists can help stroke patients further improve their mobility and quality of life.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://crrn.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE