CERTIFIED SURGICAL TECHNOLOGIST (CST) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cst.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What type of surgical instrument is specifically designed for holding tissue during a procedure?**

   A. Scissors

   B. Clamps

   C. Scalpel

   D. Needle holder

2. **What is the primary focus of iatrogenic injuries?**

   A. Injuries from accidents

   B. Injuries due to medical treatment

   C. Injuries from physical therapy

   D. Injuries during labor and delivery

3. **What type of fluid is often prescribed for a patient with a significant electrolyte imbalance?**

   A. Isotonic solution

   B. Hypotonic solution

   C. Hypertonic solution

   D. Colloid solution

4. **Which anatomical structure does the hyoid bone provide support for?**

   A. Neck muscles

   B. Tongue

   C. Esophagus

   D. Trachea

5. **What type of skin graft includes the epidermis and all of the dermis?**

   A. Pedicle

   B. Split thickness

   C. Composite

   D. Full thickness

SAMPLE

6. According to Maslow's hierarchy of needs, which of the following is the patient satisfying when he/she trusts the surgical team's abilities?

A. Belonging

B. Esteem

C. Safety

D. Physiological

7. Satinsky, Herrick, and Mayo clamps may be used specifically on which of the following structures?

A. Kidney pedicle

B. Seminal vesicle

C. Bladder neck

D. Prostate gland

8. What is the term for a partially dislocated joint?

A. Subluxation

B. Malrotation

C. Avulsion

D. Malunion

9. What is the primary function of the small intestine?

A. Synthesis of vitamins

B. Production of bacteria

C. Excretion of bile

D. Absorption of nutrients

10. Which procedure would be scheduled for a patient undergoing surgical treatment of uterine fibroids?

A. Pelvic exenteration

B. Cervical cerclage

C. Colporrhaphy

D. Myomectomy

SAMPLE

Answers

SAMPLE

1. B
2. B
3. D
4. B
5. D
6. C
7. A
8. A
9. D
10. D

SAMPLE

Explanations

SAMPLE

1. What type of surgical instrument is specifically designed for holding tissue during a procedure?

A. Scissors

B. Clamps

C. Scalpel

D. Needle holder

The correct choice identifies clamps as instruments specifically designed to hold tissue during surgical procedures. Clamps can be used to grasp and control bleeding by occluding blood vessels or to hold tissue out of the way to provide better visibility and access to the surgical site. They come in various shapes and sizes, allowing surgical teams to manage different types of tissue and situations effectively. Scissors are primarily used for cutting tissues and sutures, while scalpels are designed for making incisions. A needle holder is utilized for grasping and controlling needles when suturing but is not meant for holding larger tissue masses like clamps. Understanding the specific functions of these instruments is crucial for ensuring efficiency and safety in the surgical environment.

2. What is the primary focus of iatrogenic injuries?

A. Injuries from accidents

B. Injuries due to medical treatment

C. Injuries from physical therapy

D. Injuries during labor and delivery

The primary focus of iatrogenic injuries is specifically on injuries that occur as a direct result of medical treatment or intervention. The term "iatrogenic" itself is derived from Greek words meaning "brought forth by a healer," indicating that these injuries happen due to the actions or treatment provided by healthcare professionals, whether intentional or as an unintended consequence of a procedure. For example, during a surgical procedure, a surgeon might inadvertently cause an injury to a surrounding organ or tissue. This could be due to surgical errors, complications from anesthesia, or adverse reactions to medications administered during treatment. This focus distinguishes iatrogenic injuries from those caused by accidents, which can occur in various settings and are not necessarily linked to medical interventions, or injuries that result from physical therapy, which are more associated with rehabilitation practices. Additionally, while injuries during labor and delivery can be significant, they are not classified as iatrogenic unless they arise specifically from the medical management of the birthing process. Thus, the essence of iatrogenic injuries lies in their connection to medical care, making the correct answer significant in understanding potential risks in healthcare provision.

SAMPLE

3. What type of fluid is often prescribed for a patient with a significant electrolyte imbalance?

A. Isotonic solution

B. Hypotonic solution

C. Hypertonic solution

D. Colloid solution

In the case of electrolyte imbalances, a colloid solution is often used because it contains larger molecules that help to expand plasma volume and improve the intravascular volume. Colloids can provide both hydration and a means to restore protein levels, which is critical for maintaining osmotic pressure in the blood. These solutions are particularly beneficial in situations where a patient experiences significant loss of volume and proteins, which can occur during conditions such as severe burns, major surgeries, or other medical emergencies. By providing such solutions, clinicians can effectively manage and stabilize the electrolyte levels in the patient's system, ensuring better respiratory, circulatory, and overall physiological function. In contrast, isotonic solutions are typically used for general hydration and to replace fluid losses, hypotonic solutions are utilized to shift fluids into cells, and hypertonic solutions can cause cells to shrink by pulling fluid outwards. Each of these has its own specific clinical uses but may not address the underlying issues related to significant electrolyte imbalances as effectively as colloid solutions do.

4. Which anatomical structure does the hyoid bone provide support for?

A. Neck muscles

B. Tongue

C. Esophagus

D. Trachea

The hyoid bone provides essential support for the tongue, making it the correct answer. This U-shaped bone is situated in the anterior neck and serves as an anchoring structure for the muscles associated with the tongue and the floor of the mouth. The hyoid bone does not articulate directly with any other bone, allowing for a certain degree of mobility, which is crucial for its role in facilitating tongue movements necessary for speech and swallowing. It is connected to the tongue by various muscles and ligaments, which aids in the complex actions of the tongue during these processes. While the hyoid bone does contribute to the overall structure of the neck and has indirect implications for the esophagus and trachea due to its position, its primary function lies in supporting the tongue and providing a surface for the attachment of several muscles. This specific involvement highlights the significance of the hyoid bone in functions related to the tongue, sanctioning it as the correct choice in this context.

SAMPLE

5. What type of skin graft includes the epidermis and all of the dermis?

A. Pedicle

B. Split thickness

C. Composite

D. Full thickness

The correct response identifies a full thickness skin graft, which encompasses both the epidermis and the entire dermis. This type of graft is typically used for reconstructive procedures where more tissue support and esthetics are required. Unlike split thickness grafts that only include the epidermis and a portion of the dermis, full thickness grafts provide a thicker layer of skin which contributes to better healing and a more natural appearance post-surgery. Additionally, full thickness grafts are particularly advantageous in areas where skin tension is high or where the graft is exposed to high levels of stress, as they are less likely to contract after healing. This makes them suitable for challenging areas like the face, hands, and joints. In contrast, pedicle grafts involve a section of skin that remains partially attached to the donor site allowing for vascularization during the healing process but are not exclusive to all dermal layers. Composite grafts involve more than just skin, as they can include other types of tissues, which is different from the specific definition of a full thickness graft.

6. According to Maslow's hierarchy of needs, which of the following is the patient satisfying when he/she trusts the surgical team's abilities?

A. Belonging

B. Esteem

C. Safety

D. Physiological

When a patient trusts the surgical team's abilities according to Maslow's hierarchy of needs, they are primarily satisfying the safety needs. This level of the hierarchy emphasizes the importance of feeling secure and protected from harm. Trust in the expertise and competence of the surgical team contributes significantly to the patient's sense of safety before undergoing a procedure. The physiological needs, belonging, and esteem are related concepts but do not directly correlate with the trust in a surgical team's abilities. Physiological needs are about basic survival requirements such as food and water. The belonging level pertains to emotional connections and social relationships, while esteem encompasses feelings of accomplishment and recognition. Hence, trust in the surgical team's skills falls squarely under the safety needs, as it directly addresses the patient's concerns regarding their well-being during surgery.

SAMPLE

7. Satinsky, Herrick, and Mayo clamps may be used specifically on which of the following structures?

A. Kidney pedicle

B. Seminal vesicle

C. Bladder neck

D. Prostate gland

Satinsky, Herrick, and Mayo clamps are surgical instruments commonly employed in vascular and urologic procedures. They are designed to occlude blood vessels and tissues effectively without causing significant damage, making them particularly useful in procedures involving delicate structures. When applied to the kidney pedicle, these clamps are instrumental in controlling blood flow during nephrectomy or other surgical interventions involving the kidneys. The kidney pedicle consists of the renal artery and vein, and effective hemostasis is critical to avoid excessive bleeding during surgery. The design of these clamps allows for secure placement around the kidney pedicle, facilitating the surgical process. In contrast, while the other structures—seminal vesicle, bladder neck, and prostate gland—may require specialized instruments, they are not typically associated with the use of these specific clamps. Each of these structures may involve different surgical considerations and require tools tailored to their individual vascular and anatomical characteristics. Thus, the effective use of Satinsky, Herrick, and Mayo clamps is most appropriate for the kidney pedicle in terms of controlling blood flow and facilitating surgical procedures on that particular organ.

8. What is the term for a partially dislocated joint?

A. Subluxation

B. Malrotation

C. Avulsion

D. Malunion

A partially dislocated joint is referred to as subluxation. This term indicates that the joint surfaces have lost their normal alignment, but they remain in partial contact with each other. In contrast to a complete dislocation, where the joint surfaces are entirely separated, a subluxation allows for some degree of stability and contact. Understanding this term is vital, especially in the surgical and rehabilitation contexts, as it may influence treatment strategies and the expected recovery process. Malrotation pertains to an abnormal rotational position of a structure and does not imply a dislocated condition. Avulsion refers to an injury where a body structure, such as a tendon or ligament, is torn away from its attachment, which is also unrelated to joint dislocation. Malunion describes a fracture that heals improperly and does not correspond to the condition of a partially dislocated joint. These distinctions highlight why subluxation is the correct term for a partially dislocated joint.

SAMPLE

9. What is the primary function of the small intestine?

A. Synthesis of vitamins

B. Production of bacteria

C. Excretion of bile

D. Absorption of nutrients

The primary function of the small intestine is the absorption of nutrients. This vital process takes place after the food has been digested in the stomach. The small intestine consists of three segments: the duodenum, jejunum, and ileum, each playing a role in digestion and absorption. In the duodenum, digestive enzymes from the pancreas and bile from the liver further break down the food, making nutrients available for absorption. Following this stage, the jejunum and ileum are primarily responsible for absorbing these nutrients, including carbohydrates, proteins, fats, vitamins, and minerals, into the bloodstream. The large surface area of the small intestine, due to its villi and microvilli, enhances its capacity to absorb nutrients efficiently. While the synthesis of vitamins, production of bacteria, and excretion of bile play roles in the overall digestive system's function, they do not represent the main purpose of the small intestine itself. The focus remains on nutrient absorption, which is critical for providing energy and essential components to the body.

10. Which procedure would be scheduled for a patient undergoing surgical treatment of uterine fibroids?

A. Pelvic exenteration

B. Cervical cerclage

C. Colporrhaphy

D. Myomectomy

Myomectomy is the correct answer because it specifically addresses the surgical removal of uterine fibroids, also known as leiomyomas. During this procedure, a surgeon removes the fibroids while preserving the uterus, which can be especially important for women who wish to retain their fertility or avoid a hysterectomy. This targeted approach allows for symptom relief from fibroids, such as heavy menstrual bleeding or pelvic pain. In contrast, pelvic exenteration involves the removal of the uterus, cervix, and other surrounding organs, usually performed in cases of advanced cancer, rather than specifically for fibroids. Cervical cerclage is a procedure intended to support the cervix during pregnancy and is not related to the treatment of fibroids. Colporrhaphy is a surgical procedure to repair the vaginal wall and does not directly relate to the treatment of uterine fibroids either. Therefore, myomectomy is the only option that aligns directly with the treatment of uterine fibroids.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cst.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE