CERTIFIED VETERINARY ASSISTANT (CVA) LEVEL II CERTIFICATION PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cvalevel2.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is the role of a steam indicator strip in veterinary surgery?

A. To measure temperature

B. To indicate if a sterile pack has been autoclaved

C. To determine the time of sterilization

D. To assess humidity levels

2. Which of the following could cause an increased kidney enzyme?

A. Overhydration

B. Dehydration

C. Diet change

D. High potassium levels

3. Which condition may cause polycythemia, characterized by an elevated hematocrit?

A. Anemia

B. Dehydration

C. Blood loss

D. Immune-mediated hemolytic anemia (IMHA)

4. What can excessive drooling in pets indicate?

A. Learning disabilities

B. Potential dental or health issues

C. Normal behavior in all breeds

D. Higher energy levels

5. What condition can a high level of carbon dioxide indicate?

A. Dehydration

B. Hypoventilation

C. Hyperglycemia

D. Hypotension

6. What is the primary use of the sodium citrate in a blue top tube?

A. To promote clotting

B. To prevent clotting

C. To separate serum

D. To measure glucose

SAMPLE

7. What is the difference between a hepetectomy and a liver lobectomy?

A. Hepatectomy involves liver transplant

B. Lobectomy involves removal of the pancreas

C. Hepatectomy removes more than one lobe of the liver

D. Lobectomy is removing the entire liver

8. Which test is specifically utilized to detect Giardia in animals?

A. FPL

B. 4Dx

C. Lepto

D. Giardia Snap test

9. What is a potential cause for leukopenia, which indicates a decrease in white blood cells?

A. Chronic infection, virus

B. Dehydration, inflammation

C. Hemorrhage, trauma

D. Bone marrow cancer, allergies

10. What does a PCV/TS measure in the blood?

A. The percentage of platelets

B. The concentration of electrolytes

C. The percentage of red blood cells and total solids

D. The amount of white blood cells

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. B
5. B
6. B
7. C
8. D
9. A
10. C

SAMPLE

Explanations

SAMPLE

1. What is the role of a steam indicator strip in veterinary surgery?

A. To measure temperature

B. To indicate if a sterile pack has been autoclaved

C. To determine the time of sterilization

D. To assess humidity levels

A steam indicator strip is specifically designed to indicate if a sterile pack has undergone proper autoclaving, which is essential for effective sterilization in veterinary surgery. The strip contains heat-sensitive chemicals that change color when exposed to the conditions necessary for sterilization, such as steam, temperature, and pressure present in an autoclave. This visual change signifies that the pack has been processed correctly, ensuring that the instruments contained within are sterile and safe for surgical use. The other options focus on measurements or assessments that are not the primary function of a steam indicator strip. For instance, while temperature monitoring is vital in ensuring that the autoclave reaches the necessary levels for sterilization, the strip itself does not measure temperature but rather confirms that the required conditions were met. Additionally, the time of sterilization is not determined by the strip, as this aspect is monitored by the autoclave's built-in timer. Lastly, humidity assessment is crucial in the sterilization process, but steam indicator strips do not evaluate humidity levels; they only indicate successful sterilization once completed. Thus, the correct answer focuses on the primary and intended use of the steam indicator strip in ensuring that surgical packs are sterilized appropriately.

2. Which of the following could cause an increased kidney enzyme?

A. Overhydration

B. Dehydration

C. Diet change

D. High potassium levels

An increased kidney enzyme level is often indicative of kidney stress or damage. Dehydration can lead to a decreased blood flow to the kidneys and result in an accumulation of toxins in the bloodstream. This situation can put strain on the kidneys and lead to an elevation of certain enzymes, such as creatinine and blood urea nitrogen (BUN), which are common indicators of kidney function. In a dehydrated state, the kidneys may not filter blood as effectively, contributing to an increase in these enzymes. The other options, while they may have implications for renal health, do not have the same direct impact on kidney enzyme levels associated with impairment. Overhydration can dilute blood constituents and potentially lower enzyme levels, while dietary changes and high potassium levels are more complex in their effects and not directly correlated to a straightforward increase in kidney enzyme activity.

SAMPLE

3. Which condition may cause polycythemia, characterized by an elevated hematocrit?

A. Anemia

B. Dehydration

C. Blood loss

D. Immune-mediated hemolytic anemia (IMHA)

Polycythemia, which is an increase in the concentration of red blood cells in the blood, can indeed be characterized by an elevated hematocrit. Dehydration is a common cause of relative polycythemia. When an animal is dehydrated, the volume of plasma decreases, which results in a relative increase in the concentration of red blood cells, thus raising the hematocrit level. In this context, dehydration leads to a reduction in the fluid portion of blood, presenting a falsely elevated hematocrit even though the actual number of red blood cells may not be increased. This condition is temporary and usually resolves with rehydration. Understanding the conditions that lead to polycythemia can help distinguish between absolute and relative increases in red blood cells. Anemia, blood loss, and immune-mediated hemolytic anemia (IMHA) typically result in a decrease in red blood cell counts rather than an increase, thereby failing to account for elevated hematocrit.

4. What can excessive drooling in pets indicate?

A. Learning disabilities

B. Potential dental or health issues

C. Normal behavior in all breeds

D. Higher energy levels

Excessive drooling in pets can be a significant indicator of underlying dental or health issues. When a pet drools more than usual, it may be a sign of oral problems such as periodontal disease, dental fractures, or other conditions affecting the mouth and throat. Additionally, excessive drooling can also point to systemic illnesses, such as kidney disease or liver problems, which can cause nausea and result in increased saliva production. Hence, when observing excessive drooling, it is essential to evaluate the pet's overall health and consider seeking veterinary assistance to address any potential issues. Understanding these health indicators helps in ensuring the well-being of pets, rather than attributing their behavior to normal variations or learning difficulties.

5. What condition can a high level of carbon dioxide indicate?

A. Dehydration

B. Hypoventilation

C. Hyperglycemia

D. Hypotension

A high level of carbon dioxide in the blood, known as hypercapnia, is most commonly associated with hypoventilation. This condition occurs when there is inadequate ventilation, leading to an accumulation of carbon dioxide due to insufficient gas exchange in the lungs. In essence, when an animal is not breathing effectively or has a reduced respiratory rate, carbon dioxide levels rise because the body is not able to expel it adequately. This physiological response can be caused by various factors, including respiratory diseases, central nervous system disorders, or muscle weakness, all of which can impair the ability to breathe properly. Therefore, if measurements of blood gases reveal elevated carbon dioxide levels, it often points toward hypoventilation as the underlying condition needing attention. The other conditions listed, like dehydration, hyperglycemia, and hypotension, are not directly related to increased carbon dioxide levels and stem from different physiological mechanisms that do not involve the regulation of carbon dioxide during respiration.

EXAMPLE

6. What is the primary use of the sodium citrate in a blue top tube?

A. To promote clotting

B. To prevent clotting

C. To separate serum

D. To measure glucose

Sodium citrate is primarily used as an anticoagulant in blood collection tubes, such as the blue top tube. Its main function is to prevent the coagulation of blood by chelating calcium, which is a vital component in the clotting cascade. When sodium citrate is added to the blood sample, it binds to the calcium ions, thus inhibiting the blood from clotting and allowing for the accurate analysis of plasma components. This anticoagulant property makes it particularly useful in tests that require the measurement of clotting factors, such as prothrombin time (PT) or activated partial thromboplastin time (aPTT), ensuring that the sample remains uncoagulated until analysis is complete. In contrast, choices regarding promoting or measuring clotting are not applicable to sodium citrate's role, as its mechanism is specifically designed to prevent clot formation rather than facilitating it. Similarly, options related to separating serum do not pertain to sodium citrate's function in the blue top tube, as the separation occurs after the blood has clotted (if a clotting tube is used) or not at all when sodium citrate is present. Lastly, while sodium citrate may indirectly affect glucose measurements due to its anticoagulant properties, it is not primarily

7. What is the difference between a hepetectomy and a liver lobectomy?

A. Hepatectomy involves liver transplant

B. Lobectomy involves removal of the pancreas

C. Hepatectomy removes more than one lobe of the liver

D. Lobectomy is removing the entire liver

The correct answer highlights the distinction in the extent of the surgical procedure involved in these two types of operations. A hepatectomy refers to the resection or removal of a significant portion of the liver, which could involve more than one lobe, depending on the severity of the condition being treated. This procedure is typically performed when there are conditions such as tumors or significant damage that require a larger section of the liver to be removed to maintain the overall health of the animal. In contrast, a liver lobectomy is specifically the removal of just one lobe of the liver. This operation is more focused and often used for localized issues that do not necessitate the removal of multiple lobes. Understanding these definitions helps clarify the surgical approaches veterinarians take based on the health challenges faced by the animal.

8. Which test is specifically utilized to detect Giardia in animals?

A. FPL

B. 4Dx

C. Lepto

D. Giardia Snap test

The Giardia Snap test is specifically designed to detect the presence of Giardia antigens in animals, making it the most appropriate choice for identifying this particular parasite. Giardia is a protozoan that can cause gastrointestinal issues in pets, and the Snap test provides a rapid verification of an infection. This test works by utilizing specific antibodies that bind to Giardia antigens in the animal's feces, producing a visual result that indicates whether or not the organism is present. Its specificity and ease of use in a veterinary setting make it a go-to method for diagnosing Giardia infections quickly. The other options listed are unrelated to Giardia detection. For example, the FPL test focuses on feline panleukopenia, the 4Dx test screens for multiple vector-borne diseases in dogs but does not specifically target Giardia, and the Lepto test is designed to detect leptospirosis, which is caused by a different pathogen altogether. This highlights the uniqueness of the Giardia Snap test in its specific function for parasitic diagnosis.

SAMPLE

9. What is a potential cause for leukopenia, which indicates a decrease in white blood cells?

A. Chronic infection, virus

B. Dehydration, inflammation

C. Hemorrhage, trauma

D. Bone marrow cancer, allergies

Leukopenia, which refers to a reduction in the number of white blood cells, can be caused by a variety of factors, one of which is chronic infection due to a virus. In cases of chronic viral infections, the immune system can become overwhelmed, leading to an insufficient production of white blood cells as the body is constantly trying to fight off the pathogen. This sustained immune response can deplete the resources necessary for producing new white blood cells, resulting in leukopenia. In contrast, while options such as dehydration or inflammation can affect the concentration of white blood cells, they are not directly linked to a decrease in overall production. Hemorrhage and trauma may lead to an acute response that could alter blood cell counts but typically would not cause a sustained decrease in white blood cells like what is observed in leukopenia. Lastly, although bone marrow cancer can lead to decreased white blood cell production, allergies do not directly correlate with reduced white blood cell counts in the same manner chronic viral infections do. The link between chronic infections and leukopenia is well-established, making it a primary consideration in veterinary medicine.

10. What does a PCV/TS measure in the blood?

A. The percentage of platelets

B. The concentration of electrolytes

C. The percentage of red blood cells and total solids

D. The amount of white blood cells

The PCV/TS stands for Packed Cell Volume and Total Solids, and it is a crucial test in veterinary medicine used to evaluate different components of blood. The Packed Cell Volume measures the percentage of red blood cells in the blood, which is vital for assessing the animal's oxygen-carrying capacity. On the other hand, Total Solids refers to the concentration of proteins and other solids in the plasma, providing insights into the animal's hydration status and overall health. This test is particularly important because it helps veterinarians diagnose a variety of conditions, such as anemia, dehydration, and certain diseases affecting blood proteins. By combining the measurement of red blood cells with the assessment of total solids, this test gives a comprehensive overview of an animal's hematological and biochemical status. Other options, while relevant to different aspects of blood analysis, do not encompass the combined information provided by PCV/TS. The measurement of platelets, electrolytes, or white blood cells offers different insights but does not reflect both red blood cell percentage and total solids as the correct choice does.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cvalevel2.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE