CERTIFIED WIRELESS NETWORK ADMINISTRATOR (CWNA) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cwna.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What is the primary purpose of a wireless access point (WAP)?**

   A. To allow wireless devices to connect to a wired network

   B. To amplify wireless signals

   C. To provide network security

   D. To manage network traffic

2. **AP-1 is a 3x3:2 AP. STA-3 is a 3x3:3 client. What is the maximum number of spatial streams that can be used for a downlink HT-OFDM transmission from AP-1 to STA-3?**

   A. Three spatial streams

   B. Two spatial streams

   C. One spatial stream

   D. Four spatial streams

3. **Which reasons might spur an organization to choose outdoor APs for indoor use?**

   A. Budget constraints

   B. Regulatory compliance

   C. Physical security and environmental protection

   D. Increased data processing power

4. **What is the EIRP power output of an 802.11 WLAN transmitter emitting a 50mW signal connected to a cable with 3dB of loss and an antenna with 16 dBi of gain?**

   A. 250mW

   B. 500mW

   C. 1000mW

   D. 2000mW

5. **What should be considered when selecting antenna types for a wireless bridge deployment?**

   A. Range extension and mobility

   B. Frequency modulation and directivity

   C. Transmission gain and coverage area

   D. Signal filtering and interference reduction

SAMPLE

6. What is the primary advantage of using WPA3 over WPA2?

A. Lower hardware requirements

B. Enhanced security features

C. Wider compatibility with older devices

D. Higher data transfer rates

7. What effect may a low transmit power have on Wi-Fi enabled voice handsets?

A. Enhanced security

B. Synchronous performance

C. Asynchronous downlink and uplink performance

D. Improved range

8. What is the typical range of a Wi-Fi access point indoors?

A. 5-50 feet

B. 50-100 feet

C. 100-300 feet, depending on obstacles

D. 300-500 feet

9. What cause of hidden nodes in a BSS is likely to increase collisions?

A. Short-range connections

B. Obstacles causing signal attenuation

C. Highly populated networks

D. Stable connection protocols

10. Which other 802.11 PHY specifications must VHT capable devices be backward compatible with?

A. HT and OFDM

B. HR and DSSS

C. ERP and VHT

D. OFDM and DSSS

SAMPLE

Answers

SAMPLE

1. A
2. B
3. C
4. C
5. C
6. B
7. C
8. C
9. B
10. A

SAMPLE

Explanations

SAMPLE

1. What is the primary purpose of a wireless access point (WAP)?

A. To allow wireless devices to connect to a wired network

B. To amplify wireless signals

C. To provide network security

D. To manage network traffic

The primary purpose of a wireless access point (WAP) is to allow wireless devices to connect to a wired network. WAPs serve as a bridge between the wireless network and the wired infrastructure, enabling devices such as laptops, smartphones, and tablets to communicate and gain access to the resources available on the wired network. When a wireless device connects to a WAP, it can send and receive data from the wired part of the network, facilitating seamless communication and resource sharing. While amplification of wireless signals, network security, and traffic management are important aspects of overall network functionality, they do not encompass the primary role of a WAP. For instance, signal amplification might be handled by other devices or technologies if necessary, but it's not the fundamental role of a WAP. Similarly, network security features can be incorporated in WAP design but are ancillary to the main job of connecting wireless clients to the network. Lastly, traffic management can be managed through various network configurations and management solutions rather than being a direct function of the WAP itself.

2. AP-1 is a 3x3:2 AP. STA-3 is a 3x3:3 client. What is the maximum number of spatial streams that can be used for a downlink HT-OFDM transmission from AP-1 to STA-3?

A. Three spatial streams

B. Two spatial streams

C. One spatial stream

D. Four spatial streams

In this scenario, we are dealing with a Wireless Local Area Network (WLAN) configuration involving an Access Point (AP) and a client station (STA). The access point, AP-1, is specified as a 3x3:2 AP. This means it has three transmit antennas and three receive antennas, but it can only use two spatial streams in its downlink transmissions due to its configuration. On the other hand, the client station, STA-3, is specified as a 3x3:3 client. This indicates that it has the capability to support three transmit and three receive antennas, allowing it to handle three spatial streams. However, the actual number of spatial streams that can be used in a wireless transmission is determined by the component with the lower capability in the communication link. Since AP-1 can only transmit a maximum of two spatial streams, despite STA-3 being able to receive three, the most spatial streams that AP-1 can utilize for downlink HT-OFDM transmissions to STA-3 is limited to the two streams that AP-1 can support. This results in the conclusion that the maximum number of spatial streams that can be used for the downlink from AP-1 to STA-3 is indeed

SAMPLE

3. Which reasons might spur an organization to choose outdoor APs for indoor use?

A. Budget constraints

B. Regulatory compliance

C. Physical security and environmental protection

D. Increased data processing power

Choosing outdoor access points (APs) for indoor use can be driven by specific considerations, primarily their durability and resilience in challenging environments. Outdoor APs are designed to withstand harsh weather conditions, which often makes them particularly robust and secure compared to standard indoor APs. The aspect of physical security and environmental protection is crucial. Outdoor APs typically come with rugged enclosures and weatherproof ratings, making them less susceptible to damage from accidental impacts or exposure to dust and moisture. When installed indoors, these features offer an additional layer of protection against environmental factors, potential vandalism, or unintended dislodging. The other considerations, while valid in different contexts, do not primarily drive the decision to use outdoor equipment in indoor environments. Budget constraints may lead to such a choice, but it is not the main reason. Regulatory compliance is typically more concerned with adhering to wireless standards and practices rather than specific hardware types. Increased data processing power isn't inherently a feature associated with outdoor APs, as they are generally designed with different specifications oriented toward environmental factors rather than enhanced processing capabilities. Hence, the choice to implement outdoor APs indoors is most closely aligned with the needs for physical security and environmental protection.

4. What is the EIRP power output of an 802.11 WLAN transmitter emitting a 50mW signal connected to a cable with 3dB of loss and an antenna with 16 dBi of gain?

A. 250mW

B. 500mW

C. 1000mW

D. 2000mW

*To determine the Effective Isotropic Radiated Power (EIRP) of the given 802.11 WLAN transmitter, we need to consider the transmitter's output power, the losses incurred in the cable, and the gain provided by the antenna. The EIRP can be calculated using the formula: EIRP (dBm) = Transmitter power (dBm) + Antenna gain (dBi) - Cable loss (dB) First, we start with the transmitter output power. The signal is given as 50 mW. To convert milliwatts to dBm, use the formula: Power (dBm) = 10 * log10(Power in mW) So: 50 mW = 10 * log10(50) ≈ 17 dBm Next, we incorporate the antenna gain. The antenna has a gain of 16 dBi, which we express as is: Antenna gain = +16 dBi Next, we consider the cable loss of 3 dB. Losses are subtracted in this formula: Cable loss = -3 dB Now, we can plug these values into the EIRP calculation: EIRP (dBm) = 17*

SAMPLE

5. What should be considered when selecting antenna types for a wireless bridge deployment?

A. Range extension and mobility

B. Frequency modulation and directivity

C. Transmission gain and coverage area

D. Signal filtering and interference reduction

When selecting antenna types for a wireless bridge deployment, transmission gain and coverage area are crucial factors to consider. Transmission gain relates to how effectively an antenna can radiate or receive signals. Higher gain antennas can focus energy in a specific direction, allowing for greater distances to be covered, which is especially important in bridge deployments where the signal needs to bridge gaps between distant points. This helps ensure that the signal strength remains robust. Coverage area is equally important because it determines the effective range and footprint of the wireless signal. Understanding the coverage area helps in planning the setup so that all desired locations receive adequate signal strength while trying to minimize dead zones. While range extension and mobility, frequency modulation and directivity, and signal filtering and interference reduction have their relevance in specific scenarios, they do not directly pertain to the core attributes that primarily influence the selection of antenna types for providing adequate service and reliability in a wireless bridge deployment.

6. What is the primary advantage of using WPA3 over WPA2?

A. Lower hardware requirements

B. Enhanced security features

C. Wider compatibility with older devices

D. Higher data transfer rates

The primary advantage of using WPA3 over WPA2 lies in enhanced security features. WPA3 introduces several improvements that significantly strengthen wireless security, addressing vulnerabilities present in WPA2. One of the key enhancements is the implementation of a more robust authentication method called Simultaneous Authentication of Equals (SAE), which mitigates the risk of offline dictionary attacks that targeted WPA2. Additionally, WPA3 includes individualized data encryption, meaning that even if a malicious actor gains access to the network, they cannot intercept or decipher traffic between individual clients. Other improvements such as improved protection for open networks via Opportunistic Wireless Encryption (OWE) further enhance the security of connections. These advancements make WPA3 a much stronger choice for protecting sensitive information on wireless networks, making it a crucial upgrade for organizations seeking to maintain high levels of security in an increasingly vulnerable digital landscape. The remaining options offer benefits that are not primary advantages of WPA3. For instance, while hardware requirements for WPA3 may still be reasonable, they are generally higher than those for WPA2 due to the enhanced security protocols now being implemented. Wider compatibility with older devices is also not an enhanced feature since WPA3 may not support legacy systems as seamlessly as WPA2, which was designed with a focus on backward compatibility

SAMPLE

7. What effect may a low transmit power have on Wi-Fi enabled voice handsets?

A. Enhanced security

B. Synchronous performance

C. Asynchronous downlink and uplink performance

D. Improved range

A low transmit power in Wi-Fi enabled voice handsets can lead to asynchronous downlink and uplink performance. When the transmit power is reduced, the range at which the device can effectively communicate is also limited. This means that the device might struggle to send data upstream (uplink) as power is insufficient to maintain the same quality of connection for both sending and receiving data. In voice communication, particularly with VoIP (Voice over Internet Protocol), synchronous communication is vital for maintaining a seamless call experience. However, if the uplink is weaker due to low transmit power, the voice handset may receive data (downlink) more effectively than it can send data back to the network, resulting in delays or interruptions. Thus, the performance becomes asymmetrical, affecting call quality and connection reliability.

8. What is the typical range of a Wi-Fi access point indoors?

A. 5-50 feet

B. 50-100 feet

C. 100-300 feet, depending on obstacles

D. 300-500 feet

The typical range of a Wi-Fi access point indoors is influenced by several factors, including the frequency of the signal, physical obstacles, and the specific environment where the access point is deployed. The correct answer highlights that the range can vary significantly, generally falling within the range of 100 to 300 feet. This distance can extend or contract based on the presence of walls, floors, furniture, and other obstructions that can absorb or reflect the Wi-Fi signal. In many situations, the 2.4 GHz frequency band, which is commonly used for Wi-Fi, has a longer range due to its ability to penetrate walls more effectively compared to the 5 GHz band, which offers higher speeds but with a shorter range. Thus, a realistic range of 100-300 feet indoors allows for the variations in signal clarity and strength resulting from environmental factors, which is why this answer is the most accurate for Wi-Fi access points in indoor settings.

SAMPLE

9. What cause of hidden nodes in a BSS is likely to increase collisions?

A. Short-range connections

B. Obstacles causing signal attenuation

C. Highly populated networks

D. Stable connection protocols

Hidden nodes refer to devices in a wireless network that are not able to hear each other's transmissions due to distance or obstacles, leading to potential collisions when they attempt to communicate with a common access point simultaneously. In the context of the options provided, the presence of obstacles causing signal attenuation is a significant factor. When obstacles, such as walls or furniture, are present, the signals from some devices may be weakened or completely blocked, preventing those devices from detecting each other's signals. This means they cannot sense when the air is busy (i.e., when another device is transmitting). As a result, multiple devices may transmit at the same time, unaware that others are doing so, which increases the likelihood of data collisions. Conversely, short-range connections limit the opportunity for hidden nodes since devices within close proximity are more likely able to detect each other's transmissions. Highly populated networks might create a busy environment, but they don't inherently lead to hidden node problems. Lastly, stable connection protocols generally help manage collisions rather than exacerbate them. Given this context, obstacles causing signal attenuation is indeed the cause that is most likely to increase collisions due to the hidden node issue.

10. Which other 802.11 PHY specifications must VHT capable devices be backward compatible with?

A. HT and OFDM

B. HR and DSSS

C. ERP and VHT

D. OFDM and DSSS

The correct answer is that VHT (Very High Throughput) capable devices must be backward compatible with HT (High Throughput) and OFDM (Orthogonal Frequency Division Multiplexing). This is critical for maintaining interoperability within wireless networks that utilize multiple generations of Wi-Fi technology. HT is part of the IEEE 802.11n standard, which introduced enhancements that allow for higher data rates, improved range, and increased capacity. OFDM is a modulation scheme used in several 802.11 standards, including both HT and VHT, that helps in maintaining a robust connection with higher data rates over mult-path propagation environments typical in Wi-Fi scenarios. Backward compatibility ensures that newer devices using the VHT standard can still communicate effectively with older devices that utilize the HT standard and the underlying OFDM modulation technique. This capability is essential for network support and transition, allowing for a gradual upgrade path and promoting a seamless user experience across different generations of wireless communication technologies.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cwna.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE