CERTIFIED WIRELESS NETWORK ADMINISTRATOR (CWNA) PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cwna.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What factors are considered when calculating the link budget of a point-to-point outdoor WLAN bridge link?

A. Transmitter cable length and receiver sensitivity

B. Operating frequency, transmit antenna gain, and transmit power

C. Receiver cable loss and environmental factors

D. Distance, elevation, and bandwidth

2. What does the term "latency" refer to in networking?

A. The stability of a network connection

B. The amount of data transmitted per second

C. The time it takes for a data packet to travel from source to destination

D. The security level of a wireless connection

3. When might the Equivalent Isotropic Radiated Power (EIRP) be problematic?

A. When using RF splitters

B. When the antenna is obstructed

C. When using unlicensed frequency bands

D. When connecting multiple networks

4. Which type of frame is primarily responsible for establishing and maintaining a connection in an 802.11 network?

A. Data frame

B. Control frame

C. Management frame

D. ACK frame

5. Which two IEEE amendments should be supported for management frame protection and fast secure roaming in 802.11-2012?

A. 802.11s and 802.11i

B. 802.11a and 802.11b

C. 802.11r and 802.11w

D. 802.11n and 802.11ac

SAMPLE

6. What is the function of a VPS in wireless networking?

A. To store user data securely

B. To control and monitor wireless network traffic

C. To act as a modem for internet access

D. To provide backup power to wireless devices

7. What feature in a Wi-Fi client configuration utility is most likely to be user configurable?

A. EAP Authentication Type

B. SSID Broadcasting

C. Signal Filtering

D. Channel Selection

8. What is the main advantage of using 802.11ax over previous wireless standards?

A. Better range and coverage

B. Increased overall capacity and efficiency for numerous devices

C. Lower latency connections

D. Compatibility with older devices

9. When using WMM Power Save operation, a wireless client device _____.

A. Will continuously transmit data without interruptions

B. Remains active at all times

C. Alternates between awake and dozing, depending on its need to transmit and receive information

D. Only transmits data when prompted by the access point

10. What is the purpose of a wireless site survey?

A. To test the security of the network

B. To assess coverage and signal strength

C. To install hardware for the network

D. To troubleshoot network issues

SAMPLE

Answers

SAMPLE

1. B
2. C
3. A
4. C
5. C
6. B
7. A
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What factors are considered when calculating the link budget of a point-to-point outdoor WLAN bridge link?

A. Transmitter cable length and receiver sensitivity

B. Operating frequency, transmit antenna gain, and transmit power

C. Receiver cable loss and environmental factors

D. Distance, elevation, and bandwidth

When calculating the link budget of a point-to-point outdoor WLAN bridge link, several key factors are essential to understand how signal strength and quality will be maintained over the distance of the link. Transmit power, which is the power level at which the signal is emitted from the transmitting device, plays a critical role in ensuring that the signal can reach the receiver effectively. The gain of the transmit antenna is equally important, as it enhances the signal by focusing it in particular directions rather than radiating uniformly. This improves the effective radiated power (ERP), ensuring a stronger signal at the receiver. Operating frequency also significantly impacts the link budget calculation. Different frequencies can experience various levels of attenuation due to atmospheric conditions, obstacles, and interference, necessitating careful selection and consideration in the link budget to ensure robustness in performance. While other factors like cable losses and environmental considerations are important in broader contexts, the essence of the link budget itself is centered on the physical characteristics of the system's transmitting capability and the performance of the antennas employed. Therefore, the combination of operating frequency, transmit antenna gain, and transmit power directly influences the effectiveness of the bridge link, justifying their inclusion as the core components in calculating the link budget.

2. What does the term "latency" refer to in networking?

A. The stability of a network connection

B. The amount of data transmitted per second

C. The time it takes for a data packet to travel from source to destination

D. The security level of a wireless connection

The term "latency" in networking specifically refers to the time it takes for a data packet to travel from the source to the destination. This measurement is crucial in network performance as it affects the responsiveness of applications and the overall user experience. Low latency indicates a faster response time, which is particularly important for applications like online gaming, video conferencing, and other real-time services. Understanding latency helps network administrators identify and troubleshoot performance issues. Factors that can contribute to latency include the physical distance between devices, the number of routing hops data must traverse, and the processing time at each hop. The other options do not accurately define latency. Stability of a network connection pertains to how consistently the network can maintain a connection, the amount of data transmitted per second relates to bandwidth, and the security level indicates how well a connection is protected from unauthorized access. Each of these factors contributes to network performance but does not define what latency specifically means.

SAMPLE

3. When might the Equivalent Isotropic Radiated Power (EIRP) be problematic?

A. When using RF splitters

B. When the antenna is obstructed

C. When using unlicensed frequency bands

D. When connecting multiple networks

The situation where EIRP may become problematic primarily arises when using RF splitters. An RF splitter divides the input signal into multiple outputs, which results in a reduction of the overall power available at each output. This decrease can lead to an EIRP that falls below regulatory requirements or operational thresholds, especially if the intended output power exceeds the legal limit for that specific frequency band. Consequently, issues can arise regarding compliance with regulations and effective coverage, which are critical in wireless networking. In addition, the use of RF splitters can affect signal integrity and result in increased losses, further complicating the effective management of EIRP. Understanding the relationship between power loss due to splitting and regulatory limits is crucial for maintaining the integrity of a wireless network, especially in scenarios involving multiple devices sharing the same frequency space.

4. Which type of frame is primarily responsible for establishing and maintaining a connection in an 802.11 network?

A. Data frame

B. Control frame

C. Management frame

D. ACK frame

In an 802.11 network, management frames play a crucial role in establishing and maintaining connections between devices. These frames are responsible for a variety of important functions, including network discovery, authentication, association, and synchronization. When a device wishes to join an existing wireless network, it uses management frames such as Probe Request and Probe Response to discover available networks. Once a network is selected, additional management frames, like Authentication and Association Request/Response frames, are exchanged to establish a connection with the access point. Furthermore, management frames are also used for maintaining the connection throughout its duration, allowing devices to manage their status and communicate essential information, like disassociating or reassociating with the network, which helps in maintaining a stable connection. In contrast, data frames are used for carrying actual user data between devices after a connection has been established. Control frames support the transmission of data frames by facilitating the flow of information, such as acknowledging the receipt of data or coordinating access to the medium. ACK frames, which are a subset of control frames, specifically serve to confirm receipt of data frames. This distinction highlights the unique and critical role that management frames play in the operational lifecycle of an 802.11 network.

SAMPLE

5. Which two IEEE amendments should be supported for management frame protection and fast secure roaming in 802.11-2012?

A. 802.11s and 802.11i

B. 802.11a and 802.11b

C. 802.11r and 802.11w

D. 802.11n and 802.11ac

The correct answer focuses on the importance of IEEE 802.11r and 802.11w for enhancing wireless network security and efficiency, specifically in the context of management frame protection and enabling fast secure roaming. IEEE 802.11r, known as Fast BSS Transition (FT), facilitates rapid handoff between access points in the same network. This is particularly crucial for maintaining uninterrupted service in applications requiring high availability, such as voice over IP (VoIP) or video conferencing. It reduces the time it takes for devices to authenticate and associate with a new access point by allowing for pre-authentication and fast re-association processes. IEEE 802.11w, on the other hand, is an amendment that provides protection for management frames used in the wireless communication process. It enhances security by adding robust protections against various types of attacks that can exploit the management frames, such as de-authentication and disassociation attacks. This protection is critical in maintaining the integrity and reliability of wireless networks. Together, these two amendments significantly bolster the performance and security of wireless networks, which is why they are the correct selections for the requirements specified in the question.

6. What is the function of a VPS in wireless networking?

A. To store user data securely

B. To control and monitor wireless network traffic

C. To act as a modem for internet access

D. To provide backup power to wireless devices

The function of a Virtual Private Server (VPS) in wireless networking primarily involves controlling and monitoring wireless network traffic. A VPS can host network management tools and applications that allow network administrators to oversee and manage wireless communications effectively. This encompasses activities such as analyzing traffic patterns, enforcing security protocols, and ensuring quality of service (QoS) by managing bandwidth allocation and network resources. In a typical network management scenario, the VPS serves as a centralized platform for monitoring devices connected to the network, troubleshooting issues, and implementing policies to optimize performance. By facilitating these tasks, the VPS plays a critical role in maintaining network integrity and performance, ensuring that users have a seamless experience when connecting to wireless resources. The focus of the other options does not align with the primary role of a VPS in this context. While secure data storage, internet access via modems, and backup power are all important components in networking configurations, they do not encapsulate the specific functionality of a VPS in relation to managing and controlling network traffic.

SAMPLE

7. What feature in a Wi-Fi client configuration utility is most likely to be user configurable?

A. EAP Authentication Type

B. SSID Broadcasting

C. Signal Filtering

D. Channel Selection

EAP Authentication Type is a feature in Wi-Fi client configuration utilities that is most likely to be user configurable because it directly relates to the method of security used to authenticate the user or device to the network. Different types of EAP (Extensible Authentication Protocol) methods, such as EAP-TLS, EAP-PEAP, or EAP-FAST, cater to different security requirements and environments. Network administrators or end-users can typically choose the desired EAP type depending on the network's security policies and user requirements. While options like SSID Broadcasting, Signal Filtering, and Channel Selection are important aspects of wireless network configuration, they are generally managed at the access point (AP) level rather than the client's configuration utility. SSID broadcasting is often a setting controlled by the AP, as it determines whether the network name is visible to clients. Signal filtering, which refers to filtering out certain signals based on criteria, and channel selection, involve managing the overall network environment to minimize interference. These settings are typically adjusted by network administrators rather than individual users through their client devices. Thus, the EAP Authentication Type stands out as something that users actively adjust based on their specific needs in a secure networking context.

8. What is the main advantage of using 802.11ax over previous wireless standards?

A. Better range and coverage

B. Increased overall capacity and efficiency for numerous devices

C. Lower latency connections

D. Compatibility with older devices

The main advantage of using 802.11ax, also known as Wi-Fi 6, over previous wireless standards lies in its increased overall capacity and efficiency, particularly when handling numerous devices in high-density environments. 802.11ax is designed to optimize network performance in scenarios where many devices are connected simultaneously, such as in homes, offices, or public spaces. This improvement is achieved through several key technologies. For instance, 802.11ax employs Orthogonal Frequency Division Multiple Access (OFDMA), which allows multiple users to share the same channel simultaneously. This leads to less congestion and improved throughput. Additionally, features like Target Wake Time (TWT) help devices manage their power consumption by scheduling when they need to wake up to send or receive data, which increases overall efficiency. These enhancements result in a network that can service more users, reduces buffering time, and improves the user experience even when the network is under heavy load. This makes 802.11ax particularly beneficial in environments with many devices, like smart homes and busy workplaces, where maintaining consistent and high-speed connections for all users is crucial.

SAMPLE

9. When using WMM Power Save operation, a wireless client device _____.

A. Will continuously transmit data without interruptions

B. Remains active at all times

C. Alternates between awake and dozing, depending on its need to transmit and receive information

D. Only transmits data when prompted by the access point

The operation of WMM (Wi-Fi Multimedia) Power Save is designed to manage the power consumption of wireless client devices, particularly in environments where energy efficiency is important. When a wireless client utilizes WMM Power Save operation, it alternates between awake and dozing states. This behavior allows the device to conserve battery life while still being able to transmit and receive data when necessary. In the awake state, the device is active and can send or receive data without delay. When there is no data to transmit or receive, the device enters a dozing state to save power. This alternating pattern helps maintain efficient communication while optimizing battery usage, striking a balance between connectivity and energy conservation. The other options describe consistent or unrestricted data transmission or activity, which does not reflect the purpose or behavior of WMM Power Save. Therefore, the correct choice illustrates the adaptive nature of the wireless client's operation under the WMM Power Save protocol.

10. What is the purpose of a wireless site survey?

A. To test the security of the network

B. To assess coverage and signal strength

C. To install hardware for the network

D. To troubleshoot network issues

A wireless site survey is primarily conducted to assess coverage and signal strength within a specific environment where the wireless network will operate. This process involves measuring various factors such as signal loss, interference from other devices, the layout of physical structures, and the overall distribution of coverage across the area. By performing a site survey, network administrators can identify optimal locations for access points to ensure adequate signal strength and minimize dead spots. This planning step is crucial for deploying a robust and efficient wireless network, as it directly affects the network's performance and user experience. Understanding the coverage area helps in determining how many access points are needed, their placement, and the configuration required to support the number of users and devices in that space effectively. While testing the network's security, installing hardware, and troubleshooting are important aspects of network management, they do not specifically align with the primary function of conducting a wireless site survey, which centers on coverage assessment and signal evaluation.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cwna.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE