CFD BASIC APPARATUS AND HYDRAULICS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cfdbasicapparatushydraulics.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Stored potential energy for forcing water thru pipe, fittings, fire hose and adaptors is known as _____.

A. Static pressure

B. Head pressure

C. Residual pressure

D. Flow pressure

2. Which statement about Total Dynamic Head (TDH) is true?

A. The static pressure alone

B. The sum of friction loss, elevation head, and suction lift.

C. The nozzle pressure plus friction loss

D. The residual pressure only

3. How does hose diameter affect friction loss at a given flow?

A. Larger diameter reduces friction loss for the same flow.

B. Smaller diameter reduces friction loss for the same flow.

C. Diameter has no effect on friction loss.

D. Larger diameter increases friction loss for the same flow.

4. Total Dynamic Head (TDH) is the sum of which components?

A. The sum of friction loss, elevation head, and suction lift that the pump must overcome

B. The sum of nozzle pressure, friction loss, and velocity head

C. The difference between static and residual pressure

D. The static pressure plus the flow velocity

5. What is the role of the discharge line when drafting from a hydrant?

A. To feed water into the pumper from the hydrant.

B. To drain water from the pumper after operations.

C. To vent air from the system.

D. To measure water temperature.

SAMPLE

6. Centrifugal pumps are classified as which type of pump?

A. Non-positive displacement

B. Positive displacement

C. Rotary

D. Diaphragm

7. Which condition prompts removing all water from a fire pump before storage?

A. Freezing temperatures

B. Heavy rain

C. Very hot temperatures

D. Windy conditions

8. Which entity are Class 1 fire protection systems designed for?

A. Fire Department

B. Occupants

C. Maintenance staff

D. Public visitors

9. The most common type of valve is a _____?

A. Ball Valve

B. Gate Valve

C. Globe Valve

D. Check Valve

10. What action is prohibited on the side of the aerial that is short jacked?

A. Operating the aerial

B. Stowing the aerial

C. Lowering the vehicle height

D. Checking tire pressure

SAMPLE

Answers

SAMPLE

1. A
2. B
3. A
4. B
5. A
6. A
7. A
8. A
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. Stored potential energy for forcing water thru pipe, fittings, fire hose and adaptors is known as _____.

A. Static pressure

B. Head pressure

C. Residual pressure

D. Flow pressure

Static pressure is the stored potential energy of water in a charged pipe system. When the piping, hose, and fittings are filled and sealed, the water is under pressure but not necessarily moving, so the energy available to push water laterally or through a nozzle is stored as pressure. This static pressure represents the energy per unit volume that can be converted into motion or work when the flow is released. As water begins to move, part of that potential energy becomes kinetic energy (velocity head) and is consumed by friction losses along the line, but the fundamental stored energy in the system is static pressure. Other terms describe different situations: residual pressure refers to the pressure remaining after flow has occurred, and flow pressure is the pressure during active flow; head pressure is a less standard way of expressing pressure as an equivalent water column, whereas static pressure is the standard term for the stored energy in a non-flowing system.

2. Which statement about Total Dynamic Head (TDH) is true?

A. The static pressure alone

B. The sum of friction loss, elevation head, and suction lift.

C. The nozzle pressure plus friction loss

D. The residual pressure only

Total Dynamic Head is the total energy the pump must supply to move water through a system, accounting for all resistance and lifting that the fluid experiences. This includes the vertical distance the water must be raised (elevation head), the pressure losses from moving water through pipes and fittings (friction loss), and the extra head needed to draw water from the source to the pump (suction lift). Adding these components gives the head the pump has to overcome. Static pressure alone misses the losses along the path, and nozzle or residual pressure don't represent the full demand on the pump. So the statement that TDH is the sum of friction loss, elevation head, and suction lift is the correct description.

3. How does hose diameter affect friction loss at a given flow?

A. Larger diameter reduces friction loss for the same flow.

B. Smaller diameter reduces friction loss for the same flow.

C. Diameter has no effect on friction loss.

D. Larger diameter increases friction loss for the same flow.

Friction loss comes from the energy the water must spend to slide along the hose walls. For a fixed discharge, increasing the hose diameter increases the cross-sectional area, which reduces the fluid velocity (V = Q/A). Since velocity drops with a larger diameter, the wall friction that converts flow energy into heat is reduced. In practical terms, doubling the diameter makes the area four times bigger, so the velocity is about a quarter for the same flow, and friction losses fall significantly (roughly with the square of the velocity, all else equal). That's why a larger diameter hose carries the same flow with much less friction loss. Smaller diameter hoses push the water faster, increasing wall friction and thus the losses.

SAMPLE

4. Total Dynamic Head (TDH) is the sum of which components?

A. The sum of friction loss, elevation head, and suction lift that the pump must overcome

B. The sum of nozzle pressure, friction loss, and velocity head

C. The difference between static and residual pressure

D. The static pressure plus the flow velocity

Total Dynamic Head is the energy the pump must add to push water to the point of use. It combines three energy components in the discharge path: nozzle pressure (the pressure at the nozzle), friction losses in the piping and fittings, and velocity head (the water's kinetic energy due to its flow). Adding these three parts gives the total head the pump has to overcome. Why this fits best: the discharge side of the system requires enough energy to overcome the nozzle's pressure, the resistance from piping, and the motion energy of the flowing water. Other options either mix in suction-side terms, omit a major component, or describe a simple pressure difference rather than the total energy the pump must supply to the discharge path.

5. What is the role of the discharge line when drafting from a hydrant?

A. To feed water into the pumper from the hydrant.

B. To drain water from the pumper after operations.

C. To vent air from the system.

D. To measure water temperature.

When drafting from a hydrant, the line that carries water into the pumper is the supply path from the hydrant to the pump. Its purpose is to feed water into the pumper so the pump can develop pressure and push water out to the attack lines. The other functions—draining water after operations, venting air, or measuring water temperature—aren't what this line handles during drafting; draining happens after use, venting is done through priming and air-relief devices, and temperature sensing isn't the role of the discharge/supply line.

6. Centrifugal pumps are classified as which type of pump?

A. Non-positive displacement

B. Positive displacement

C. Rotary

D. Diaphragm

Centrifugal pumps are dynamic, non-positive displacement machines. They achieve flow by spinning an impeller to impart velocity to the fluid and then converting that velocity into pressure in the casing. Because no fixed volume is trapped per rotation, the flow is continuous and its rate varies with the system head and speed rather than being a fixed amount per cycle. At a given speed, increasing head reduces flow, and increasing speed increases flow, but there isn't a guaranteed volume per revolution. In contrast, positive displacement pumps trap a specific amount of fluid with each cycle, delivering a nearly constant flow at a given speed, which is why choices like diaphragms or other positive-displacement types don't describe centrifugal pumps.

SAMPLE

7. Which condition prompts removing all water from a fire pump before storage?

A. Freezing temperatures

B. Heavy rain

C. Very hot temperatures

D. Windy conditions

Removing all water before storage is about protecting the pump from freezing. Water inside the pump and its connected lines can freeze in cold temperatures, and when it freezes it expands. This expansion can crack the pump housing, damage seals, bend impellers or valves, and cause leaks or failures when you start the unit again. Draining completely eliminates the liquid that could turn to ice, keeping the pump intact during storage in freezing conditions. The other conditions—heavy rain, very hot temperatures, or windy conditions—don't create the same freezing risk, so they don't necessitate draining for that reason. In those cases, other maintenance concerns might apply, but the primary reason to remove all water is to prevent damage from freezing.

8. Which entity are Class 1 fire protection systems designed for?

A. Fire Department

B. Occupants

C. Maintenance staff

D. Public visitors

Class I standpipe systems are built to support firefighting operations by trained personnel, not for general building occupants. They provide large-diameter hose connections (typically 2.5 inches) and a water supply ready for firefighters to connect hoses and deliver high flow to suppress a fire quickly. Occupants use smaller hoses and are more aligned with Class II systems, while Class III combines features for both groups. Because the design and outlets are sized and configured for professional fire department use, the fire department is the entity these systems are intended to serve.

9. The most common type of valve is a _____?

A. Ball Valve

B. Gate Valve

C. Globe Valve

D. Check Valve

Ball valves are the most common type of valve because they give quick, reliable shut-off with minimal resistance to flow when open. The design uses a spherical ball with a through bore that lines up with the flow path. Turning the handle a small amount aligns the bore to allow flow, and turning the other way blocks it, providing a tight seal with just a quarter-turn operation. This simple mechanism offers bubble-tight sealing, a long service life, and replaceable seats, which keeps maintenance practical. They're compact, robust, and work well across a wide range of fluids and pressures, making them versatile for many systems. Because the open position is essentially a full bore, there's little pressure loss when the valve is open, and actuation is fast and easy, even with automated operators. While other valves have roles for throttling or preventing backflow, the ball valve's combination of ease of use, reliability, and sufficient flow capability explains why it's so commonly chosen in practice.

SAMPLE

10. What action is prohibited on the side of the aerial that is short jacked?

A. Operating the aerial

B. Stowing the aerial

C. Lowering the vehicle height

D. Checking tire pressure

When one side of the apparatus is short jacked, that side isn't fully supported and the base is less stable. Operating the aerial adds dynamic loads and can shift the center of gravity enough to cause tipping or movement of the vehicle. To keep the setup safe, the aerial should not be operated from the side that is short jacked. Procedures typically require all outriggers to be properly deployed and the unit on level ground before extending or using the aerial. Stowing the aerial, lowering the vehicle height, or checking tire pressure don't introduce the same destabilizing loads, so they're not prohibited by the short-jacked condition.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cfdbasicapparatushydraulics.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE