
CHAMPIONS SCHOOL HOME INSPECTION PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://championsschhomeinsp.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Capillary tubes are commonly part of which component in a HVAC system?

A. Evaporator coil

B. Heat exchanger

C. Condenser coil

D. Compressor discharge

2. What is an appropriate comment for an inspector regarding mixed types of smoke alarms in a home?

A. That having mixed alarm types violates code.

B. There is no issue, as long as they function.

C. That they should all be uniform for effectiveness.

D. Inspection confirms installation in required locations.

3. Obsolete service boxes typically have which of the following characteristics?

A. Rusted covers.

B. Black covers.

C. Exposed terminals.

D. Undersized fuses.

4. Which of the following is NOT a basic component of a masonry chimney?

A. Chimney walls.

B. Chimney cap.

C. Flue liner.

D. Fireplace mantle.

5. Why might an inspection agreement be declared invalid if presented after the inspection?

A. Inspection agreements must be presented before the inspection begins

B. There was no opportunity to negotiate the agreement

C. There was no exchange of consideration

D. The home inspector breached a duty to present the agreement in a timely manner

SAMPLE

6. Gas piping concealed within how many inches from the framing member requires protection?

A. 1 inch

B. 1 1/2 inches

C. 2 inches

D. 3 inches

7. What is a recommended action regarding the installation of bottom cap flashing for a masonry chimney?

A. The chimney base flashing has been properly installed

B. The bottom cap flashing should extend down the shingle surface by at least 6 inches

C. The exposed nail heads in the bottom cap flashing should be removed

D. This is not an ideal installation as the nail may rust and allow water leaks into the framing

8. Why is it preferred to use joist hangers instead of toe-nailing?

A. For aesthetic purposes

B. There are fewer parts involved

C. It is generally easier

D. For better structural support

9. In which components would you find collar ties utilized?

A. Roof framing

B. Floor joists

C. Wall sheathing

D. Load bearing beams

10. All of the following are components of a home inspection EXCEPT?

A. Pre-inspection routine

B. Introductory discussion

C. Inspection itself

D. Review of house plans

SAMPLE

Answers

SAMPLE

1. A
2. D
3. C
4. D
5. B
6. B
7. D
8. D
9. A
10. D

SAMPLE

Explanations

SAMPLE

1. Capillary tubes are commonly part of which component in a HVAC system?

A. Evaporator coil

B. Heat exchanger

C. Condenser coil

D. Compressor discharge

Capillary tubes are often used in HVAC systems as a means of refrigerant metering. They function by controlling the flow of refrigerant from the condenser to the evaporator coil. This is particularly relevant in systems that utilize a fixed metering device as opposed to more complex systems with expansion valves. The evaporator coil is where the refrigerant absorbs heat and changes from a liquid to a gas. The use of capillary tubes allows for precise control of the refrigerant flow into the evaporator, enabling efficient heat exchange and temperature regulation in the environment being cooled. As such, this component plays a crucial role in regulating the cooling process within many HVAC systems, especially in smaller units. In contrast, the other components listed—heat exchangers, condenser coils, and compressor discharge—do not typically incorporate capillary tubes in the same manner or for the same purpose. Heat exchangers are involved in transferring heat but do not meter the refrigerant. Condenser coils primarily release heat as the refrigerant condenses from gas to liquid, and the compressor discharge is focused on moving the refrigerant rather than controlling its flow. Thus, the association of capillary tubes is specifically significant to evaporator coils.

2. What is an appropriate comment for an inspector regarding mixed types of smoke alarms in a home?

A. That having mixed alarm types violates code.

B. There is no issue, as long as they function.

C. That they should all be uniform for effectiveness.

D. Inspection confirms installation in required locations.

An appropriate comment for an inspector regarding mixed types of smoke alarms in a home would focus on confirming their installation in required locations. This highlights the importance of smoke alarms being placed according to safety guidelines and codes, regardless of whether they are of mixed types. Proper placement is essential for ensuring that the alarms can effectively detect smoke and alert occupants in case of fire, which is the primary purpose of having smoke alarms installed throughout the home. While uniformity in smoke alarm types can enhance consistency and reliability, the most crucial factor is that they meet the necessary code requirements and are installed correctly. It is also important to emphasize that functioning smoke alarms in appropriate locations are critical for safety, rather than the specific types being mixed.

SAMPLE

3. Obsolete service boxes typically have which of the following characteristics?

A. Rusted covers.

B. Black covers.

C. Exposed terminals.

D. Undersized fuses.

Obsolete service boxes are characterized by having exposed terminals. This feature is significant because exposed terminals can pose safety hazards, as they can lead to accidental contact with electrical components, increasing the risk of electric shock or short circuits. Understanding the condition of the service box is crucial for determining its safety and functionality. As technology and safety standards have evolved, modern service boxes are designed to enclose terminals and enhance safety for users. The other characteristics listed, while they may be associated with older electrical systems, do not specifically define the typical state of an obsolete service box in the same way exposed terminals do. Rusted covers may indicate deterioration, black covers are not exclusive to obsolescence, and undersized fuses relate more to the electrical system's load handling capacity rather than the service box itself.

4. Which of the following is NOT a basic component of a masonry chimney?

A. Chimney walls.

B. Chimney cap.

C. Flue liner.

D. Fireplace mantle.

The fireplace mantle is not considered a basic component of a masonry chimney. The fundamental parts of a masonry chimney typically include the chimney walls, chimney cap, and flue liner. Chimney walls provide structural support and are essential for ensuring the safe operation of the chimney by containing the flue gases. The chimney cap protects the chimney from water intrusion and prevents debris from entering the chimney, which could pose safety hazards. The flue liner is crucial for directing the flue gases safely out of the home and protecting the chimney walls from heat and corrosive byproducts of combustion. In contrast, the fireplace mantle is an architectural feature that serves as a decorative shelf above the fireplace but does not contribute to the functionality or safety of the chimney itself. Thus, it is not classified as an essential component of a masonry chimney system.

5. Why might an inspection agreement be declared invalid if presented after the inspection?

A. Inspection agreements must be presented before the inspection begins

B. There was no opportunity to negotiate the agreement

C. There was no exchange of consideration

D. The home inspector breached a duty to present the agreement in a timely manner

An inspection agreement may be declared invalid if presented after the inspection primarily because presenting it after the fact removes the opportunity for negotiation. This aspect is critical in ensuring that both parties—typically the inspector and the client—have a clear understanding of the terms and conditions before any services are rendered. When an agreement is provided post-inspection, the client lacks the chance to review, discuss, or negotiate the terms, which could lead to misunderstandings or disputes about the inspector's responsibilities and the services provided. This is why the timing of presenting the agreement is vital; it promotes transparency and fosters trust between the client and the inspector.

SAMPLE

6. Gas piping concealed within how many inches from the framing member requires protection?

A. 1 inch

B. 1 1/2 inches

C. 2 inches

D. 3 inches

Gas piping that is concealed within 1 1/2 inches from the framing member requires protection to prevent potential damage during construction or as a result of subsequent work on the framing. This distance is significant because it aims to mitigate the risk of physical impact to the gas lines. When gas piping is located too close to framing members, the potential for abrasion or puncture increases, which could lead to gas leaks—a serious safety hazard. The standard requirement for this distance is informed by safety codes, such as those established by the International Fuel Gas Code (IFGC), which helps ensure the protection of gas piping in residential and commercial buildings. By requiring protection when gas piping is installed within 1 1/2 inches of framing, it provides a safeguard against construction-related damage that could compromise the integrity of the gas lines. Therefore, the requirement for protection at this distance is aimed at promoting safety and preventing disasters related to gas leaks.

7. What is a recommended action regarding the installation of bottom cap flashing for a masonry chimney?

A. The chimney base flashing has been properly installed

B. The bottom cap flashing should extend down the shingle surface by at least 6 inches

C. The exposed nail heads in the bottom cap flashing should be removed

D. This is not an ideal installation as the nail may rust and allow water leaks into the framing

The recommended action regarding the installation of bottom cap flashing for a masonry chimney pertains to the concern of exposed nail heads. When nails are used to secure flashing, they can potentially rust over time, especially if they are subject to the elements. Rusting nails can lead to deterioration of the flashing system and create opportunities for water intrusion. By pointing out that the installation is not ideal, it highlights the risk of water leaks into the framing due to corrosion of the exposed nails. This emphasizes the importance of using proper materials and techniques that mitigate these risks, such as utilizing caulking or other weatherproofing methods to secure flashing without exposing metal that is susceptible to rust. Proper attention to these details is crucial to ensure long-lasting protection against water intrusion in masonry chimney systems.

SAMPLE

8. Why is it preferred to use joist hangers instead of toe-nailing?

A. For aesthetic purposes

B. There are fewer parts involved

C. It is generally easier

D. For better structural support

Using joist hangers is preferred over toe-nailing primarily because they offer better structural support. Joist hangers provide a dedicated and secure method for attaching joists to beams or ledgers, which helps to maintain the integrity and stability of the structure. They distribute loads more evenly and can effectively support the weight of the joists, reducing the risk of failure that might occur with toe-nailing, which relies on angled nails that may not provide as strong a connection. Joist hangers also allow for precise placement of the joists, ensuring they are level and aligned correctly, which is essential for the overall performance and safety of the construction. This method of attachment contributes to the longevity and durability of the structural components compared to toe-nailing, which can result in weaker connections due to potential movement or shifting over time.

9. In which components would you find collar ties utilized?

A. Roof framing

B. Floor joists

C. Wall sheathing

D. Load bearing beams

Collar ties are primarily utilized in roof framing. Their main function is to help support the roof structure by connecting opposite rafters, typically at the upper third of the roof. This connection helps to prevent the rafters from spreading apart under the weight of the roof, especially in areas that experience high wind loads or heavy snow accumulation. By providing lateral support, collar ties contribute to the overall stability and strength of the roof system, ensuring that it maintains its shape and integrity over time. In contrast, floor joists are designed to support floors, wall sheathing serves to provide structural support and insulation to walls, and load-bearing beams transfer loads from the roof and upper floors down to the foundation. While each of these components plays an essential role in a building's structural system, collar ties specifically pertain to the roofing framework.

10. All of the following are components of a home inspection EXCEPT?

A. Pre-inspection routine

B. Introductory discussion

C. Inspection itself

D. Review of house plans

The review of house plans is not typically considered a standard component of a home inspection. Home inspections focus on evaluating the condition of a property through a physical examination of its various systems and components, including structural elements, electrical systems, plumbing, roofing, HVAC, and safety issues. The other components listed, such as the pre-inspection routine, introductory discussion, and the inspection itself, are essential parts of the home inspection process. The pre-inspection routine may involve preparing the inspector and reviewing any relevant information about the property before the physical inspection begins. The introductory discussion provides a chance for the inspector to communicate with the client, explain the process, and set expectations for the inspection. Finally, the inspection itself consists of the comprehensive examination of the property. Reviewing house plans, while potentially informative, does not fall under the core components of a traditional home inspection.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://championsschhomeinsp.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE