CHATT-STATE CDL CLASS A PRE-TRIP INSPECTION PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://chattstatecdlclassapretripinspec.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Why should you inspect the air pressure in the auxiliary tanks?

A. To ensure the vehicle systems that rely on them operate correctly

B. To verify the tank color is consistent

C. To make sure the tanks are not leaking

D. To confirm the overall fuel efficiency

2. How far from your vehicle should you place a safety triangle when near a hill or curve?

A. 10 to 20 feet

B. 50 to 100 feet

C. 100 to 500 feet

D. 200 to 300 feet

3. In terms of shocks, what could indicate a potential problem?

A. Visible oil leaks

B. Localized rust

C. Uneven wear on tires

D. Squeaking when in use

4. Which component is crucial for the proper function of the air brake system?

A. The air compressor

B. The brake drums

C. The brake fluid

D. The pedal linkage

5. What should the coolant reservoir be checked for during a pre-trip inspection?

A. PMS and being filled to the proper level

B. Proper color and no overheating

C. Accessibility and insurance compliance

D. Presence of antifreeze and odor

SAMPLE

6. What condition should the drive shaft and U-joints be in during inspection?

A. PMS, not cracked or broken, properly greased
B. PMS, with visible rust and damage
C. Loosely connected with no grease
D. PMS, but showing signs of wear

7. What is a requirement for mud flaps during a pre-trip inspection?

A. Must be missing any hardware
B. Should be ripped or torn
C. Must have 100 percent D.O.T tape across the top
D. Must be placed less than 6 inches off the ground

8. Why is it important to check the coolant level in the radiator?

A. To enhance the car's appearance
B. To prevent engine overheating during operation
C. To ensure the air conditioning system works
D. To maintain the vehicle's resale value

9. What is the minimum tire pressure reading during an inspection?

A. No less than 50 PSI
B. No less than 75 PSI
C. No less than 90 PSI
D. No less than 100 PSI

10. During a tire inspection, how can one check for belt separation?

A. By looking for cracks on the edges
B. By using a thread depth gauge
C. By measuring the tire pressure
D. By checking the color of the sidewall

SAMPLE

Answers

SAMPLE

1. A
2. C
3. A
4. A
5. A
6. A
7. C
8. B
9. D
10. B

SAMPLE

Explanations

SAMPLE

1. Why should you inspect the air pressure in the auxiliary tanks?

A. To ensure the vehicle systems that rely on them operate correctly

B. To verify the tank color is consistent

C. To make sure the tanks are not leaking

D. To confirm the overall fuel efficiency

Inspecting the air pressure in the auxiliary tanks is crucial because it directly impacts the proper functioning of various vehicle systems that depend on compressed air. Many systems, such as the braking system and certain suspension components, rely on adequate air pressure to operate effectively. If the pressure in these tanks is too low, it could lead to braking failures or impaired vehicle handling, putting both the driver and others on the road at risk. Thus, ensuring that the auxiliary tanks maintain the correct pressure is essential for the safe and efficient operation of the vehicle. In contrast, checking the color of the tanks does not provide useful information about their functionality. While it's important to ensure that tanks are not leaking, detecting leaks falls under a broader inspection of the entire system rather than pressure alone. Lastly, while air pressure might influence performance, confirming overall fuel efficiency is not directly related to the function of auxiliary air systems.

2. How far from your vehicle should you place a safety triangle when near a hill or curve?

A. 10 to 20 feet

B. 50 to 100 feet

C. 100 to 500 feet

D. 200 to 300 feet

When you are placing a safety triangle after your vehicle has broken down or is in need of assistance, the correct distance is important for ensuring safety, especially near hills or curves. Positioning the triangle 100 to 500 feet behind your vehicle provides adequate warning to oncoming drivers, allowing them enough time to react to the potential hazard. This distance increases visibility and helps prevent accidents by giving other drivers clear notice of a stopped vehicle ahead. In scenarios involving hills or curves, this extra distance is even more crucial, as visibility can be significantly impaired. Drivers approaching from behind may not see your vehicle until they are very close if you do not place the triangle far enough back. Thus, placing the safety triangle within this range enhances safety for all road users and ensures compliance with best practices for roadside safety.

3. In terms of shocks, what could indicate a potential problem?

A. Visible oil leaks

B. Localized rust

C. Uneven wear on tires

D. Squeaking when in use

Visible oil leaks are a strong indication of potential problems with truck shocks. Shocks are designed to contain oil that dampens the movement of the suspension system. When there's a leak in a shock absorber, it means that the oil is escaping. This can significantly impair the shock's ability to control the vehicle's suspension, leading to impaired handling and increased wear on other suspension components. When inspecting shocks, any signs of oil on the exterior of the shock itself point to a malfunction, which can result in decreased vehicle stability and safety. It is vital for drivers and maintenance personnel to address such leaks promptly to ensure the safety and performance of the vehicle. While other indicators such as localized rust, uneven tire wear, or squeaking noises could also point to issues within the suspension system, they do not specifically indicate a malfunctioning shock. Localized rust could be a sign of general wear or exposure to the elements, uneven tire wear might suggest alignment problems, and squeaking noises could originate from various parts of the suspension, not solely shocks. Thus, the presence of visible oil leaks is a direct and clear signal that shocks may need inspection or replacement.

SAMPLE

4. Which component is crucial for the proper function of the air brake system?

A. The air compressor

B. The brake drums

C. The brake fluid

D. The pedal linkage

The air compressor is a vital component of the air brake system because it is responsible for generating and maintaining the necessary air pressure required to operate the brakes effectively. In air brake systems, the compressor pumps air into a storage tank, and this pressurized air is then utilized to activate the brake mechanisms on the vehicle. If the air compressor were to fail or malfunction, the entire braking system would be compromised, potentially leading to brake failure. While the brake drums, brake fluid, and pedal linkage play important roles in the braking process, they are not as fundamental to the unique operation of air brakes. Brake drums are involved in the friction and stopping power, but without adequate air pressure supplied by the compressor, they cannot function. Similarly, brake fluid is critical in hydraulic braking systems, not air brake systems, where pressurized air takes its place. The pedal linkage connects the brake pedal to the brakes, but its operation is dependent on the system receiving the correct air pressure to engage properly. Thus, the air compressor's role in generating and providing that air pressure makes it the essential component for the air brake system to function effectively.

5. What should the coolant reservoir be checked for during a pre-trip inspection?

A. PMS and being filled to the proper level

B. Proper color and no overheating

C. Accessibility and insurance compliance

D. Presence of antifreeze and odor

During a pre-trip inspection, it is essential to check the coolant reservoir for proper maintenance signs (PMS) and ensure that it is filled to the correct level. This check is crucial because the coolant plays a significant role in regulating the engine temperature and preventing overheating. If the coolant level is low, it may not adequately perform its function, leading to engine damage over time. Additionally, verifying maintenance signs helps to identify any potential issues with the cooling system, such as leaks or deterioration, which can affect the vehicle's performance. Properly maintained coolant levels, along with the right type of coolant, assure that the engine operates efficiently, especially under high-stress driving conditions. While other answer choices may touch on related topics, such as checking the presence of antifreeze or ensuring compliance with regulations, they do not encompass the critical importance of maintaining the correct coolant level and monitoring for maintenance-related signals in a pre-trip inspection.

SAMPLE

6. What condition should the drive shaft and U-joints be in during inspection?

A. PMS, not cracked or broken, properly greased

B. PMS, with visible rust and damage

C. Loosely connected with no grease

D. PMS, but showing signs of wear

The correct choice highlights that the drive shaft and U-joints must be in a condition described as "PMS," which stands for "Properly Maintained and Serviced." This means that during inspection, these components should not show any cracks or broken sections, as such damage can compromise the vehicle's ability to operate safely. Additionally, properly greased U-joints are essential for ensuring smooth operation and minimizing wear and tear, which can lead to failures. Proper maintenance of the drive shaft and U-joints is critical for the overall performance of the vehicle. If these components are not maintained, it can result in serious mechanical issues, such as vibrations, loss of power transmission, or complete drive shaft failure, which can be dangerous while driving. Therefore, regular inspections that confirm the integrity and maintenance of these parts are vital for safety on the road. In contrast, options mentioning visible rust and damage, loose connections, or signs of wear indicate potential problems that could lead to safety hazards. Thus, the emphasis on being properly maintained and serviced is paramount for ensuring vehicle reliability and safety.

7. What is a requirement for mud flaps during a pre-trip inspection?

A. Must be missing any hardware

B. Should be ripped or torn

C. Must have 100 percent D.O.T tape across the top

D. Must be placed less than 6 inches off the ground

The requirement for mud flaps during a pre-trip inspection emphasizes that they must have 100 percent D.O.T. tape across the top. This is important because the Department of Transportation (D.O.T.) tape serves as a reflective material that enhances visibility and safety on the road, especially in low-light conditions. Properly installed tape indicates compliance with safety regulations, ensuring that the mud flaps are not only functional but also adhere to the visibility standards necessary for commercial vehicles. Regarding the other options, they would not meet the safety and compliance requirements necessary for a proper pre-trip inspection. Hardware must be intact to ensure the mud flaps do not come loose or fall off while driving, they should not be ripped or torn as this would impair their effectiveness, and mud flaps should not be placed more than 6 inches off the ground to ensure they can adequately manage debris and water kicked up from the tires. Therefore, having D.O.T tape in place is essential for both visibility and adherence to safety regulations.

SAMPLE

8. Why is it important to check the coolant level in the radiator?

A. To enhance the car's appearance

B. To prevent engine overheating during operation

C. To ensure the air conditioning system works

D. To maintain the vehicle's resale value

Checking the coolant level in the radiator is essential primarily to prevent engine overheating during operation. The engine generates significant heat as it runs, and the coolant circulates through the engine to absorb that heat and prevent it from reaching excessive temperatures. If the coolant level is low, there may not be enough fluid to adequately cool the engine, which can lead to overheating. Overheating can cause severe engine damage, including warped cylinder heads or a cracked engine block, resulting in costly repairs and potential vehicle failure. The other options, while they may relate to vehicle maintenance, do not directly address the crucial function of the coolant system in engine temperature regulation. Enhancing a vehicle's appearance or maintaining its resale value are not pertinent to the technical functioning of the cooling system, and while sufficient coolant levels may indirectly support the air conditioning's performance, it is not the primary reason for checking the radiator coolant level.

9. What is the minimum tire pressure reading during an inspection?

A. No less than 50 PSI

B. No less than 75 PSI

C. No less than 90 PSI

D. No less than 100 PSI

The correct choice regarding the minimum tire pressure reading during an inspection emphasizes that maintaining proper tire pressure is crucial for safety, fuel efficiency, and tire longevity. A minimum pressure of at least 100 PSI is often recommended for commercial vehicles, particularly for Class A trucks, as these vehicles carry heavy loads. Under-inflated tires can lead to several issues, including increased rolling resistance, poor handling, overheating, and even tire blowouts, all of which pose significant safety risks on the road. In the context of commercial trucking, tire pressure directly affects vehicle performance and stability, especially at higher speeds and under heavy loads. Thus, ensuring a minimum tire pressure of 100 PSI helps to stabilize the vehicle and improves braking and traction abilities. The other levels of pressure listed may not be suitable for all heavy-duty vehicles, as they might not support the load properly or could lead to unsafe driving conditions. For instance, lower pressure readings like 50 PSI or 75 PSI may suffice for passenger vehicles or lighter commercial trucks but do not provide adequate support for the heavier demands on Class A vehicles.

SAMPLE

10. During a tire inspection, how can one check for belt separation?

A. By looking for cracks on the edges

B. By using a thread depth gauge

C. By measuring the tire pressure

D. By checking the color of the sidewall

A thread depth gauge is a tool that measures the remaining tread depth of a tire, which is important for determining tire wear and ensuring adequate traction. However, while tread depth can indicate overall tire health, it is not specifically used to check for belt separation. Belt separation refers to the condition where the belts that reinforce a tire begin to pull away from the tire's structure, which can lead to serious safety issues. During a tire inspection, checking for belt separation typically involves looking for bulges, unusual bumps, or visible deformation on the surface of the tire. This visual inspection helps identify early signs of failure. The other options, such as looking for cracks on the edges, measuring tire pressure, or checking the color of the sidewall, may reveal different tire issues but do not specifically indicate belt separation. Cracks could indicate dry rot, improper pressure can affect tire performance, and color changes could suggest damage or aging, but none directly correlate to the checking of belt separation as a visual inspection does.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://chattstatecdlclassapretripinspec.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE