CHEMOTHERAPY AND RADIATION THERAPY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://chemoandradtherapy.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What strategy would the nurse suggest for a patient experiencing fatigue as a side effect of chemotherapy?

A. Resting before activity

B. Exercising vigorously before activity

C. Taking a hot bath before meals

D. Increasing caffeine intake

2. What is the purpose of growth factor support during chemotherapy?

A. To reduce mucositis

B. To reduce chemotherapy-induced neutropenia and infection risk

C. To enhance tumor kill

D. To prevent anemia

3. Vinca alkaloids primarily affect cells in which phase?

A. S

B. M

C. G1

D. G2

4. Xerostomia is best described as which symptom?

A. Dry mouth

B. Dry skin

C. Headache

D. Nausea

5. What is the role of amifostine in radiotherapy?

A. A radioprotective agent to reduce normal tissue toxicity

B. A radiosensitizer to increase tumor kill

C. An analgesic for skin irritation

D. A vasodilator to improve perfusion

SAMPLE

6. Which information would the nurse include in teaching for a patient experiencing alopecia from chemotherapy?

A. It might be helpful to invest in a scarf or wig

B. It will not affect self-image

C. Hair regrowth is immediate

D. There is no support available

7. The nurse would recommend sunscreen to prevent which skin condition related to cancer treatments?

A. Hyperpigmentation

B. Photosensitivity

C. Acneiform eruptions

D. Telangiectasia

8. Which complication would the nurse monitor for in a patient experiencing neutropenia from chemotherapy?

A. Infection

B. Hypertension

C. Renal failure

D. Diarrhea

9. Which imaging modality is used daily to verify patient alignment during radiotherapy?

A. PET-CT

B. Cone-beam CT

C. MRI

D. Ultrasound

10. Destruction of epithelial cells lining the GI tract commonly causes which condition?

A. Anorexia

B. Nausea

C. Mucositis

D. Diarrhea

SAMPLE

Answers

SAMPLE

1. A
2. B
3. B
4. A
5. A
6. A
7. B
8. A
9. B
10. C

SAMPLE

Explanations

SAMPLE

1. What strategy would the nurse suggest for a patient experiencing fatigue as a side effect of chemotherapy?

A. Resting before activity

B. Exercising vigorously before activity

C. Taking a hot bath before meals

D. Increasing caffeine intake

Fatigue from chemotherapy is often due to how energy is produced and used in the body, so conserving energy and planning activity around energy levels is a practical approach. Resting before activity helps by allowing the body's energy stores to be replenished, reducing the drop in energy that makes tasks feel effortful. This pacing technique helps maintain the ability to perform essential activities over the day without becoming overwhelmed by fatigue, and it supports gradual, sustainable activity rather than pushing through until exhaustion. Exercising vigorously before activity would increase energy expenditure and likely worsen fatigue. A hot bath before meals doesn't address energy management and could affect circulation or comfort without reducing fatigue. Increasing caffeine intake provides only a temporary alertness boost and can disrupt sleep or hydration, not a reliable strategy to manage persistent chemo-related fatigue.

2. What is the purpose of growth factor support during chemotherapy?

A. To reduce mucositis

B. To reduce chemotherapy-induced neutropenia and infection risk

C. To enhance tumor kill

D. To prevent anemia

Growth factor support during chemotherapy is aimed at neutrophil recovery to prevent neutropenia and related infections. Chemotherapy often suppresses the bone marrow, lowering neutrophil counts; agents like G-CSF or GM-CSF stimulate white blood cell production, reducing how long and how deep the neutropenia lasts. This lowers the risk of febrile neutropenia and infections, and helps patients stay on their planned chemotherapy dose and schedule, which can improve treatment effectiveness and shorten hospital stays when possible. Growth factors don't directly prevent mucositis or treat anemia—mucositis is managed with oral care and symptom control, while anemia is addressed with red blood cell transfusions or erythropoiesis-stimulating therapies.

3. Vinca alkaloids primarily affect cells in which phase?

A. S

B. M

C. G1

D. G2

Vinca alkaloids block mitotic spindle formation by binding tubulin and preventing microtubule polymerization. This stops cells as they attempt to complete cell division, so they arrest during mitosis. DNA synthesis (S phase) and the growth phases before and after mitosis (G1 and G2) aren't directly dependent on spindle assembly, so these drugs preferentially affect cells in M phase. In practice, cells treated with vinca alkaloids accumulate as they try to progress through metaphase, reflecting their action during mitosis.

SAMPLE

4. Xerostomia is best described as which symptom?

A. Dry mouth

B. Dry skin

C. Headache

D. Nausea

Xerostomia is the sensation of a dry mouth due to reduced saliva production. Saliva keeps the mouth lubricated, aids in swallowing and tasting, and protects teeth from decay and infections. When saliva is diminished, the oral tissues feel dry, possibly sticky or gritty, especially when speaking or swallowing. This dry mouth description is the best fit for xerostomia. The other options—dry skin, headache, and nausea—do not describe xerostomia and relate to different conditions or systems.

5. What is the role of amifostine in radiotherapy?

A. A radioprotective agent to reduce normal tissue toxicity

B. A radiosensitizer to increase tumor kill

C. An analgesic for skin irritation

D. A vasodilator to improve perfusion

Amifostine acts as a radioprotective agent to reduce normal tissue toxicity. It is given before radiotherapy and is converted in normal tissues by alkaline phosphatase into an active thiol form that scavenges free radicals produced by radiation and helps stabilize DNA, thereby lowering radiation-induced damage to healthy cells. Because normal tissues preferentially activate and take up amifostine, it provides selective protection, which can lessen side effects such as xerostomia, mucositis, and nephrotoxicity without enhancing tumor kill. It is not used to increase tumor destruction, nor is it an analgesic or a vasodilator intended to improve perfusion.

6. Which information would the nurse include in teaching for a patient experiencing alopecia from chemotherapy?

A. It might be helpful to invest in a scarf or wig

B. It will not affect self-image

C. Hair regrowth is immediate

D. There is no support available

Chemotherapy-induced alopecia often affects how patients view themselves because a visible change in appearance can impact self-esteem and body image. The most helpful teaching focuses on practical coping strategies that support that emotional response. Suggesting the use of a scarf or wig gives the patient a concrete way to maintain a familiar look and feel more in control during hair loss, which can ease anxiety and protect self-image. It's also important to clarify that hair regrowth is not immediate. After chemotherapy ends, new hair usually begins to grow back over weeks to months and may have a different texture or color. There are supportive resources available—such as oncology social workers, support groups, and access to scarves or wigs—to help patients navigate this transition. So the best guidance is to acknowledge the emotional impact and offer practical options like a scarf or wig, while also setting realistic expectations about regrowth and linking the patient to supportive resources.

SAMPLE

7. The nurse would recommend sunscreen to prevent which skin condition related to cancer treatments?

A. Hyperpigmentation

B. Photosensitivity

C. Acneiform eruptions

D. Telangiectasia

Photosensitivity is the skin reaction that cancer therapies can induce when UV light is involved. Some chemotherapies and targeted therapies make the skin more susceptible to sun exposure, causing exaggerated redness, swelling, and rashes on sunlit areas. Using sunscreen blocks UV rays and lowers this risk, which is why it's recommended to prevent these light-sensitivity reactions. Hyperpigmentation can occur with treatment but is not primarily about UV-triggered sensitivity, acneiform eruptions are more about drug-related pustules, and telangiectasia are vascular changes not directly prevented by sunscreen.

8. Which complication would the nurse monitor for in a patient experiencing neutropenia from chemotherapy?

A. Infection

B. Hypertension

C. Renal failure

D. Diarrhea

Neutropenia lowers the body's first line of defense against infection because neutrophils are the key cells that fight bacteria and fungi. When chemotherapy reduces neutrophil counts, even small infections can become serious, so watching for infection is the most important concern. Fever may be the only clue in neutropenic patients, so regular temperature checks and prompt evaluation of any new symptom are essential. If an infection is suspected, urgent assessment and often empiric antibiotics are needed to prevent progression to sepsis. Other listed issues can occur with cancer treatment, but they are not the direct risk that neutropenia creates.

9. Which imaging modality is used daily to verify patient alignment during radiotherapy?

A. PET-CT

B. Cone-beam CT

C. MRI

D. Ultrasound

Daily image guidance in radiotherapy relies on obtaining a volumetric image of the patient in the treatment setup to verify that the target is positioned correctly and nearby organs are safe. Cone-beam CT is integrated into many linear accelerators and provides a 3D image of the patient in the exact treatment position. By comparing this CBCT image to the planning CT, clinicians can make precise couch shifts or adjustments before delivering each fraction, ensuring accurate targeting and protection of healthy tissue. PET-CT and MRI are diagnostic/imaging modalities used for planning or staging and are not routinely employed for every-treatment-fraction alignment. Ultrasound is used in some centers for specific sites, but it is not as universally reliable or integrated for daily 3D alignment verification as cone-beam CT.

SAMPLE

10. Destruction of epithelial cells lining the GI tract commonly causes which condition?

A. Anorexia

B. Nausea

C. Mucositis

D. Diarrhea

Destruction of GI epithelial cells from chemotherapy or radiation injures the mucosal lining, producing mucositis. This is a direct mucosal injury characterized by inflammation and (often) ulceration of the mucous membranes throughout the GI tract, which is exactly what happens when these rapidly dividing cells are hit by cytotoxic therapy. Mucositis explains the painful, inflamed mucosa you'd expect with damage to the lining, and it can contribute to feeding difficulties and infection risk. Anorexia and nausea are common symptoms but aren't the specific tissue injury caused by epithelial destruction, and diarrhea can occur as a consequence of mucosal damage but is not the term for the mucosal injury itself.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://chemoandradtherapy.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE