CHROMATOGRAPHY PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://chromatography.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 9

Explanations 11

Next Steps 17

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which elution mode is typically more suitable for analytes with wide polarity range and why?

A. Isocratic elution; it provides constant conditions.

B. Gradient elution; it accommodates different polarities by changing mobile phase composition over time.

C. Velocity elution; it's faster.

D. Temperature programming; it changes temperature.

2. What is TLC mainly used for?

A. All of the above.

B. Testing purity.

C. Monitoring reactions.

D. Identifying compounds.

3. Why was Tsvet's work initially overlooked?

A. Political turmoil and language barriers.

B. Lack of interest in science.

C. Inaccurate data.

D. Insufficient funding.

4. Why do silanol groups on silica columns cause tailing for basic compounds, and how can this be mitigated?

A. Silanol groups act as acidic sites that interact with basic analytes causing tailing; mitigation includes end-capped columns, using mobile-phase buffers, adding basic modifiers (e.g., triethylamine) or adjusting pH to reduce ionization of analyte.

B. Silanol groups are basic sites that interact with acids causing tailing; mitigation includes lowering temperature.

C. Silanol groups cause broad peaks; mitigation is increasing flow rate.

D. Silanol groups have no effect on peak shape; mitigation is using higher detector sensitivity.

SAMPLE

5. Split injection in GC: what must be done to determine true concentration when a split ratio is used?

A. The split ratio is automatically corrected by the detector.

B. It must be corrected for split ratio to determine true concentration.

C. Only the injection volume changes.

D. No correction is needed; the measured peak area reflects the actual concentration.

6. What is the stationary phase in TLC?

A. Silica gel (polar) coated on a glass plate

B. Alumina coated on a glass plate

C. Silica gel (polar) coated on a metal plate

D. Polymeric film

7. Which statement best describes how diffusion affects peak broadening in chromatography?

A. Diffusion decreases peak width and improves resolution.

B. Diffusion has no effect on peak shape.

C. Diffusion contributes to peak broadening by spreading the sample as molecules diffuse along the column, especially at higher temperatures or long times.

D. Diffusion only affects detector noise.

8. What is the baseline in TLC?

A. The line where samples are spotted.

B. The line for height measurement.

C. The solvent front.

D. The line at the top of the plate.

9. In chromatography, what is retention time t_R?

A. The time to peak maximum from injection.

B. The total run time from injection to completion.

C. The time for an unretained solute to pass through the system.

D. The time between successive injections.

SAMPLE

10. What role do pH and salt play in ion-exchange chromatography elution?

A. Elution is independent of pH and salt.

B. Only pH affects elution; salt has no effect.

C. Only salt concentration affects elution; pH has no effect.

D. Elution strength is influenced by both pH and salt concentration; adjusting them releases bound ions.

SAMPLE

Answers

SAMPLE

1. B
2. A
3. A
4. A
5. B
6. A
7. C
8. A
9. A
10. D

SAMPLE

Explanations

SAMPLE

1. Which elution mode is typically more suitable for analytes with wide polarity range and why?

A. Isocratic elution; it provides constant conditions.

B. Gradient elution; it accommodates different polarities by changing mobile phase composition over time.

C. Velocity elution; it's faster.

D. Temperature programming; it changes temperature.

When analytes cover a wide polarity range, using a gradient elution is the most effective approach because it adjusts the solvent strength during the run. You start with a more aqueous mobile phase to gently elute and separate the more polar compounds, then gradually increase the organic component to weaken retention and bring out the less polar ones. This dynamic change lets you achieve good separation for both ends of the polarity spectrum in a single run and often shortens overall analysis time while improving peak shapes. Using a constant solvent composition, as in isocratic elution, can leave very polar compounds strongly retained or cause nonpolar compounds to elute too quickly, leading to poor separation. Temperature programming can influence retention by altering interactions and solvent properties, but it's a broader adjustment that's less direct for balancing a wide polarity range compared to a targeted change in mobile phase composition. Velocity elution isn't a standard mode for this purpose and doesn't provide the same level of control over polarity-driven differences in retention.

2. What is TLC mainly used for?

A. All of the above.

B. Testing purity.

C. Monitoring reactions.

D. Identifying compounds.

Thin-layer chromatography is a quick, simple technique to separate components in a mixture and get a snapshot of what's present. It's used to test purity because a pure substance tends to give a single spot on the plate, while impurities show up as extra spots. It's also used to monitor reactions by taking samples at intervals and checking how starting materials diminish while products appear, giving a practical read on reaction progress. Finally, it helps identify compounds by comparing the spot pattern and Rf values to those of known standards under the same conditions, often aided by visualization reagents or UV light. Because it can serve all these roles, TLC is versatile enough to cover testing purity, monitoring reactions, and identifying compounds.

SAMPLE

3. Why was Tsvet's work initially overlooked?

A. Political turmoil and language barriers.

B. Lack of interest in science.

C. Inaccurate data.

D. Insufficient funding.

The situation hinges on how scientific discoveries spread and gain acceptance. Tsvet showed a practical way to separate plant pigments using a liquid flowing through a fixed material, an idea that was ahead of its time. But the early 1900s were tumultuous politically in Russia, with upheaval and upheavals in international communication due to World War I and regional instability. This made it hard for researchers outside Russia to access his publications. Adding to that, much scientific literature at the time circulated in languages like German and French, so language barriers further limited who could read and understand his work. Because of these barriers and the disrupted channels of communication, his findings didn't reach a wide audience quickly, so the technique didn't gain immediate traction. Later on, as scientific networks reconnected and the method was revisited and refined, chromatography gained recognition. So the best answer points to political turmoil and language barriers as the key reason his work was overlooked initially.

4. Why do silanol groups on silica columns cause tailing for basic compounds, and how can this be mitigated?

A. Silanol groups act as acidic sites that interact with basic analytes causing tailing; mitigation includes end-capped columns, using mobile-phase buffers, adding basic modifiers (e.g., triethylamine) or adjusting pH to reduce ionization of analyte.

B. Silanol groups are basic sites that interact with acids causing tailing; mitigation includes lowering temperature.

C. Silanol groups cause broad peaks; mitigation is increasing flow rate.

D. Silanol groups have no effect on peak shape; mitigation is using higher detector sensitivity.

Silanol groups on the silica surface are acidic sites that can interact strongly with basic analytes through hydrogen bonding and ionic interactions. When a basic compound encounters these sites, it can adsorb to them and desorb slowly, creating an uneven, tailing peak as some molecules stay attached longer than others. To reduce this tailing, several approaches target those surface interactions. End-capped columns mask most of the silanols with hydrophobic groups, drastically lowering the number of active sites available for adsorption. Using mobile-phase buffers helps stabilize the surface and the analyte's charge state, keeping interactions minimal and more uniform. Adding a small amount of a basic modifier, such as triethylamine, competes with the analyte for residual silanol sites and can block strong adsorption, sharpening the peak. Adjusting the mobile-phase pH to reduce the tendency of the analyte to interact with the surface—by shifting the analyte's charge state or silanol ionization—also helps minimize tailing.

SAMPLE

5. Split injection in GC: what must be done to determine true concentration when a split ratio is used?

A. The split ratio is automatically corrected by the detector.

B. It must be corrected for split ratio to determine true concentration.

C. Only the injection volume changes.

D. No correction is needed; the measured peak area reflects the actual concentration.

In GC with split injection the detector responds to the amount that actually reaches the column, not to the total amount you injected. Since only a fraction of the injected analyte makes it onto the column, you must apply a correction for the split ratio to recover the true concentration in the original sample. The split ratio tells you how much is vented versus how much goes onto the column, so the fraction entering the column is 1/(1 + split). To estimate the true amount (and hence concentration) in the sample, multiply the observed signal by (1 + split). For example, with a 100:1 split, only about 1/101 of the injected analyte reaches the column, so you would multiply the measured peak response by 101 to approximate the actual sample concentration. No automatic detector correction happens, and ignoring the split would underestimate the concentration.

6. What is the stationary phase in TLC?

A. Silica gel (polar) coated on a glass plate

B. Alumina coated on a glass plate

C. Silica gel (polar) coated on a metal plate

D. Polymeric film

In TLC, the stationary phase is the solid layer that stays fixed on the plate and provides the interactions that separate compounds as the mobile phase moves by capillary action. Silica gel is the classic stationary phase because its surface is polar and can form hydrogen bonds and dipole interactions with many analytes, giving strong and selective adsorption. On TLC plates, this polar silica gel is typically coated as a thin layer on a glass plate, which provides a rigid, inert support for the adsorbent. This combination creates a normal-phase system where nonpolar compounds move higher up the plate while polar compounds interact more and stay closer to the baseline. The other options describe materials that are less standard for the common TLC setup: alumina on glass is possible but less widely used, and a polymeric film points to a different type of surface rather than the usual silica-coated plate. Therefore, the best description of the stationary phase in TLC is silica gel (polar) coated on a glass plate.

SAMPLE

7. Which statement best describes how diffusion affects peak broadening in chromatography?

A. Diffusion decreases peak width and improves resolution.

B. Diffusion has no effect on peak shape.

C. Diffusion contributes to peak broadening by spreading the sample as molecules diffuse along the column, especially at higher temperatures or long times.

D. Diffusion only affects detector noise.

Diffusion broadens a chromatographic peak because molecules move randomly as they migrate down the column. This random motion causes the solute to spread out along the column's length, so the band becomes wider as it travels. The amount of spreading depends on how fast molecules diffuse in the mobile phase (the diffusion coefficient) and how long they spend in the column. Higher temperatures increase the diffusion coefficient, making diffusion act more quickly, which broadens the peak more during the same transit. Likewise, longer residence times in the column—due to longer columns, slower flow, or other factors—give diffusion more time to act, further widening the peak. This is a fundamental way peak shape is affected in chromatography, and it explains why peaks can become broader under hotter conditions or with longer run times.

8. What is the baseline in TLC?

A. The line where samples are spotted.

B. The line for height measurement.

C. The solvent front.

D. The line at the top of the plate.

Baseline is the line at the bottom of the plate where you apply the sample. It serves as the starting point for the separation, so all distances are measured from this origin. As the solvent moves up the plate, the components migrate away from the baseline, and you determine how far each component has traveled relative to that starting line to calculate things like Rf values. The solvent front, by contrast, is the moving edge of the solvent itself as it climbs the plate, not the origin of migration. The line at the top of the plate is simply the far limit of the plate and isn't used as the reference for measuring how far spots travel.

9. In chromatography, what is retention time t_R?

A. The time to peak maximum from injection.

B. The total run time from injection to completion.

C. The time for an unretained solute to pass through the system.

D. The time between successive injections.

Retention time is the time from when the sample is injected to when the peak maximum for a given component appears at the detector. It reflects how long that solute spends traveling through the column and interacting with the stationary phase before eluting. This is different from the overall run time, which would be the total time to finish the entire analysis, and from the dead time (time for an unretained solute to pass through) which essentially marks when a species with no interactions elutes. The interval between injections is an operational parameter, not a property of the solute's elution.

SAMPLE

10. What role do pH and salt play in ion-exchange chromatography elution?

A. Elution is independent of pH and salt.

B. Only pH affects elution; salt has no effect.

C. Only salt concentration affects elution; pH has no effect.

D. Elution strength is influenced by both pH and salt concentration; adjusting them releases bound ions.

In ion-exchange chromatography, how strongly a molecule sticks to the resin comes from electrostatic interactions between the analyte and the charged groups on the stationary phase. Elution, or release from the column, is controlled by changing the conditions that govern those interactions. The key point is that both pH and salt concentration influence elution. pH changes the ionization state of both the analyte and the resin's functional groups. If pH shifts so that the analyte carries less charge (or the resin's groups become less charged), the attractions between them weaken and the bound ions are released. Conversely, at a pH where the analyte is highly charged and the resin remains strongly charged, binding is stronger and elution requires more aggressive conditions. Salt concentration works by introducing competing ions. As salt levels rise, these ions compete with the bound molecules for the resin's binding sites, effectively displacing the analyte and promoting elution. This is the main mechanism behind salt-gradient elution in many ion-exchange protocols. In practice, gradient elution often uses a controlled increase in salt to separate species with different binding strengths, and pH adjustments can be used to tweak the charge state and further modulate binding. That dual influence is why the statement that elution strength depends on both pH and salt, and that adjusting them releases bound ions, is the best description. The other ideas—that elution is independent of pH and salt, or that only one factor matters—don't fit because the binding and release are governed by ionic interactions that respond to both pH-driven charge changes and salt-driven competition.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://chromatography.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE