
CISCO CERTIFIED NETWORK ASSOCIATE (CCNA) 1 V7.0 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS



VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ccna1v7.examzify.com



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **At which layer of the OSI model does the TCP protocol operate?**

   A. Network Layer

   B. Application Layer

   C. Transport Layer

   D. Data Link Layer

2. **Why would a Layer 2 switch need an IP address?**

   A. To allow data packet forwarding between multiple switches.

   B. To enable the switch to be managed remotely.

   C. To provide DHCP services for the connected devices.

   D. To facilitate VLAN tagging for network segmentation.

3. **What does NAT stand for, which is commonly used in networking?**

   A. Network Address Translation

   B. Network Access Transmission

   C. Network Address Table

   D. Network Allocation Technique

4. **What information does the command 'show interfaces' provide on a Cisco device?**

   A. Status and statistics of all interfaces

   B. Only the connectivity status of the device

   C. List of all connected devices

   D. Routing information of the device

5. **Which characteristic defines spyware?**

   A. Software that blocks unauthorized access

   B. Software that is installed on a user device and collects information about the user

   C. Software designed to improve system performance

   D. Software that encrypts user data for security

SAMPLE

6. What information does the command 'show version' provide on a Cisco device?

A. Network traffic statistics

B. Connected device IP addresses

C. Software version and hardware configuration

D. Security vulnerabilities

7. What are two characteristics shared by TCP and UDP?

A. Error correction mechanisms

B. Port numbering

C. Connection-oriented communication

D. Use of checksum

8. Which concept ensures that an employee's connection maintains quality during a video conference despite failures?

A. Fault tolerance

B. Scalability

C. Redundancy

D. Load balancing

9. What is the key difference between TCP and UDP?

A. TCP is faster than UDP

B. UDP is connection-oriented while TCP is connectionless

C. TCP is connection-oriented and provides reliable transmission while UDP is connectionless and does not guarantee delivery

D. Both TCP and UDP provide reliable transmission

10. What are three characteristics of the CSMA/CD process?

A. A device waits for media clearance, detects collision, and visually represents data flow

B. A device listens, waits for a busy media, and all devices see data passing on the network

C. A device can transmit anytime, and retries transmission immediately after collision detection

D. A device listens for silence, transmits instantly, and stops on detection of collision

SAMPLE

Answers

SAMPLE

1. C
2. B
3. A
4. A
5. B
6. C
7. B
8. A
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. At which layer of the OSI model does the TCP protocol operate?

A. Network Layer

B. Application Layer

C. Transport Layer

D. Data Link Layer

The TCP protocol operates at the Transport Layer of the OSI model. This layer is responsible for providing reliable data transfer services to the upper layers, ensuring that data messages are delivered error-free and in the correct sequence. TCP, or Transmission Control Protocol, is known for establishing a connection-oriented communication between devices. It manages error-checking and retransmission of lost packets, making it crucial for applications that require guaranteed delivery, like web and file transfers. The Transport Layer also segments data from the Application Layer into smaller packets, facilitating the efficient use of the underlying Network Layer to route these packets over the network. By operating at this layer, TCP helps to abstract the complexities of the network from the applications above it, ensuring that data is received as intended. This functionality is a key characteristic that defines the role of the Transport Layer in the OSI model.

2. Why would a Layer 2 switch need an IP address?

A. To allow data packet forwarding between multiple switches.

B. To enable the switch to be managed remotely.

C. To provide DHCP services for the connected devices.

D. To facilitate VLAN tagging for network segmentation.

A Layer 2 switch requires an IP address primarily to enable remote management. By assigning an IP address to the switch, network administrators can access the device through protocols such as SSH, HTTP, or HTTPS. This management capability is crucial for performing configuration changes, monitoring performance statistics, and troubleshooting issues from a remote location rather than having to connect physically to the device. While other functions performed by switches, such as data packet forwarding, VLAN management, or DHCP services, are relevant to their operation, they do not inherently require a Layer 2 switch to have an IP address. For instance, switches operate at Layer 2 of the OSI model and primarily deal with MAC addresses for switching traffic within the same network segment. Also, while VLAN features and DHCP could be relevant, they don't necessitate an IP address for the switch itself to function in its primary role. Hence, enabling remote management is the key reason for assigning an IP address to a Layer 2 switch.

3. What does NAT stand for, which is commonly used in networking?

A. Network Address Translation

B. Network Access Transmission

C. Network Address Table

D. Network Allocation Technique

Network Address Translation, commonly abbreviated as NAT, is a method used in networking to translate private (non-routable) IP addresses into a public IP address and vice versa. This is particularly important because it allows multiple devices on a local network to share a single public IP address when communicating on the internet. NAT enhances security by obscuring internal IP addresses from outside networks, thus preventing direct access from the internet to the internal network. Using NAT also helps in prolonging the life of IPv4 due to address scarcity. By allowing multiple devices to share a single public IP address, it effectively increases the number of devices that can connect to the internet. NAT is a critical component in network architecture, especially in home and small office setups where numerous devices are connected through a router that performs NAT functions. The other choices do not correctly define NAT. Network Access Transmission, Network Address Table, and Network Allocation Technique do not represent the widely recognized terminology or functionality associated with NAT in networking.

SAMPLE

4. What information does the command 'show interfaces' provide on a Cisco device?

A. Status and statistics of all interfaces

B. Only the connectivity status of the device

C. List of all connected devices

D. Routing information of the device

The command 'show interfaces' on a Cisco device is a powerful diagnostic tool that provides comprehensive information about all the interfaces on the device. This command displays the status and statistics for each interface, including whether the interface is up or down, the method of connection, the speed and duplex settings, and various performance metrics such as the number of packets transmitted and received, error counts, and interface thresholds. This detailed view allows network administrators to effectively monitor and troubleshoot the health and performance of network interfaces. By checking these statistics, administrators can quickly identify issues such as excessive errors that may indicate a physical layer problem, bandwidth utilization, or other interface-related concerns. Other options do not encompass the full range of information provided by the command. For example, simply reporting connectivity status would not include performance metrics or the specifics of each interface's activity, and listing connected devices or routing information would require different commands than 'show interfaces'. Thus, the command is primarily focused on interface status and statistics, making it an essential tool for managing Cisco devices in a network environment.

5. Which characteristic defines spyware?

A. Software that blocks unauthorized access

B. Software that is installed on a user device and collects information about the user

C. Software designed to improve system performance

D. Software that encrypts user data for security

Spyware is specifically designed to be installed on a user's device without their consent or knowledge, and its primary function is to collect various types of information about the user. This information can include browsing habits, personal information, and even login credentials, which can then be transmitted back to third parties for purposes that often compromise user privacy and security. The other options describe different types of software. For instance, software that blocks unauthorized access typically refers to firewalls or security software meant to protect against hacking or unauthorized data access, whereas software designed to improve system performance tends to focus on optimization or maintenance tasks. Additionally, software that encrypts user data is aimed at securing information to prevent unauthorized access, which is quite different from the intent and functionality of spyware.

SAMPLE

6. What information does the command 'show version' provide on a Cisco device?

A. Network traffic statistics

B. Connected device IP addresses

C. Software version and hardware configuration

D. Security vulnerabilities

The command 'show version' on a Cisco device is primarily used to display crucial information regarding the software version and hardware configuration of the device. This command reveals details about the operating system that is currently running, including the version number, which is essential for troubleshooting and ensuring compatibility with other network devices. Additionally, it provides information about the device's hardware, such as the model, CPU, memory, and even the uptime of the device. This command is instrumental for network administrators to assess the state of the device, verify its capabilities, and plan for updates or maintenance based on the version of the software and hardware specifications. This understanding is vital in maintaining network reliability and proper configuration management, as it allows for informed decisions about upgrades and compatibility with applications and protocols in use across the network.

7. What are two characteristics shared by TCP and UDP?

A. Error correction mechanisms

B. Port numbering

C. Connection-oriented communication

D. Use of checksum

Port numbering is indeed a characteristic shared by both TCP and UDP. This feature is essential for identifying specific processes or services running on a host. When data is transmitted over the network, each segment of data is associated with a source and destination port number. This is crucial for ensuring that data packets reach the correct application layer process on a device, whether using the reliable, connection-oriented TCP protocol or the faster, connectionless UDP protocol. While TCP and UDP serve different purposes and have distinct characteristics—such as TCP's connection-oriented nature and reliability features, and UDP's efficient, lightweight delivery model—they both utilize port numbers to establish communication between applications. This commonality allows both protocols to coexist and work together in a network, enabling different types of communication for various applications.

SAMPLE

8. Which concept ensures that an employee's connection maintains quality during a video conference despite failures?

A. Fault tolerance

B. Scalability

C. Redundancy

D. Load balancing

The concept that ensures an employee's connection maintains quality during a video conference despite failures is fault tolerance. Fault tolerance refers to the ability of a system to continue operating properly in the event of a failure of some of its components. For video conferencing, this means implementing systems and processes that can detect failures in the network or hardware and switch to backup systems or alternative pathways without disrupting the ongoing communication. By incorporating fault tolerance, organizations can ensure that video calls remain stable and clear even if certain network paths are compromised, enhancing the overall user experience. This is particularly important in critical business communication where maintaining a seamless connection is essential. While redundancy is related and involves having additional components or systems that can take over in case of failure, fault tolerance encompasses a broader range of strategies and technologies designed to maintain system performance under various types of disruptions. Scalability deals with the system's ability to handle growth in demand, and load balancing is focused on distributing workloads across multiple resources to optimize performance, but these concepts do not specifically address maintaining connection quality during failures in the same way that fault tolerance does.

9. What is the key difference between TCP and UDP?

A. TCP is faster than UDP

B. UDP is connection-oriented while TCP is connectionless

C. TCP is connection-oriented and provides reliable transmission while UDP is connectionless and does not guarantee delivery

D. Both TCP and UDP provide reliable transmission

The key difference between TCP (Transmission Control Protocol) and UDP (User Datagram Protocol) lies in their connection management and reliability features. TCP is described as connection-oriented, meaning that it establishes a connection between the sender and receiver before data transmission begins. This involves a handshake process that ensures both parties are ready to communicate. Once this connection is established, TCP provides reliable transmission by implementing mechanisms such as error checking, retransmission of lost packets, and data sequencing, thereby ensuring that data arrives in the correct order and without errors. In contrast, UDP is connectionless, which means it sends data without establishing a prior connection. This leads to faster data transmission because there are no delays for connection setup or maintenance. However, this speed comes at the cost of reliability; UDP does not provide guarantees for message delivery, ordering, or error checking. As a result, it's often used in applications where speed is critical and occasional data loss is acceptable, such as streaming media or online gaming. The distinction highlights the functional differences in how both protocols operate across networks, particularly in regards to reliability and the overhead associated with ensuring that data is accurately delivered.

SAMPLE

10. What are three characteristics of the CSMA/CD process?

A. A device waits for media clearance, detects collision, and visually represents data flow

B. A device listens, waits for a busy media, and all devices see data passing on the network

C. A device can transmit anytime, and retries transmission immediately after collision detection

D. A device listens for silence, transmits instantly, and stops on detection of collision

The choice reflecting the characteristics of the CSMA/CD (Carrier Sense Multiple Access with Collision Detection) process accurately captures key elements of how this protocol operates within a network. In CSMA/CD, devices listen to the medium to determine if it is currently in use before attempting to transmit. This is crucial as it helps minimize collisions that occur when multiple devices attempt to transmit simultaneously. When the method states that a device waits for a busy media, it highlights the process of monitoring the state of the network. If the media is busy, the device will defer its transmission until it detects a clear channel. Additionally, the phrase "all devices see data passing on the network" refers to how in shared media environments, when data is sent, it is broadcast to all devices on that medium, allowing them to detect the transmission. The other choices contain aspects that do not align with the reliable functioning of CSMA/CD. For instance, while devices can transmit when the medium is clear and must stop when a collision is detected, the specifics about visual representations, instantaneous transmission without waiting, and immediate retries after a collision do not accurately describe CSMA/CD's operational procedure.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ccna1v7.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE