CITRIX DEPLOY AND MANAGER CITRIX ADC13 WITH CITRIX GATEWAY 1Y0-231 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://citrix1y0231.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which virtual server type is used to support an SSL rewrite policy?**

   A. Content Switching virtual server

   B. SSL load balancing virtual server

   C. Global server load balancing virtual server

   D. SSL_Bridge balancing virtual server

2. **What is the effect of binding a CERT authentication policy to the Citrix Gateway virtual server?**

   A. Enables certificate-based authentication for the vserver

   B. Enables two-factor for the vserver

   C. Forces password-based login

   D. Enables TLS scanning

3. **Which condition could cause a failover in a Citrix ADC high availability pair to not occur, keeping the secondary from becoming primary?**

   A. HA monitoring is enabled on an interface of the secondary node that shows as ENABLED, DOWN

   B. HA monitoring is enabled on a disabled interface of the primary node

   C. HA heartbeats are only seen on some enabled interfaces of the secondary node

   D. The independent Network Configuration mode is enabled on the primary node

4. **In an HA configuration, should the SNIP addresses of the primary and secondary devices be the same or different?**

   A. They must have the same SNIP address

   B. They must have different SNIP addresses

   C. SNIP is not used in HA

   D. SNIP addresses must be on different VLANs

5. **Which statement best describes the function of the Rewrite feature in NetScaler Gateway?**

   A. It enables traffic to be proxied to multiple backends

   B. It modifies HTTP responses, such as injecting content

   C. It handles SSL termination and certificate management

   D. It authenticates users

SAMPLE

6. Which expression would block DNS requests from subnet 10.107.149.0/24 by matching both UDP and TCP port 53 traffic?

A. CLIENT.IP.SRC(10.107.149.0) && (client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))

B. CLIENT.IP.SRC(10.107.149.0) && client.UDP.DSTPORT.EQ(53)

C. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24) && (client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))

D. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24) && client.UDP.DSTPORT.EQ(53)

7. Which statement is true about end-to-end encryption with NetScaler optimization for responses?

A. HTTP protocol for the virtual server and HTTP protocol for the services

B. SSL Bridge protocol for the virtual server and SSL protocol for the services

C. HTTP protocol for the services and SSL protocol for the virtual server

D. SSL protocol for the virtual server and SSL protocol for the services

8. Which authentication method supports multiple factors or methods and can be configured as part of the Citrix ADC authentication flow?

A. Biometric authentication

B. Certificate-based authentication

C. SAML authentication

D. NFactor authentication

9. In GSLB dynamic proximity RTT measurement, which pair defines the round trip time used for load decisions?

A. IP address of the client; each of the GSLB services

B. Local DNS of the client; each of the GSLB sites

C. Local DNS of the client; each of the GSLB services

D. IP address of the client; each of the GSLB sites

10. Which of the following is NOT a Classic policy option?

A. IP

B. HTTP

C. TCP

D. DNS

SAMPLE

Answers

SAMPLE

1. A
2. A
3. A
4. B
5. B
6. D
7. D
8. D
9. B
10. D

SAMPLE

Explanations

SAMPLE

1. Which virtual server type is used to support an SSL rewrite policy?

A. Content Switching virtual server

B. SSL load balancing virtual server

C. Global server load balancing virtual server

D. SSL_Bridge balancing virtual server

SSL rewrite policies modify the client request as it comes in over SSL, so the device must terminate SSL and inspect the HTTP content to apply the rewrite. A Content Switching virtual server is designed for this kind of layer-7 processing: it terminates SSL, performs content-based routing, and you can bind an SSL rewrite policy to adjust the request (such as the URL path or headers) before forwarding it to the chosen backend. This makes the content switching vserver the natural place to implement an SSL rewrite, because other virtual server types are geared toward different purposes (general SSL load balancing, global load balancing, or SSL passthrough) and do not provide the same integration for rewriting the request before backend routing.

2. What is the effect of binding a CERT authentication policy to the Citrix Gateway virtual server?

A. Enables certificate-based authentication for the vserver

B. Enables two-factor for the vserver

C. Forces password-based login

D. Enables TLS scanning

Binding a certificate authentication policy to a Citrix Gateway virtual server enables certificate-based authentication for that vserver. In practice, clients must present a valid client certificate during the TLS handshake, and the gateway validates the certificate against its trusted authorities and any revocation checks configured. If the certificate is accepted, the user is authenticated and can proceed (subject to any subsequent authorization policies). This setup does not by itself enable two-factor authentication, force password-based login, or perform TLS scanning—those would require additional configurations or separate policies.

3. Which condition could cause a failover in a Citrix ADC high availability pair to not occur, keeping the secondary from becoming primary?

A. HA monitoring is enabled on an interface of the secondary node that shows as ENABLED, DOWN

B. HA monitoring is enabled on a disabled interface of the primary node

C. HA heartbeats are only seen on some enabled interfaces of the secondary node

D. The independent Network Configuration mode is enabled on the primary node

High availability depends on a working HA heartbeat path between the primary and secondary. If the interface used for HA monitoring on the secondary is configured as ENABLED but is actually DOWN, the secondary cannot receive or send HA heartbeats. Without reliable heartbeat communication, the secondary cannot detect that the primary has failed, so it cannot promote itself to primary. In other words, the essential signal that triggers failover is blocked by a down interface on the secondary, preventing the secondary from taking over. The other scenarios are less definitive: if the primary's HA interface is disabled, there may still be another path for heartbeat and failover could occur; if heartbeats appear only on some interfaces on the secondary, there might still be enough communication to trigger failover under some conditions; and enabling independent network configuration on the primary affects configuration syncing, not the fundamental failover trigger.

SAMPLE

4. In an HA configuration, should the SNIP addresses of the primary and secondary devices be the same or different?

A. They must have the same SNIP address

B. They must have different SNIP addresses

C. SNIP is not used in HA

D. SNIP addresses must be on different VLANs

In high availability, each device needs its own identity in the network for outbound traffic to backend servers. The SNIP is the source IP the appliance uses when it talks to those servers, so giving the primary and secondary the same SNIP would create an IP conflict on the network and cause routing and reply-traffic problems, especially when failover happens. Therefore, the SNIPs on the two devices must be different. (SNIPs are used for server-side traffic, while the VIP handles client-facing traffic; they typically reside on the same backend subnet, not on separate VLANs.)

5. Which statement best describes the function of the Rewrite feature in NetScaler Gateway?

A. It enables traffic to be proxied to multiple backends

B. It modifies HTTP responses, such as injecting content

C. It handles SSL termination and certificate management

D. It authenticates users

The Rewrite feature in NetScaler Gateway is about altering HTTP responses as they pass through the appliance. You set rewrite policies that inspect the response and apply changes such as injecting or removing content, or tweaking headers, so the client sees the modified page or data. This is handy for adding banners or notices, adjusting links to work through the gateway, or enforcing certain response characteristics without changing the backend application itself. It's separate from functions like routing to multiple backends, SSL termination, or user authentication, which are handled by other features.

6. Which expression would block DNS requests from subnet 10.107.149.0/24 by matching both UDP and TCP port 53 traffic?

A. CLIENT.IP.SRC(10.107.149.0) && (client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))

B. CLIENT.IP.SRC(10.107.149.0) && client.UDP.DSTPORT.EQ(53)

C. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24) && (client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))

D. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24) && client.UDP.DSTPORT.EQ(53)

Focus on how to scope and filter the traffic. To block requests from a whole subnet you must express the source as the subnet itself, not a single host address. Using the subnet qualifier 10.107.149.0/24 with IN_SUBNET ensures every device within that /24 is covered, rather than just a single IP that would only match one potential origin. DNS typically uses port 53, and in many policies you filter by the destination port. By specifying UDP DSTPORT 53, you target the common DNS method over UDP. The combination of IN_SUBNET(10.107.149.0/24) and UDP DSTPORT 53 matches DNS queries originating from any host in that subnet, making it the appropriate expression for this blocking rule in this context. If you needed to cover DNS traffic over TCP as well, you would include TCP DSTPORT 53 in the same expression. In the given options, the one that uses the correct subnet scope and the UDP DNS port is the expected approach for blocking DNS requests from that subnet.

SAMPLE

7. Which statement is true about end-to-end encryption with NetScaler optimization for responses?

A. HTTP protocol for the virtual server and HTTP protocol for the services

B. SSL Bridge protocol for the virtual server and SSL protocol for the services

C. HTTP protocol for the services and SSL protocol for the virtual server

D. SSL protocol for the virtual server and SSL protocol for the services

End-to-end encryption with NetScaler optimization relies on keeping TLS on every hop that matters, while still allowing NetScaler to optimize the responses. To do this, the client connection to the virtual server must be TLS, and the connection from the virtual server to the backend services must also be TLS. With TLS on both sides, NetScaler can terminate the client TLS, inspect and optimize the response, and then re-encrypt it to send securely to the backend. If any part of the path isn't encrypted, you'd break the end-to-end protection on that leg, or you wouldn't be able to apply optimization in a way that preserves end-to-end security. Therefore, configuring TLS on both the virtual server and the services achieves end-to-end encryption with NetScaler optimization for responses.

8. Which authentication method supports multiple factors or methods and can be configured as part of the Citrix ADC authentication flow?

A. Biometric authentication

B. Certificate-based authentication

C. SAML authentication

D. NFactor authentication

NFactor authentication is Citrix ADC's multi-factor authentication flow engine. It lets you define a sequence or tree of authentication prompts, combining different factors and methods within a single login flow. You can require a password and then add a second factor like an OTP, a certificate check, or a push notification, and tailor the steps based on user, group, device, or risk context. This flexibility is why it's the method that supports multiple factors or methods and can be configured as part of the ADC authentication flow. Biometric or certificate-based methods are typically single-factor on their own, even though they are strong factors. SAML is a federation protocol for SSO, not a multi-factor flow by itself.

9. In GSLB dynamic proximity RTT measurement, which pair defines the round trip time used for load decisions?

A. IP address of the client; each of the GSLB services

B. Local DNS of the client; each of the GSLB sites

C. Local DNS of the client; each of the GSLB services

D. IP address of the client; each of the GSLB sites

Dynamic proximity in GSLB bases its load decisions on how quickly a DNS query travels between the client's resolver and each GSLB site. The RTT that matters is measured from the Local DNS of the client to every GSLB site, not from the client's IP to the sites or from some other point. This perspective captures the actual DNS resolution path and the network path the client will experience, giving a realistic sense of which site will respond fastest for that user. So, the best answer reflects the RTT measured from the client's Local DNS resolver to each of the GSLB sites. This is why proximity decisions favor the site with the lowest measured RTT at DNS time, improving end-to-end performance for the client.

SAMPLE

10. Which of the following is NOT a Classic policy option?

A. IP

B. HTTP

C. TCP

D. DNS

Classic policy options are predefined attributes you can use in policy expressions to classify traffic at different layers. Among the common options, matching on IP layer details, HTTP request characteristics, or TCP connection attributes are provided, because these correspond to core traffic handling at network, application, and transport levels. DNS, while a protocol used by clients and servers, isn't exposed as part of the Classic policy option set. DNS handling on Citrix ADC is typically addressed with other features or policy mechanisms rather than a Classic policy option. So DNS isn't a Classic policy option, making it the correct choice for this question.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://citrix1y0231.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE