

COA OPHTHALMIC TECH PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://coaophthalmictech.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. What is the main focus of external eye photography?**
 - A. To diagnose cataracts
 - B. To capture images of the anterior segment
 - C. To measure corneal thickness
 - D. To assess intraocular pressure
- 2. In which condition might you observe inflammation indicated by the suffix "itis"?**
 - A. Cataracts
 - B. Conjunctivitis
 - C. Myopia
 - D. Retinal detachment
- 3. What is the primary function of the medial rectus muscle?**
 - A. To rotate the eye outward
 - B. To rotate the eye inward toward the nose
 - C. To elevate the eye
 - D. To depress the eye
- 4. Exophthalmos is most commonly associated with which medical condition?**
 - A. Thyroid disease
 - B. Cataracts
 - C. Glaucoma
 - D. Diabetic retinopathy
- 5. What should ophthalmic medical assistants do when they have open cuts on their hands?**
 - A. Apply a band-aid and continue working
 - B. Wear gloves to protect both patients and themselves
 - C. Wash hands more frequently
 - D. Avoid contact with patients

- 6. What is the primary purpose of the Schirmer test?**
- A. Evaluate eye pressure
 - B. Assess color vision
 - C. Measure tear production
 - D. Analyze corneal thickness
- 7. Which two types of eye drops could potentially trigger an attack of angle-closure glaucoma in patients with narrow anterior chamber angles?**
- A. Mydriatics and Cycloplegics
 - B. Beta blockers and Prostaglandins
 - C. Carbonic Anhydrase Inhibitors and Alpha Agonists
 - D. Antihistamines and Steroids
- 8. What effect do anticholinergics have in patients with narrow-angle glaucoma?**
- A. Increase intraocular pressure
 - B. Decrease intraocular pressure
 - C. Dilate pupil
 - D. Constrict pupil
- 9. What type of patients might benefit from the results of glare testing?**
- A. Only elderly patients
 - B. Patients with cataracts and other refractive issues
 - C. Patients with allergic conjunctivitis
 - D. Patients undergoing LASIK surgery
- 10. What action occurs when the inferior rectus muscle contracts?**
- A. The eye looks upward
 - B. The eye looks downward
 - C. The eye rolls to the side
 - D. The eye moves inwards

Answers

SAMPLE

1. B
2. B
3. B
4. A
5. B
6. C
7. A
8. A
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. What is the main focus of external eye photography?

- A. To diagnose cataracts
- B. To capture images of the anterior segment**
- C. To measure corneal thickness
- D. To assess intraocular pressure

The main focus of external eye photography is to capture images of the anterior segment. This technique is used to document and assess various conditions affecting the front part of the eye, including the cornea, iris, and lens. By obtaining high-quality photographs, healthcare providers can monitor changes over time, track the progression of diseases, and aid in the diagnosis and treatment planning for a range of ocular conditions. The anterior segment images are particularly useful for detecting abnormalities such as corneal opacities, anterior chamber depth, lens opacities, and other structural issues. This visual documentation complements other diagnostic methods, providing a clearer understanding of the patient's ocular health. While diagnosing cataracts can involve external photography, that is not the primary function of this technique. Measuring corneal thickness and assessing intraocular pressure are specialized assessments that typically rely on different diagnostic tools, such as pachymetry and tonometry, respectively. Therefore, the focus on capturing images of the anterior segment distinguishes this technique and underlines its importance in ocular health management.

2. In which condition might you observe inflammation indicated by the suffix "itis"?

- A. Cataracts
- B. Conjunctivitis**
- C. Myopia
- D. Retinal detachment

The suffix "itis" is commonly used in medical terminology to denote inflammation. In the context of the choices provided, "conjunctivitis" is the condition characterized by inflammation, specifically of the conjunctiva, which is the membrane covering the white part of the eyes and the inner eyelids. Conjunctivitis can present with symptoms such as redness, itching, and discharge, clearly indicating an inflammatory process. The other conditions mentioned do not primarily involve inflammation as a defining characteristic. Cataracts refer to the clouding of the eye's lens, myopia (nearsightedness) is a refractive error without an inflammatory component, and retinal detachment is a serious condition involving the separation of the retina, which may not involve inflammation in the same way that conjunctivitis does. Hence, conjunctivitis is the most accurate choice concerning inflammation as indicated by the suffix "itis."

3. What is the primary function of the medial rectus muscle?

- A. To rotate the eye outward
- B. To rotate the eye inward toward the nose**
- C. To elevate the eye
- D. To depress the eye

The primary function of the medial rectus muscle is to rotate the eye inward toward the nose, which is known as adduction of the eye. This muscle is one of the extraocular muscles responsible for controlling eye movements. When the medial rectus contracts, it pulls the eye toward the midline, allowing for movements such as looking at objects closer to the face. Understanding the role of the medial rectus is essential for grasping how coordinated eye movements occur and how each extraocular muscle contributes to the overall functioning of vision and eye alignment.

4. Exophthalmos is most commonly associated with which medical condition?

A. Thyroid disease

B. Cataracts

C. Glaucoma

D. Diabetic retinopathy

Exophthalmos, also known as proptosis, refers to the abnormal protrusion of the eyeball and is most commonly associated with thyroid disease, particularly Graves' disease. This autoimmune condition leads to hyperthyroidism and often results in inflammation and swelling of the muscles and tissues around the eyes, causing them to bulge forward. In Graves' disease, the immune system mistakenly attacks the thyroid gland, leading to an excess production of thyroid hormones. The same immune process can affect the orbit, the bony cavity that houses the eye, causing the infiltration of immune cells and subsequent edema (swelling). This is often seen in conjunction with other symptoms of hyperthyroidism but is particularly notable for its impact on the eyes. Understanding this association is crucial for recognizing the systemic implications of thyroid disease and the need for comprehensive management that may involve endocrinologists and ophthalmologists. The other conditions listed do not typically lead to exophthalmos and are understood within different contexts related to visual impairment or eye health.

5. What should ophthalmic medical assistants do when they have open cuts on their hands?

A. Apply a band-aid and continue working

B. Wear gloves to protect both patients and themselves

C. Wash hands more frequently

D. Avoid contact with patients

Wearing gloves is essential for ophthalmic medical assistants with open cuts on their hands because it serves as a protective barrier. Gloves prevent any potential transmission of pathogens, both from the assistant to the patient and vice versa, thereby reducing the risk of infection for both parties. Open cuts can be gateways for bacteria, which is especially critical in a medical setting where the risk of contamination is heightened. Donning gloves ensures that the assistant can carry out their duties safely without compromising hygiene. Using gloves also aligns with universal precautions, which mandate that healthcare workers protect themselves and their patients from exposure to bloodborne pathogens. By standardizing the use of gloves in such situations, it promotes a safer environment for both the medical staff and patients, maintaining high standards of care in ophthalmologic practice.

6. What is the primary purpose of the Schirmer test?

- A. Evaluate eye pressure
- B. Assess color vision
- C. Measure tear production**
- D. Analyze corneal thickness

The primary purpose of the Schirmer test is to measure tear production. This test helps evaluate the gland's ability to produce tears, which is essential for maintaining eye lubrication, comfort, and health. A small strip of filter paper is placed inside the lower eyelid, and after a specified time, the amount of wetting on the strip is measured. This indicates the volume of tears produced by the lacrimal glands. Tear production is crucial for diagnosing dry eye conditions and other ocular surface diseases. By understanding tear production levels, healthcare providers can make informed decisions regarding treatment options for patients experiencing symptoms of dry eyes or related issues. The other options focus on different aspects of eye health, such as intraocular pressure, color vision, and corneal thickness, which are not the primary function of the Schirmer test. Each of these assessments serves a different purpose in ophthalmic evaluation, but they do not relate directly to measuring tear production.

7. Which two types of eye drops could potentially trigger an attack of angle-closure glaucoma in patients with narrow anterior chamber angles?

- A. Mydriatics and Cycloplegics**
- B. Beta blockers and Prostaglandins
- C. Carbonic Anhydrase Inhibitors and Alpha Agonists
- D. Antihistamines and Steroids

Mydriatics and cycloplegics are types of eye drops that can lead to an attack of angle-closure glaucoma, particularly in individuals with narrow anterior chamber angles. Mydriatics work by dilating the pupil, which can cause the iris to move forward and narrow the angle between the iris and the cornea. This reduced angle can lead to an obstruction of the aqueous humor drainage, ultimately resulting in increased intraocular pressure and a potential angle-closure glaucoma attack. Cycloplegics also affect the positioning of the iris by temporarily paralyzing the ciliary muscle, which can further contribute to the forward displacement of the iris. This forward movement exacerbates the narrowing of the angle, increasing the risk for angle-closure glaucoma in susceptible individuals. In contrast, other classes of medications such as beta blockers and prostaglandins primarily focus on reducing intraocular pressure without causing significant changes in pupil size or iris position. Similarly, carbonic anhydrase inhibitors and alpha agonists also have different mechanisms that do not induce pupil dilation. Antihistamines and steroids might have various side effects, but they are less likely to cause acute angle closure as they do not directly interfere with the relationship between the lens, iris, and cornea.

8. What effect do anticholinergics have in patients with narrow-angle glaucoma?

- A. Increase intraocular pressure**
- B. Decrease intraocular pressure
- C. Dilate pupil
- D. Constrict pupil

Anticholinergic medications work by blocking the action of acetylcholine on muscarinic receptors, which has several physiological effects. In the context of narrow-angle glaucoma, the use of anticholinergics can indeed lead to an increase in intraocular pressure. In narrow-angle glaucoma, the angle between the iris and the cornea is already compromised, leading to difficulties in the outflow of aqueous humor. Anticholinergics cause pupil dilation (mydriasis), which can exacerbate the angle closure, further obstructing the drainage of aqueous humor through the trabecular meshwork. As a result, this increased resistance contributes to elevated intraocular pressure, which can lead to damage to the optic nerve and exacerbate the condition. The ability of anticholinergics to dilate the pupil is significant in understanding their impact on patients with narrow-angle glaucoma. Therefore, the correct answer relates directly to the adverse effect these medications can have by increasing intraocular pressure in such patients.

9. What type of patients might benefit from the results of glare testing?

- A. Only elderly patients
- B. Patients with cataracts and other refractive issues**
- C. Patients with allergic conjunctivitis
- D. Patients undergoing LASIK surgery

Patients with cataracts and other refractive issues can significantly benefit from the results of glare testing because these conditions often affect the clarity of vision, particularly under bright light or contrasting lighting conditions. Glare testing evaluates how well patients can see in situations where bright lights might interfere with their vision, which is particularly relevant for those with cataracts. As cataracts develop, they can scatter light entering the eye, leading to increased sensitivity to glare and difficulty seeing in bright conditions. Refractive issues, such as myopia or hyperopia, can also lead to visual disturbances that may worsen under glare conditions. By assessing a patient's glare sensitivity, practitioners can gather critical data to determine the impact of these conditions on their daily activities and consider appropriate interventions or surgical options to improve visual quality. In contrast, while elderly patients may commonly experience cataracts, simply being elderly is not a definitive reason for glare testing. Allergic conjunctivitis primarily results in symptoms involving inflammation and discomfort rather than distortions in visual clarity related to glare. Lastly, while patients undergoing LASIK surgery might experience glare post-operatively, the test itself generally serves to evaluate pre-existing conditions that cause glare rather than being an intervention tool for those who are about to have refractive surgery.

10. What action occurs when the inferior rectus muscle contracts?

- A. The eye looks upward
- B. The eye looks downward**
- C. The eye rolls to the side
- D. The eye moves inwards

When the inferior rectus muscle contracts, it is responsible for moving the eye downward. This muscle is one of the extraocular muscles that control eye movement, specifically aiding in depression of the eye when it is in a primary position or looking straight ahead. The contraction of the inferior rectus pulls the eyeball downwards, allowing for downward gaze and visual focus on objects that are lower or in a downward direction.

Understanding the function of the extraocular muscles is crucial in ophthalmology, as they play a key role in coordinating eye movements. Each muscle has a specific action, and knowing which muscle corresponds to each movement aids in diagnosing and treating conditions that affect eye movement and alignment.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://coaophthalmictech.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE