COA OPHTHALMIC TECH PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://coaopthalmictech.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What type of lens is used for correcting hyperopia?

A. Bifocal lens

B. Concave lens

C. Convex lens

D. Spherical lens

2. What is the primary purpose of perimetry?

A. To measure the clarity of vision

B. To test for color blindness

C. To measure the expanse and sensitivity of peripheral vision

D. To assess the reaction to light

3. Which of the following surgical instruments creates enough tissue compression to stop blood flow?

A. Hemostat

B. Forceps

C. Cannula

D. Lid speculum

4. In which ocular disorder can the ophthalmometer be used to obtain measurements?

A. Glaucoma

B. Graves' disease

C. Cataracts

D. Diabetic Retinopathy

5. What does A-scan biometry primarily focus on measuring?

A. Corneal thickness

B. Lens opacity

C. Distance between ocular surfaces

D. Pupil response times

SAMPLE

6. Which test is conducted for a patient who experiences metamorphopsia, indicating straight lines appear wavy?

A. Amsler grid

B. Visual field test

C. Color vision test

D. Contrast sensitivity test

7. What color are the bottle caps of mydriatic agents?

A. Blue

B. Red

C. Green

D. Yellow

8. What is one significant advantage of soft lenses over rigid gas-permeable lenses?

A. They allow for more oxygen permeability

B. They are generally easier to adapt to and initially more comfortable

C. They usually provide better visual acuity

D. They are less expensive to produce

9. Mild ocular irritation, itching and burning are patient complaints that would be handled as _____ situations?

A. Urgent

B. Emergency

C. Routine

D. Critical

10. What is the basis of threshold perimetry?

A. Placing a target and moving it progressively

B. Gradually increasing the brightness of a target

C. Measuring the size of the visual field

D. Assessing color perception

SAMPLE

Answers

SAMPLE

1. C
2. C
3. A
4. B
5. C
6. A
7. B
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What type of lens is used for correcting hyperopia?

A. Bifocal lens

B. Concave lens

C. Convex lens

D. Spherical lens

In the context of correcting hyperopia, or farsightedness, a convex lens is specifically designed to alleviate this condition. Hyperopia occurs when the eye is too short relative to its focusing power, causing distant objects to be seen clearly while near objects appear blurry. Convex lenses are thicker at the center and thinner at the edges. This shape allows them to converge light rays before they enter the eye, effectively increasing the eye's focusing power. By doing so, these lenses help to bring closer objects into clearer focus, thereby addressing the visual difficulties faced by individuals with hyperopia. Concave lenses, on the other hand, are used to correct myopia (nearsightedness), while bifocal lenses contain both concave and convex segments for patients requiring correction for both hyperopia and myopia. The term "spherical lens" is more general and refers to the shape of the lens rather than its specific optical properties used for a particular refractive error. Thus, the convex lens is the appropriate choice for addressing hyperopia.

2. What is the primary purpose of perimetry?

A. To measure the clarity of vision

B. To test for color blindness

C. To measure the expanse and sensitivity of peripheral vision

D. To assess the reaction to light

The primary purpose of perimetry is to measure the expanse and sensitivity of peripheral vision. This test is crucial in diagnosing and monitoring various eye conditions, such as glaucoma and other retinal diseases, which can often affect peripheral vision before central vision is impacted. During a perimetry test, patients typically look at a central target and indicate when they see lights presented in their peripheral field. This helps establish a visual field map, which can reveal blind spots or areas where vision is diminished. Understanding peripheral vision is important for activities of daily living and overall visual function. Detecting changes in peripheral vision can be an early indicator of disease progression, making perimetry a valuable tool in ophthalmic evaluations and assessments.

3. Which of the following surgical instruments creates enough tissue compression to stop blood flow?

A. Hemostat

B. Forceps

C. Cannula

D. Lid speculum

The hemostat is specifically designed to create sufficient tissue compression to occlude blood vessels and stop blood flow during surgical procedures. Its mechanism of action involves clamping down on blood vessels, which effectively compresses the tissues around them, leading to hemostasis. Hemostats are commonly used in various surgical settings to control bleeding and are essential tools in ensuring a clear surgical field. In contrast, forceps are primarily used for grasping and holding tissues, but they do not typically provide the same level of compression needed to achieve hemostasis. Cannulas are mainly employed for suctioning fluids or delivering medications and do not play a role in compressing tissue to stop bleeding. A lid speculum is used to hold the eyelids open during ocular procedures, allowing the surgeon to work with an unobstructed view, but again, it does not exert pressure to control bleeding. Thus, the hemostat is the instrument uniquely suited for the task of stopping blood flow through tissue compression.

SAMPLE

4. In which ocular disorder can the ophthalmometer be used to obtain measurements?

A. Glaucoma

B. Graves' disease

C. Cataracts

D. Diabetic Retinopathy

Graves' disease commonly causes exophthalmos, where the eyeball protrudes due to swelling of orbital tissues. An ophthalmometer can be used to quantify how far the eye protrudes by measuring the distance from the orbital rim to the corneal apex. This provides a numeric value (in millimeters) that helps assess severity and track changes with treatment or disease progression. The other conditions listed—glaucoma, cataracts, and diabetic retinopathy—are evaluated mainly for intraocular pressure, lens opacity, and retinal changes, respectively, and do not rely on measuring globe protrusion with this instrument.

5. What does A-scan biometry primarily focus on measuring?

A. Corneal thickness

B. Lens opacity

C. Distance between ocular surfaces

D. Pupil response times

A-scan biometry is a diagnostic ultrasound technique primarily used in ophthalmology to measure the distances between various structures within the eye, particularly to determine the axial length of the eyeball. This measurement is essential for calculating the appropriate power of intraocular lenses (IOLs) before cataract surgery or other refractive procedures. The technique works by emitting sound waves that travel through the different media within the eye, such as the aqueous humor, lens, and vitreous humor. When these sound waves encounter interfaces between materials of differing acoustic densities, such as the front and back surfaces of the lens or the retina, they are reflected back. The time taken for these echoes to return is then used to calculate the distances between the various ocular surfaces. While corneal thickness, lens opacity, and pupil response times are significant factors in comprehensive ocular assessments, they are not the primary focus of A-scan biometry. Corneal measurements are usually obtained through techniques like pachymetry or topography, while lens opacity is typically evaluated through slit-lamp examination and does not rely on ultrasound measurements. Pupil response is assessed through different methods that evaluate the functional aspects of the pupil, rather than anatomical measurements provided by A-scan. Thus, the primary focus of A

SAMPLE

6. Which test is conducted for a patient who experiences metamorphopsia, indicating straight lines appear wavy?

A. Amsler grid

B. Visual field test

C. Color vision test

D. Contrast sensitivity test

The Amsler grid test is designed specifically to assess central visual field distortions, such as metamorphopsia, where straight lines appear wavy or distorted. This condition is often associated with macular degeneration or other retinal issues affecting the central vision. During the test, patients look at a grid of straight lines positioned at a distance, and any distortions observed can indicate changes in the health of the macula. In contrast, the visual field test evaluates the entire field of vision, detecting peripheral vision loss rather than specific distortions of straight lines. The color vision test assesses the patient's ability to discern different colors but does not address the perception of line distortion. The contrast sensitivity test measures a patient's ability to distinguish objects from their background when there is a difference in luminance but is not focused on the visual distortions concerning straight lines. Therefore, the Amsler grid is the most appropriate test for identifying metamorphopsia and its underlying causes, making it the correct choice in this scenario.

7. What color are the bottle caps of mydriatic agents?

A. Blue

B. Red

C. Green

D. Yellow

Mydriatic agents, which are used to dilate the pupils during eye examinations, are typically identified by red bottle caps. This color-coding helps healthcare providers quickly recognize the type of medication within the bottle, ensuring proper selection and usage during procedures. The red cap signifies mydriatic agents such as tropicamide or phenylephrine, distinguishing them from other ophthalmic medications that may have different cap colors. Understanding this color-coding is crucial in an ophthalmic setting as it helps prevent medication errors and promotes efficient workflow during patient care.

8. What is one significant advantage of soft lenses over rigid gas-permeable lenses?

A. They allow for more oxygen permeability

B. They are generally easier to adapt to and initially more comfortable

C. They usually provide better visual acuity

D. They are less expensive to produce

Soft lenses are known for their comfort and ease of adaptation. One significant advantage of soft lenses is their ability to conform to the shape of the eye, which helps distribute pressure evenly across the cornea. This flexibility, combined with the use of softer materials, allows for a more comfortable wearing experience right from the outset. Many wearers find that soft lenses feel more natural and less intrusive than rigid gas-permeable lenses, which can take longer for individuals to adapt to due to their firmer structure and tendency to create more awareness on the eye. While oxygen permeability, visual acuity, and production costs are all important factors in lens selection, these attributes typically favor rigid gas-permeable lenses in many scenarios. Rigid lenses often provide superior oxygen permeability and better visual acuity for certain prescriptions. Additionally, the production cost of lenses can vary widely depending on various materials and designs, making it not a definitive advantage of soft lenses. Thus, the comfort and initial ease of wear with soft lenses remain a primary reason for their widespread usage among contact lens wearers.

SAMPLE

9. Mild ocular irritation, itching and burning are patient complaints that would be handled as _____ situations?

A. Urgent

B. Emergency

C. Routine

D. Critical

Mild ocular irritation, itching, and burning are typically associated with non-life-threatening conditions, such as allergies or mild irritations from environmental factors. These symptoms do not usually indicate a medical emergency, such as significant trauma, sudden vision loss, or acute eye diseases that would require immediate intervention. Therefore, they can be appropriately managed as routine situations. In a clinical setting, routine cases are those that allow for scheduled appointments where a thorough history and examination can be conducted to assess the symptoms. This approach enables practitioners to provide appropriate management strategies, such as recommending over-the-counter antihistamines or lubricants, or advising patients on preventive measures. While the other categories such as urgent, emergency, and critical imply the need for immediate attention and intervention due to the severity of symptoms or risk to vision, mild irritation can typically wait for a thorough evaluation without jeopardizing the patient's health or visual function.

10. What is the basis of threshold perimetry?

A. Placing a target and moving it progressively

B. Gradually increasing the brightness of a target

C. Measuring the size of the visual field

D. Assessing color perception

Threshold perimetry is based on the principle of determining the minimum intensity of light that a patient can perceive in different regions of their visual field. This is achieved by gradually increasing the brightness of a target until the patient can detect it. The method helps to map out areas of the visual field and identify any potential deficits in vision. In the context of this question, the correct choice emphasizes the importance of light intensity and the patient's perceptual threshold, which is central to understanding and measuring visual function. This technique is vital in diagnosing conditions that affect the retina and optic nerve, as it provides a measurable way to assess the functionality of these areas in the visual pathway.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://coaopthalmictech.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE