COLLECTION OF BLOOD AND NON-BLOOD SPECIMENS PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://collofbloodnonbloodspecimen.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **What can affect the interpretation of test results based on the timing of collection?**

   A. The type of specimen collected

   B. The time and date of specimen collection

   C. The color of the collection tube used

   D. The volume of blood collected

2. **What is the recommended action if a patient appears to be becoming faint during a venipuncture?**

   A. Continue with the procedure as planned

   B. Stop the procedure and assist the patient

   C. Call for additional staff assistance

   D. Reassure the patient to stay calm

3. **Which of the following is NOT a reason to avoid taking oral temperatures?**

   A. Facial injury

   B. Convulsive seizures

   C. Recent physical activity

   D. Altered mental status

4. **What should be monitored during blood collection to ensure patient safety?**

   A. The color of the blood drawn

   B. The position of the patient

   C. The temperature of the room

   D. The experience level of the phlebotomist

5. **Which of the following is crucial when choosing a site for venipuncture in geriatric patients?**

   A. The presence of hair on the skin

   B. The size of the vein and potential bruising

   C. Only the age of the patient

   D. The type of needle used

SAMPLE

6. Where is the appropriate area on the hand for performing a heel stick in infants?

A. The center of the foot

B. The medial or lateral aspect of the heel

C. The tip of the toe

D. The palm of the hand

7. Which types of blood specimens are the most commonly collected?

A. Skeletal blood and serous blood

B. Venous blood, capillary blood, and arterial blood

C. Whole blood and plasma

D. Oxygenated and deoxygenated blood

8. What occurs during hemolysis?

A. Blood leaks into tissues

B. RBCs are lysed and serum turns pink

C. Blood pressure drops significantly

D. Petechiae form on the skin

9. What role does the cardiac cycle play in blood pressure changes?

A. It directly affects blood viscosity

B. It determines pulse rate

C. It regulates the pressure exerted on blood vessels

D. It has no influence on blood pressure

10. What is the recommendation for the frequency of changing gloves between patients?

A. After every 5 patients

B. After every patient

C. Only when they become visibly soiled

D. At the beginning of each shift

SAMPLE

Answers

SAMPLE

1. B
2. B
3. C
4. B
5. B
6. B
7. B
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. What can affect the interpretation of test results based on the timing of collection?

A. The type of specimen collected

B. The time and date of specimen collection

C. The color of the collection tube used

D. The volume of blood collected

The time and date of specimen collection play a crucial role in the interpretation of test results because many physiological processes and laboratory tests are influenced by the body's circadian rhythms and biological variations. For instance, hormone levels, glucose levels, and electrolyte concentrations can fluctuate at different times of the day, potentially leading to variances in test results if samples are taken at inconsistent times. Moreover, certain medications may exhibit different effects depending on when they are administered, making it essential to correlate the timing of specimen collection with the test results for accurate interpretation. Timing is critical when monitoring certain conditions, such as assessing adrenal function via cortisol levels which are commonly measured in the morning due to their peak levels at this time. Hence, controlling for the timing and date of specimen collection is vital to ensure the accuracy and relevance of laboratory results. In contrast, while the type of specimen, color of the collection tube, and the volume of blood collected are important factors in specimen collection and handling, they do not have the same direct influence on variability in test results that timing does.

2. What is the recommended action if a patient appears to be becoming faint during a venipuncture?

A. Continue with the procedure as planned

B. Stop the procedure and assist the patient

C. Call for additional staff assistance

D. Reassure the patient to stay calm

In a situation where a patient appears to be becoming faint during a venipuncture, stopping the procedure and assisting the patient is the most appropriate action. Fainting, or syncope, can occur due to various factors such as anxiety, pain, or the body's response to blood withdrawal. The patient's safety and comfort are paramount, so halting the procedure allows for immediate care to prevent the situation from worsening. Assisting the patient may involve having them lie down, elevating their legs, or providing reassurance to help them recover. While it may be tempting to continue with the procedure or simply reassure the patient, these actions could exacerbate the situation if the patient is on the verge of fainting. Calling for additional staff assistance is also a valid consideration, but the priority should be to address the immediate needs of the patient first. Essentially, stopping the procedure ensures that the patient's wellbeing is prioritized, allowing for safer management of their condition.

SAMPLE

3. Which of the following is NOT a reason to avoid taking oral temperatures?

A. Facial injury

B. Convulsive seizures

C. Recent physical activity

D. Altered mental status

Oral temperature measurement can be affected by various factors, and certain conditions make this method inappropriate. Among these, facial injury, convulsive seizures, and altered mental status directly impact a patient's ability to provide a reliable oral temperature placement or response. In the case of recent physical activity, it is true that body temperature may be temporarily elevated due to exertion. However, it does not fundamentally prevent the ability to take an oral temperature. It might cause a transient change but is not as significant a risk factor as the other listed conditions. Facial injuries may obstruct proper placement of the thermometer, convulsive seizures may cause safety concerns or difficulty in measurement, and altered mental status could impair the patient's ability to cooperate with the procedure. Thus, while recent physical activity may affect the result, it is not a primary reason to avoid taking oral temperatures in general practice.

4. What should be monitored during blood collection to ensure patient safety?

A. The color of the blood drawn

B. The position of the patient

C. The temperature of the room

D. The experience level of the phlebotomist

Monitoring the position of the patient during blood collection is critical for ensuring patient safety. Proper positioning helps minimize the risk of complications such as fainting, which can occur if a patient is not sitting or lying down appropriately. In particular, having the patient sit comfortably with support can help maintain blood flow and prevent lightheadedness. It also allows for better access to veins while reducing anxiety in the patient. While other factors such as the experience level of the phlebotomist and the overall environment can influence the procedure, they do not directly relate to immediate patient safety as the patient's position does. Monitoring the color of the blood drawn is not relevant to patient safety, and the temperature of the room, while important for general comfort, does not directly impact the safety of the blood collection process itself. Therefore, ensuring the patient is properly positioned is the most direct method of safeguarding their well-being during the procedure.

SAMPLE

5. Which of the following is crucial when choosing a site for venipuncture in geriatric patients?

A. The presence of hair on the skin

B. The size of the vein and potential bruising

C. Only the age of the patient

D. The type of needle used

When selecting a site for venipuncture in geriatric patients, the size of the vein and potential bruising are paramount considerations. As individuals age, their veins can become more fragile and less resilient. Consequently, it is crucial to identify veins that are not only adequately sized for the procedure but also assess their condition to avoid unnecessary complications, such as bruising or hematoma formation. In older adults, veins may be more prone to collapse or damage due to changes in skin texture and vascular health. Therefore, choosing a vein that provides a good balance of size and stability can enhance the success of the venipuncture while minimizing the risk of causing discomfort or injury to the patient. Other factors such as hair presence, the patient's age alone, or the type of needle used are less critical in the context of selecting the most suitable site. Hair can generally be managed easily, and age does not determine vein quality or size uniformly. Meanwhile, while needle choice is important, it does not influence the primary concerns related to vein selection in geriatric patients like potential bruising and vein size do.

6. Where is the appropriate area on the hand for performing a heel stick in infants?

A. The center of the foot

B. The medial or lateral aspect of the heel

C. The tip of the toe

D. The palm of the hand

The medial or lateral aspect of the heel is indeed the appropriate area for performing a heel stick in infants. This technique is commonly used for blood collection in newborns and young infants, typically when other methods like venipuncture are not advisable due to the infant's small size or fragility. Using the medial or lateral aspect of the heel ensures that the procedure is performed on a site that is rich in capillaries, which allows for a more successful collection of blood with minimal discomfort to the baby. This area is also far from major nerves and bones, reducing the risk of injury during the procedure. Other areas mentioned in the options are not ideal for heel sticks. For example, the center of the foot is not typically used due to the risk of injury to deeper tissues, while the tip of the toe is less preferred because it may not provide sufficient blood flow and could complicate the collection. The palm of the hand is also not suitable; the skin layer is thicker there, and the area is generally reserved for other types of procedures. In summary, the medial or lateral aspect of the heel is chosen for its safety, accessibility, and effectiveness in obtaining blood samples from infants.

SAMPLE

7. Which types of blood specimens are the most commonly collected?

A. Skeletal blood and serous blood

B. Venous blood, capillary blood, and arterial blood

C. Whole blood and plasma

D. Oxygenated and deoxygenated blood

The correct answer focuses on the various types of blood specimens that are routinely collected in clinical practice, which includes venous blood, capillary blood, and arterial blood. Venous blood is most commonly collected through venipuncture and is widely used for a variety of laboratory tests due to its ease of access and the volume that can be obtained. Capillary blood is collected primarily from infants or when venous access is difficult, typically through a fingerstick or heelstick, making it crucial in point-of-care settings and pediatric care. Arterial blood is less commonly collected but is essential for tests that measure blood gases and assess oxygenation status, such as arterial blood gas (ABG) analysis. Each of these methods has its specific applications, and they play a crucial role in comprehensive patient care and diagnostics. The options encompassing other terms, such as skeletal and serous blood, do not represent the standard practices for blood collection in clinical settings. Similarly, whole blood and plasma refer to the components of blood rather than the methods or sources of collection, and the distinction between oxygenated and deoxygenated blood does not apply to how specimens are obtained or analyzed. Therefore, understanding the different collection methods and their relevance to testing is fundamental in the field of

8. What occurs during hemolysis?

A. Blood leaks into tissues

B. RBCs are lysed and serum turns pink

C. Blood pressure drops significantly

D. Petechiae form on the skin

When hemolysis occurs, red blood cells (RBCs) are disrupted or lysed, leading to the release of hemoglobin into the surrounding serum. This process causes the serum to take on a pinkish hue, indicating the presence of free hemoglobin. This can happen due to various factors, including the mechanical stress during collection, improper handling of specimens, or certain medical conditions affecting the red blood cells. The presence of pink serum is an important diagnostic indicator and can signify that the sample is compromised, potentially affecting test results. Hemolysis is commonly assessed in laboratory settings, as it can interfere with numerous blood tests, and recognizing this effect allows for better interpretation of results and necessary corrective actions.

SAMPLE

9. What role does the cardiac cycle play in blood pressure changes?

A. It directly affects blood viscosity

B. It determines pulse rate

C. It regulates the pressure exerted on blood vessels

D. It has no influence on blood pressure

The cardiac cycle is integral to understanding blood pressure changes because it involves the rhythmic contraction and relaxation of the heart, which influences the force exerted on the walls of blood vessels. As the heart contracts during systole, it pumps blood out of the ventricles and into the arteries, causing an increase in blood pressure. This is known as systolic pressure, which is the highest pressure in the arteries during the cardiac cycle. Conversely, during diastole, when the heart muscle relaxes and the chambers fill with blood, the pressure in the arteries decreases. This is referred to as diastolic pressure, which is the lowest arterial pressure. Therefore, the cardiac cycle directly regulates the pressure exerted on blood vessels by alternately increasing and decreasing the volume of blood flowing into them with each heartbeat, thus creating the oscillations of blood pressure that are essential for proper circulation. The other options do not accurately capture the cardiac cycle's role in blood pressure. For example, while blood viscosity can influence blood pressure, it is not directly affected by the phases of the cardiac cycle. Similarly, the pulse rate is a separate physiological measurement related to heartbeats per minute, rather than a direct consequence of the cardiac cycle's impact on blood pressure. Lastly,

10. What is the recommendation for the frequency of changing gloves between patients?

A. After every 5 patients

B. After every patient

C. Only when they become visibly soiled

D. At the beginning of each shift

The recommendation for changing gloves between patients is to do so after every patient. This practice is crucial for maintaining proper infection control and preventing cross-contamination. By changing gloves between each patient, health care providers minimize the risk of transmitting pathogens that may be present on the gloves after interacting with one patient, which could otherwise be passed on to the next patient. This protocol is fundamental in healthcare settings, particularly in environments where there is a high risk of infection, such as hospitals or clinics. It emphasizes the importance of hand hygiene and the use of personal protective equipment, such as gloves, as part of standard precautions to ensure patient safety and reduce the spread of infections. Other recommendations, such as changing gloves only when they become visibly soiled or at the beginning of each shift, do not provide adequate protection and can lead to increased risk of healthcare-associated infections. Therefore, the practice of changing gloves after every patient is the most effective method to protect both patients and healthcare workers alike.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://collofbloodnonbloodspecimen.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE