
COLORADO CNA PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://coloradocna.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. The normal pulse rate for adults is:

A. 50 to 80 beats per minute

B. 60 to 100 beats per minute

C. 70 to 110 beats per minute

D. 80 to 120 beats per minute

2. An advance directive is meant to:

A. Appoint a financial advisor

B. Detonate legal boundaries

C. Determine the type of care if unable to make decisions

D. Handle insurance claims

3. Which of the following is an example of inappropriate sexual behavior?

A. A resident asking for privacy

B. A resident hugging a family member

C. A resident touching his genitals in the hallway

D. A resident watching television

4. During a tub bath, what should the nursing assistant do to ensure the safety of the resident?

A. Ensure the water is scalding hot before the resident enters

B. Leave the resident alone to maintain privacy

C. Stay with the resident and help as needed

D. Turn off the lights for a soothing atmosphere

5. HIV can be transmitted:

A. By casual contact like hugging

B. By sharing food or drinks

C. Through airborne droplets

D. To a healthcare worker who comes into contact with a contaminated needle

SAMPLE

6. How should a nursing assistant react if a resident becomes agitated and is hard to move?

A. Force the resident to move immediately

B. Get assistance to safely move the resident

C. Ignore the resident's agitation

D. Move the resident on their own

7. Portable commodes are used when:

A. A resident can get out of bed but has difficulty sitting up

B. A resident can get out of bed but has difficulty walking to the bathroom

C. A resident is completely bedridden

D. A resident is immobile and cannot get up at all

8. A resident refuses to believe his roommate has died and continues to talk to staff members and family as if the roommate were still alive. Which defense mechanism is this example illustrating?

A. Anger

B. Bargaining

C. Denial

D. Depression

9. For what purpose can an overbed table be used?

A. Storing valuables

B. Holding medical equipment

C. Placement of meals

D. Displaying personal photos

10. Where should a nursing assistant stand when helping a visually-impaired resident walk?

A. Directly behind the resident

B. Directly beside the resident

C. Standing slightly in front of the resident

D. Standing directly in front of the resident

SAMPLE

Answers

SAMPLE

1. A
2. C
3. C
4. C
5. A
6. B
7. B
8. C
9. C
10. C

SAMPLE

Explanations

SAMPLE

1. The normal pulse rate for adults is:

A. 50 to 80 beats per minute

B. 60 to 100 beats per minute

C. 70 to 110 beats per minute

D. 80 to 120 beats per minute

The normal pulse rate for adults can vary based on factors such as age, fitness level, and overall health. However, the typical range for adults is considered to be between 60 to 100 beats per minute. A pulse rate outside of this range may indicate an underlying health condition and should be further evaluated by healthcare professionals. Option A states a pulse rate range of 50 to 80 beats per minute, which falls below the typical range for adults. Option C and Option D both suggest pulse rate ranges that exceed the upper limit of the typical range for adults, further emphasizing why the correct answer is option B.

2. An advance directive is meant to:

A. Appoint a financial advisor

B. Detonate legal boundaries

C. Determine the type of care if unable to make decisions

D. Handle insurance claims

An advance directive is a legal document that outlines a person's preferences for medical treatment and care if they are unable to make decisions for themselves. It allows individuals to specify the type of medical care they wish to receive or not receive in the event they become incapacitated. Therefore, the correct answer is C because it accurately reflects the purpose and function of an advance directive. Options A, B, and D are incorrect as they do not align with the typical function of an advance directive.

3. Which of the following is an example of inappropriate sexual behavior?

A. A resident asking for privacy

B. A resident hugging a family member

C. A resident touching his genitals in the hallway

D. A resident watching television

Inappropriate sexual behavior refers to actions or gestures that may be considered offensive or inappropriate in a specific setting. While A, B, and D are all examples of common behaviors that may occur in a residential setting, they are not considered inappropriate sexual behavior. A resident asking for privacy is a reasonable request for personal boundaries and respect. A resident hugging a family member is a common form of showing affection and should not be automatically considered inappropriate. And a resident watching television is a normal, non-sexual activity. However, a resident touching their own genitals in a public space, such as a hallway, would be considered inappropriate sexual behavior as it may make others feel uncomfortable or violated.

SAMPLE

4. During a tub bath, what should the nursing assistant do to ensure the safety of the resident?

A. Ensure the water is scalding hot before the resident enters

B. Leave the resident alone to maintain privacy

C. Stay with the resident and help as needed

D. Turn off the lights for a soothing atmosphere

During a tub bath, it is essential for the nursing assistant to stay with the resident and help as needed to ensure the safety of the resident. This is important to prevent any accidents or emergencies during the bathing process. Providing assistance, supervision, and support can help prevent slips, falls, or other incidents that may occur during the bath. It is crucial for the nursing assistant to maintain a safe environment and be available to support the resident throughout the bath. The other options are incorrect: A. Ensuring the water is scalding hot before the resident enters is unsafe and can cause burns or discomfort to the resident. B. Leaving the resident alone to maintain privacy can be dangerous as the resident may need assistance at any point during the bath. D. Turning off the lights for a soothing atmosphere may increase the risk of accidents or falls due to reduced visibility.

5. HIV can be transmitted:

A. By casual contact like hugging

B. By sharing food or drinks

C. Through airborne droplets

D. To a healthcare worker who comes into contact with a contaminated needle

The correct answer pertains to the transmission of HIV in relation to healthcare settings and behaviors. The primary mode through which HIV spreads is via direct exposure to contaminated blood, sexual fluids, or breast milk. In the context of your question, healthcare workers can be at risk of HIV transmission if they come into contact with a contaminated needle, which can transfer blood that may contain the virus. Understanding the modes of transmission is crucial for infection control and prevention in healthcare environments. Options involving casual contact, sharing food or drinks, and airborne droplets do not accurately represent how HIV is transmitted, as the virus does not survive well outside the body, and is not spread through casual interactions or respiratory routes. Therefore, the emphasis on the risk associated with contaminated needles highlights the importance of safe handling practices in preventing HIV transmission.

6. How should a nursing assistant react if a resident becomes agitated and is hard to move?

A. Force the resident to move immediately

B. Get assistance to safely move the resident

C. Ignore the resident's agitation

D. Move the resident on their own

Residents may become agitated for a variety of reasons, such as pain, confusion, or fear. Forcing them to move can potentially escalate the situation and cause harm. Ignoring the resident's agitation is not recommended as it could put their safety and well-being at risk. Moving the resident on one's own can also be dangerous and could result in injury to both the resident and the nursing assistant. It is important to get assistance to safely move the agitated resident, as this will help ensure their safety and prevent any potential harm.

SAMPLE

7. Portable commodes are used when:

A. A resident can get out of bed but has difficulty sitting up

B. A resident can get out of bed but has difficulty walking to the bathroom

C. A resident is completely bedridden

D. A resident is immobile and cannot get up at all

Portable commodes are specifically designed for individuals who may have some mobility, allowing them to get out of bed but may encounter challenges when trying to walk to a standard bathroom. This is particularly useful for residents who require assistance with mobility or are at risk of falling. Using a portable commode in this scenario helps maintain the resident's dignity and independence while ensuring safety and convenience. It provides a practical solution to their needs, allowing access to a restroom facility without the additional strain of walking the longer distance to a bathroom. Other scenarios describe residents who are either bedridden or completely immobile, for whom different forms of care and equipment would be more appropriate. The needs of these individuals may require other types of support, such as bedpans or in-home assistance, rather than a portable commode.

8. A resident refuses to believe his roommate has died and continues to talk to staff members and family as if the roommate were still alive. Which defense mechanism is this example illustrating?

A. Anger

B. Bargaining

C. Denial

D. Depression

This is an example of the defense mechanism known as denial. Denial is when a person unconsciously rejects the reality of a situation in order to avoid the pain or discomfort associated with it. In this case, the resident is denying the death of their roommate and continuing to speak of them as if they were still alive. This demonstrates the resident's inability to face the loss of their roommate and the need to find a way to cope with their emotions. The other options are not correct because anger, bargaining, and depression are all other types of defense mechanisms that involve different coping strategies.

9. For what purpose can an overbed table be used?

A. Storing valuables

B. Holding medical equipment

C. Placement of meals

D. Displaying personal photos

An overbed table is a specially designed table that is placed over the bed, typically used in hospitals or nursing homes. It is primarily used for patients who are bedridden and need a stable surface for eating meals, as well as holding other items such as medication, water, or reading materials. Option A, storing valuables, is incorrect because the table is not designed for secure storage and may not have locks or compartments. Option B, holding medical equipment, is partially correct as the table can be used for small medical tools or supplies, but it is not the primary purpose. Option D, displaying personal photos, is incorrect as the table is not designed for decorative purposes. Therefore, option C, placement of meals, is the most accurate and specific purpose for an overbed table.

SAMPLE

10. Where should a nursing assistant stand when helping a visually-impaired resident walk?

A. Directly behind the resident

B. Directly beside the resident

C. Standing slightly in front of the resident

D. Standing directly in front of the resident

Standing slightly in front of the resident is the appropriate position for a nursing assistant assisting a visually-impaired person while walking. This positioning allows the assistant to guide the resident effectively while also giving them a sense of direction and safety. By being slightly in front, the assistant can provide cues about the environment, any obstacles, and when to turn, which is essential for the resident's orientation and security. Being directly beside the resident could lead to difficulty in guiding and offering the necessary support, as the resident may not have full awareness of where they are going. Standing directly behind the resident can create a sense of insecurity, as they may feel vulnerable and unable to anticipate changes in their path. Standing directly in front would not be effective either, as it could block the resident's view of their surroundings and create confusion. Thus, the optimal choice enhances the resident's independence while ensuring their safety.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://coloradocna.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE