# COMAT FAMILY MEDICINE PRACTICE TEST (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://comatfammedicine.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 16


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

**1. What defines functional incontinence?**

A. Inability to control urination during physical exercise

B. Awareness of the need to urinate but inability to reach the toilet in time

C. Frequent and strong urges to urinate with no control

D. Unpredictable dribbling of urine

**2. Which antibiotics can be used for treating mastitis?**

A. Amoxicillin/clavulanate and dicloxacillin

B. Ciprofloxacin and amoxicillin

C. Cephalexin and gentamicin

D. All of the above

**3. Which vaccine is recommended for older adults to prevent pneumonia?**

A. Influenza vaccine

B. Pneumococcal vaccine

C. Tetanus vaccine

D. Shingles vaccine

**4. Which type of blood pressure medication can precipitate gout?**

A. ACE inhibitors

B. Loop diuretics

C. Calcium channel blockers

D. Beta-blockers

**5. What is the main presentation of allergic conjunctivitis?**

A. Clear, watery discharge and foreign body sensation

B. Purulent discharge and redness

C. Dry eyes and irritation

D. Swelling of the eyelids and vision changes

**6. Which cardiovascular condition is characterized as a reversible syndrome due to lack of blood flow to the heart muscle?**

A. Myocardial infarction

B. Heart failure

C. Angina pectoris

D. Hypertension

SAMPLE

**7. What condition is characterized by pain that worsens with sitting and backward flexion?**

A. Herniated lumbar disc

B. Sciatica

C. Osteoarthritis

D. Radiculopathy

**8. What is the primary treatment for plantar fasciitis?**

A. Surgery

B. Calf stretching

C. Physical therapy

D. Medication only

**9. What is the primary concern in managing depression in a family medicine setting?**

A. To prescribe medication only

B. To distinguish it from other possible conditions

C. To provide only therapy

D. To refer to a psychiatrist exclusively

**10. What are the first-line drugs for managing diabetic retinopathy?**

A. SSRIs and SNRIs

B. Amantadine and Memantine

C. TCA (Amitriptyline) and anticonvulsants

D. Antihistamines and Corticosteroids

SAMPLE

# Answers

SAMPLE

1. B
2. A
3. B
4. B
5. A
6. C
7. A
8. B
9. B
10. C

SAMPLE

# Explanations

SAMPLE

## 1. What defines functional incontinence?

A. Inability to control urination during physical exercise

B. Awareness of the need to urinate but inability to reach the toilet in time

C. Frequent and strong urges to urinate with no control

D. Unpredictable dribbling of urine

*Functional incontinence is characterized by the awareness of the need to urinate but the inability to reach the toilet in time. This type of incontinence typically arises from physical, cognitive, or environmental limitations rather than from a problem with the urinary tract itself. For example, an elderly person with mobility issues might recognize the urge to urinate but be physically unable to get to the bathroom in time due to difficulty walking or navigating obstacles. The awareness of the need to urinate differentiates functional incontinence from other types, such as urge incontinence, where the individual may not have the ability to control the urine flow once the sensation of urgency arises, or overflow incontinence, where the bladder overfills and leaks without the person realizing it. In functional incontinence, the key issue is not the lack of awareness but rather the external challenges that prevent timely access to a toilet.*

## 2. Which antibiotics can be used for treating mastitis?

A. Amoxicillin/clavulanate and dicloxacillin

B. Ciprofloxacin and amoxicillin

C. Cephalexin and gentamicin

D. All of the above

*For the treatment of mastitis, the use of amoxicillin/clavulanate and dicloxacillin is appropriate because these antibiotics provide effective coverage against the common bacteria responsible for mastitis, most notably Staphylococcus aureus, including methicillin-sensitive strains. Amoxicillin/clavulanate combines a penicillin with a beta-lactamase inhibitor, enhancing its activity against resistant bacteria. Dicloxacillin, a penicillinase-resistant penicillin, is particularly effective against penicillin-resistant Staphylococcus species, making it a strong choice for this condition. While other combinations listed might have some merit under specific circumstances, they do not align as closely with the typical microbial pathogens involved in mastitis. For example, ciprofloxacin is not typically a first-line option for this condition, and cephalexin, although it can be effective, is less commonly preferred than the first option. Gentamicin, while useful in certain severe infections, is not a primary treatment for mastitis in most cases. Thus, amoxicillin/clavulanate and dicloxacillin are the standard choices for effectively addressing this condition.*

## 3. Which vaccine is recommended for older adults to prevent pneumonia?

A. Influenza vaccine

B. Pneumococcal vaccine

C. Tetanus vaccine

D. Shingles vaccine

*The pneumococcal vaccine is specifically recommended for older adults to prevent pneumonia caused by Streptococcus pneumoniae, which is a common and potentially serious cause of pneumonia in this age group. As individuals age, their immune systems may weaken, making them more susceptible to infections, including pneumonia. The pneumococcal vaccine helps to protect against these infections by stimulating the body's immune response to recognize and fight the bacteria that cause pneumonia. In contrast, the influenza vaccine is essential for preventing the flu and its complications, but it doesn't specifically target pneumonia caused by pneumococcal bacteria. The tetanus vaccine is important for preventing tetanus, which is not directly related to pneumonia. The shingles vaccine is intended to prevent herpes zoster, known for causing pain and a distinctive rash, rather than respiratory infections. Therefore, the pneumococcal vaccine is the most relevant and protective measure for older adults against pneumonia.*

SAMPLE

## 4. Which type of blood pressure medication can precipitate gout?

A. ACE inhibitors

B. Loop diuretics

C. Calcium channel blockers

D. Beta-blockers

*Loop diuretics are known to potentially precipitate gout due to their effects on uric acid levels in the body. Diuretics increase urine production, which can lead to dehydration and concentration of uric acid in the blood. The reduction in blood volume caused by diuretics can also trigger the kidneys to reabsorb more uric acid to maintain homeostasis, resulting in elevated levels of uric acid, a key player in the pathophysiology of gout. High levels of uric acid can lead to crystal formation in joints, causing the painful inflammation characteristic of gout attacks. Understanding this mechanism is crucial, especially for patients at risk for gout or those with a history of gout attacks, as the choice of antihypertensive medications should take into account their potential effects on uric acid metabolism.*

## 5. What is the main presentation of allergic conjunctivitis?

A. Clear, watery discharge and foreign body sensation

B. Purulent discharge and redness

C. Dry eyes and irritation

D. Swelling of the eyelids and vision changes

*The main presentation of allergic conjunctivitis typically includes clear, watery discharge and a sensation of a foreign body in the eye. This condition is characterized by an inflammatory response to allergens, such as pollen, pet dander, or dust mites, leading to symptoms that predominantly affect both eyes. Patients often report itchy, red eyes alongside these other symptoms. The clear, watery discharge is a result of the body's allergic response, which increases tear production as a way to flush out the allergen. Additionally, the foreign body sensation arises from irritation of the conjunctiva, which can feel uncomfortable or as if something is lodged in the eye. The other options describe symptoms associated with different ocular conditions. Purulent discharge indicates a bacterial infection, typically seen in bacterial conjunctivitis, while dry eyes and irritation can be linked to environmental causes or conditions such as Sjögren's syndrome. Swelling of the eyelids and changes in vision could suggest more severe issues, including infections or inflammatory conditions, but they are not typical features of allergic conjunctivitis.*

SAMPLE

## 6. Which cardiovascular condition is characterized as a reversible syndrome due to lack of blood flow to the heart muscle?

A. Myocardial infarction

B. Heart failure

C. Angina pectoris

D. Hypertension

*Angina pectoris is a condition characterized by chest pain or discomfort that occurs when the heart muscle does not receive enough oxygen-rich blood. This situation commonly arises due to coronary artery disease, which leads to narrowed arteries that limit blood flow, especially during times of increased demand such as physical activity or stress. The key aspect of angina that makes it reversible is that the insufficient blood flow does not cause permanent damage to the heart muscle, provided that the oxygen demand is met or blood flow is restored quickly. For instance, if a patient with angina reduces their activity level or takes medication to manage the condition, the symptoms may subside, and heart function can return to normal. Therefore, angina is considered a reversible syndrome resulting from transient ischemia. In contrast, myocardial infarction involves permanent damage to the heart muscle due to prolonged ischemia and is not reversible. Heart failure is a chronic condition that results from various cardiovascular diseases leading to the heart's inability to pump effectively, often resulting in permanent changes in heart structure and function. Hypertension is a condition involving elevated blood pressure, which can lead to various complications but does not directly relate to reversible ischemia as seen in angina. Hence, angina pectoris stands out as the*

## 7. What condition is characterized by pain that worsens with sitting and backward flexion?

A. Herniated lumbar disc

B. Sciatica

C. Osteoarthritis

D. Radiculopathy

*The condition characterized by pain that worsens with sitting and backward flexion is a herniated lumbar disc. This condition occurs when the intervertebral disc's nucleus pulposus protrudes through the annulus fibrosus, leading to compression or irritation of nearby spinal nerves. Sitting increases intradiscal pressure, which can exacerbate pain from a herniated disc. Additionally, backward flexion, or extension of the spine, may further aggravate the existing herniation by increasing pressure on the nerves and surrounding structures. Patients often report that such positions lead to worsening pain localized to the lower back and potentially down the legs if nerve root involvement occurs. Other conditions, while they might have overlapping symptoms, do not specifically manifest with pain worsening in these scenarios as distinctly as a herniated lumbar disc does. Sciatica typically refers to pain along the sciatic nerve path, which may be present in a herniated disc but is broader and can arise from various other issues. Osteoarthritis commonly presents with stiffness and localized pain but does not specifically correlate with worsening pain during sitting and backward flexion. Radiculopathy refers to symptoms that arise due to nerve root compression but does not directly imply the specific positioning-related aggravation seen in her*

SAMPLE

## 8. What is the primary treatment for plantar fasciitis?

A. Surgery

B. Calf stretching

C. Physical therapy

D. Medication only

*The primary treatment for plantar fasciitis is focused on conservative measures, with calf stretching being a fundamental component. Plantar fasciitis typically involves inflammation and irritation of the plantar fascia, the thick band of tissue running across the bottom of the foot. Tightness in the calf muscles can contribute to increased strain on the plantar fascia. Calf stretching helps improve flexibility and reduce tension in the muscles and fascia, alleviating pain and promoting healing in the affected area. This approach can be easily integrated into a daily routine and does not require advanced medical intervention. While medication can relieve pain and inflammation, and physical therapy can provide a structured approach to rehabilitation, these treatments are often adjuncts to stretching exercises rather than the main treatment. Surgery is generally reserved for severe cases that do not respond to conservative measures and is not considered a primary treatment option for most patients with plantar fasciitis. Thus, calf stretching is an essential, first-line treatment that addresses a key contributor to plantar fasciitis symptoms.*

## 9. What is the primary concern in managing depression in a family medicine setting?

A. To prescribe medication only

B. To distinguish it from other possible conditions

C. To provide only therapy

D. To refer to a psychiatrist exclusively

*In managing depression within a family medicine context, the primary concern is to accurately distinguish it from other possible conditions. This is crucial because many physical and mental health issues can present similarly to depression, such as thyroid disorders, chronic pain conditions, or anxiety disorders. Identifying the correct diagnosis is essential for effective treatment, as the management strategies may differ significantly. Family medicine practitioners are often the first point of contact for patients experiencing depressive symptoms. Therefore, they need to conduct a thorough assessment to rule out any underlying medical conditions that may be contributing to the patient's mood changes. This differential diagnosis is not only vital for appropriate intervention but also fosters a collaborative approach to care, allowing family physicians to engage in tailored treatment plans that may include lifestyle modifications, counseling, and, when appropriate, pharmacotherapy. While prescribing medication, providing therapy, or referring to specialists can all form parts of comprehensive care for depression, these actions are secondary to establishing a clear and accurate diagnosis. Thus, distinguishing depression from other conditions remains the foundational step in effective management within a family medicine practice.*

SAMPLE

## 10. What are the first-line drugs for managing diabetic retinopathy?

A. SSRIs and SNRIs

B. Amantadine and Memantine

C. TCA (Amitriptyline) and anticonvulsants

D. Antihistamines and Corticosteroids

*The management of diabetic retinopathy primarily involves controlling the underlying condition—diabetes itself—rather than directly using specific classes of medications as first-line treatments. However, among the incorrect choices, none of the listed options effectively address the typical pharmacologic strategies employed for this ocular complication. While option C suggests that tricyclic antidepressants (such as amitriptyline) and anticonvulsants are involved, they are not standard treatments specifically for diabetic retinopathy. Instead, the first-line approach to managing diabetic retinopathy usually includes strict glycemic control and the use of medications such as anti-VEGF (vascular endothelial growth factor) agents for more advanced cases or retinal laser photocoagulation for proliferative disease, neither of which are captured in the presented choices. If considering pharmacologic treatment in a broader context, it's essential to focus on managing blood glucose levels, hypertension, and hyperlipidemia, which are key in slowing the progression of diabetic retinopathy. Therefore, it is important to recognize that while option C appears to suggest a treatment, it does not align with the evidence-based first-line management strategies commonly applied in clinical practice for diabetic retinopathy.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://comatfammedicine.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE