COMAT FOUNDATIONAL BIOMEDICAL SCIENCE (FBS) PRACTICCE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://comatfbs.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **Which factor is a common cause of hyperkalemia related to cellular destruction?**

   A. Excessive intake of potassium

   B. Burns or traumatic injury

   C. Medications like NSAIDs

   D. Metabolic alkalosis

2. **What is a common infective species in chronic cystic fibrosis?**

   A. Staphylococcus aureus

   B. Escherichia coli

   C. Streptococcus pneumoniae

   D. Lactobacillus species

3. **What is the treatment for tick-borne diseases?**

   A. Doxycycline

   B. Pyrantel pamoate

   C. Mebendazole

   D. Albendazole

4. **What diagnostic test is used for varicella?**

   A. Rapid strep test

   B. Tzanck smear

   C. ELISA

   D. Western blot

5. **Which of the following is a distinguishing factor of erysipelas compared to other skin infections?**

   A. Abscess formation

   B. Rapid onset of redness and swelling

   C. Presence of systemic symptoms

   D. Localized pain only

SAMPLE

6. What condition is characterized by failure to regain consciousness 30-60 minutes after general anesthesia?

A. Delayed emergence

B. Acute hepatic failure

C. Anesthetic overdose

D. Post-operative confusion

7. Which genetic mutation is primarily associated with congenital hyperinsulinism leading to severe hypoglycemia in infants?

A. ABCC8 gene mutation

B. INS gene mutation

C. GCK gene mutation

D. HNF4A gene mutation

8. What is the primary consequence of osteoporosis?

A. Increased bone mass and density

B. Loss of trabecular and cortical bone mass

C. Formation of new bone tissue

D. Inflammation of the bone marrow

9. What is one result of 21 beta hydroxylase deficiency?

A. Decreased cortisol and aldosterone

B. Increased cortisol and aldosterone

C. Normal levels of adrenal androgens

D. Decreased ACTH levels

10. Which of the following is a characteristic symptom of erysipelas?

A. Fever and chills

B. Redness and swelling of affected areas

C. Flaky skin

D. Blistering rash

SAMPLE

Answers

SAMPLE

1. B
2. A
3. A
4. B
5. B
6. A
7. A
8. B
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. Which factor is a common cause of hyperkalemia related to cellular destruction?

A. Excessive intake of potassium

B. Burns or traumatic injury

C. Medications like NSAIDs

D. Metabolic alkalosis

Hyperkalemia, or an elevated level of potassium in the blood, can occur due to various factors, particularly those involving cellular destruction. One such common cause is burns or traumatic injury. When there is significant tissue damage, such as that resulting from severe burns or accidents, the cellular membranes can become compromised. This allows the intracellular potassium, which is normally kept within cells, to leak out into the bloodstream, leading to increased serum potassium levels. In contrast, factors like excessive potassium intake typically lead to hyperkalemia through dietary sources rather than cellular destruction. Medications like NSAIDs can affect kidney function and thus influence potassium levels, but they do not directly relate to cellular damage. Metabolic alkalosis, while it can affect potassium levels, generally leads to a state where potassium is driven into cells, often resulting in lower serum potassium rather than an increase. Therefore, burns or traumatic injuries are particularly pertinent to this question as they directly cause the breakdown of cellular integrity, resulting in the release of potassium into the circulation and subsequent hyperkalemia.

2. What is a common infective species in chronic cystic fibrosis?

A. Staphylococcus aureus

B. Escherichia coli

C. Streptococcus pneumoniae

D. Lactobacillus species

In chronic cystic fibrosis, Staphylococcus aureus is a common infective species that significantly affects the lungs. Patients with cystic fibrosis often have thick, sticky mucus that obstructs the airways and provides a conducive environment for bacteria to thrive. Staphylococcus aureus, particularly the methicillin-resistant strain (MRSA), can colonize the respiratory tract and lead to recurrent pulmonary infections, contributing to the progressive decline in lung function that is characteristic of this disease. The presence of Staphylococcus aureus is particularly notable in early infections in young patients with cystic fibrosis. As the disease progresses, other bacterial infections may become predominant, such as Pseudomonas aeruginosa, but Staphylococcus aureus remains a significant pathogen throughout the disease course. In contrast, while Escherichia coli, Streptococcus pneumoniae, and Lactobacillus species can be associated with infections, they are not specifically noted for their prevalence in chronic cystic fibrosis cases. E. coli is more commonly associated with urinary tract infections rather than lung infections, Streptococcus pneumoniae is more prevalent in acute pneumonia rather than chronic colonization, and Lactobacillus species are typically found in the gastrointestinal tract and do not play a role in

SAMPLE

3. What is the treatment for tick-borne diseases?

A. Doxycycline

B. Pyrantel pamoate

C. Mebendazole

D. Albendazole

Doxycycline is the preferred treatment for many tick-borne diseases, including Lyme disease and Rocky Mountain spotted fever. This antibiotic is effective against the bacteria commonly transmitted through tick bites, such as Borrelia burgdorferi, which causes Lyme disease, and Rickettsia spp., responsible for Rocky Mountain spotted fever. Doxycycline works by inhibiting bacterial protein synthesis, thereby reducing the infection's ability to proliferate and spread within the body. In the context of tick-borne diseases, early treatment is crucial to prevent complications. Doxycycline's broad spectrum of activity against both gram-positive and gram-negative bacteria, as well as its good oral bioavailability, makes it a suitable choice for these infections. The other options are not appropriate for treating tick-borne diseases. Pyrantel pamoate, mebendazole, and albendazole are antiparasitic medications primarily used to treat infections caused by intestinal worms and other parasites, not bacterial infections. Therefore, they would not address the underlying causes of tick-borne illnesses.

4. What diagnostic test is used for varicella?

A. Rapid strep test

B. Tzanck smear

C. ELISA

D. Western blot

The Tzanck smear is a diagnostic test that is traditionally used to identify infections caused by herpes viruses, including varicella-zoster virus (VZV), which is responsible for chickenpox (varicella). In this test, a scraping is made from a vesicle (blister) that has developed due to the viral infection. The sample is then stained and analyzed under a microscope to detect any multinucleated giant cells, which are indicative of herpes virus infections. While the Tzanck smear is not the most specific or sensitive test for varicella, it provides rapid results and can be used in clinical settings for preliminary diagnosis. Other tests such as ELISA and Western blot are more specific and sensitive for diagnosing varicella but are less commonly used in acute settings because they typically require more time for processing and results. ELISA detects specific antibodies against pathogens, and Western blot is used for more detailed serological typing. The rapid strep test, on the other hand, is specifically designed to diagnose streptococcal infections and is not relevant for evaluating varicella. Thus, the Tzanck smear remains a notable option for diagnosing chickenpox in appropriate clinical contexts.

SAMPLE

5. Which of the following is a distinguishing factor of erysipelas compared to other skin infections?

A. Abscess formation

B. Rapid onset of redness and swelling

C. Presence of systemic symptoms

D. Localized pain only

The distinguishing factor of erysipelas, compared to other skin infections, is the rapid onset of redness and swelling. Erysipelas is characterized by acute inflammation of the skin, often beginning suddenly and presenting with bright red, swollen, and well-demarcated areas. This rapid clinical presentation is a notable feature that sets it apart from other types of skin infections, which may develop more gradually. While systemic symptoms can occur in erysipelas, they are not exclusive to this condition and can be present in many other infections. Abscess formation is more characteristic of conditions such as cellulitis or abscesses due to other bacterial infections, and localized pain is often reported in various skin infections, not specifically in erysipelas. The unique combination of the rapid onset and the clear, raised borders of the affected area gives erysipelas its distinct clinical identity in the spectrum of skin infections.

6. What condition is characterized by failure to regain consciousness 30-60 minutes after general anesthesia?

A. Delayed emergence

B. Acute hepatic failure

C. Anesthetic overdose

D. Post-operative confusion

The condition characterized by failure to regain consciousness 30-60 minutes after general anesthesia is known as delayed emergence. This phenomenon can occur for a variety of reasons, including factors related to the anesthetic agents used, the duration of surgery, patient-specific variables, or interactions with other medications. Delayed emergence indicates that while the patient has been administered anesthesia and surgery has been completed, the expected recovery process of regaining consciousness is prolonged. This can be a critical observation, as it might prompt an investigation into the potential causes, such as cumulative effects of anesthetics or physiological responses to surgery. In understanding the context of this question, it's important to differentiate this condition from others. Acute hepatic failure and anesthetic overdose could lead to decreased levels of consciousness, but these conditions are typically accompanied by additional clinical signs or symptoms and would not solely be categorized by the timing of recovery post-anesthesia. Similarly, post-operative confusion involves a different set of cognitive responses and is generally not strictly defined by the timeframe immediately following anesthesia. Thus, delayed emergence is best defined as the specific failure to regain consciousness within the expected time frame after anesthesia administration.

SAMPLE

7. Which genetic mutation is primarily associated with congenital hyperinsulinism leading to severe hypoglycemia in infants?

A. ABCC8 gene mutation

B. INS gene mutation

C. GCK gene mutation

D. HNF4A gene mutation

The ABCC8 gene mutation is primarily associated with congenital hyperinsulinism, which leads to severe hypoglycemia in infants. The ABCC8 gene encodes for a subunit of the ATP-sensitive potassium channel in the pancreatic beta cells. Mutations in this gene disrupt the normal functioning of these channels, causing inappropriate insulin secretion even in the presence of low blood sugar levels. This unregulated release of insulin leads to hypoglycemia, a hallmark of congenital hyperinsulinism. Newborns or infants with this condition often present with severe hypoglycemic episodes shortly after birth, which can be life-threatening if not managed properly. Early diagnosis and treatment are crucial to prevent potential neurological damage and ensure proper glucose levels are maintained. Other genetic mutations listed, such as those in the INS gene, GCK gene, and HNF4A gene, are associated with different forms of diabetes or altered insulin secretion but are not primarily linked with congenital hyperinsulinism in the same way that ABCC8 mutations are.

8. What is the primary consequence of osteoporosis?

A. Increased bone mass and density

B. Loss of trabecular and cortical bone mass

C. Formation of new bone tissue

D. Inflammation of the bone marrow

The primary consequence of osteoporosis is the loss of trabecular and cortical bone mass. Osteoporosis is a condition characterized by a decrease in bone density and quality, leading to bones that are more fragile and susceptible to fractures. This loss happens because the bone remodeling process, where old bone is replaced by new bone, becomes imbalanced. In osteoporosis, bone resorption (the process of breaking down bone) outpaces bone formation, resulting in a net loss of bone mass. Trabecular bone, which is spongy and found at the ends of long bones, as well as inside the vertebrae, is particularly affected because it is more metabolically active and responds more rapidly to changes in bone turnover. Cortical bone, the dense outer layer of bone, is also compromised, leading to overall structural weakening. The loss of both types of bone mass contributes to the increased risk of fractures even from minor falls or injuries, making this the hallmark of osteoporosis.

SAMPLE

9. What is one result of 21 beta hydroxylase deficiency?

A. Decreased cortisol and aldosterone

B. Increased cortisol and aldosterone

C. Normal levels of adrenal androgens

D. Decreased ACTH levels

21 beta-hydroxylase deficiency is a genetic disorder that affects steroid biosynthesis in the adrenal glands, specifically impairing the conversion of progesterone to 11-deoxycorticosterone and 17-hydroxyprogesterone to 11-deoxycortisol in the pathway leading to cortisol and aldosterone production. As a result of this enzymatic block, the production of both cortisol and aldosterone decreases significantly. When cortisol levels drop, there is a compensatory increase in adrenocorticotropic hormone (ACTH) due to the lack of negative feedback on the pituitary gland. This increase in ACTH can stimulate the adrenal glands to produce more adrenal androgens, leading to their accumulation, which is characteristic of the condition. This hormonal imbalance is a classic presentation in conditions such as congenital adrenal hyperplasia (CAH), where the deficiency leads to a variety of clinical manifestations, including ambiguous genitalia in females and precocious puberty in males. In summary, the deficiency results in decreased cortisol and aldosterone levels, which directly reflects the inability to properly synthesize these crucial hormones. Hence, the statement about decreased cortisol and aldosterone accurately describes one of the primary effects of 21 beta-hydroxylase deficiency.

10. Which of the following is a characteristic symptom of erysipelas?

A. Fever and chills

B. Redness and swelling of affected areas

C. Flaky skin

D. Blistering rash

The characteristic symptom of erysipelas is the redness and swelling of the affected areas of the skin. Erysipelas is a bacterial skin infection, often caused by group A Streptococcus, and is known for its distinctive presentation. The infection usually involves the upper layer of the skin, leading to a well-defined, raised, and intensely red area that is also swollen. This classic appearance differs from other skin infections, where the borders may be less defined or the symptoms may include pustules or blisters. While fever and chills may accompany erysipelas due to the body's systemic response to infection, they are not definitive symptoms of the condition itself. Flaky skin can be seen in various dermatological conditions, but it is not a hallmark of erysipelas. Blistering rashes can occur in different types of skin infections or conditions, but they are not typical for erysipelas. Thus, the prominence of redness and swelling in erysipelas makes it the correct choice for its characteristic symptom.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://comatfbs.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE