COMMERCIAL COMPREHENSIVE 2 PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://commercialcomp2.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What is a sale-leaseback and what strategic benefits can it offer a seller?

A. Seller sells the property to an investor and leases back; frees capital while maintaining occupancy

B. Seller leases space from investor and then buys it back at a premium

C. A sale-leaseback in which the lessee buys the property

D. A sale-leaseback is used to accelerate depreciation

2. What is one of the main benefits of using circuit breakers over fuses?

A. Better cost efficiency

B. Easier reset capability

C. More compact design

D. Wider voltage capacity

3. When placing low-voltage and high-voltage cables in parallel runs, what is the minimum separation required?

A. 3 inches

B. 6 inches

C. 12 inches

D. 1 foot

4. Which component is crucial for ensuring safety in high-voltage systems by interrupting current flow?

A. A fuse

B. A transformer

C. A relay

D. A circuit breaker

5. Which of the following is NOT a market analysis driver for commercial real estate?

A. Elevator height

B. Demographics

C. Employment growth

D. Interest rates

SAMPLE

6. Which organizations are responsible for testing and listing circuit breakers?

A. IEC and ANSI

B. CSA and UL

C. Nominal and IEE

D. NEMA and ISO

7. What is the voltage drop for a 120V, single-phase, two-wire branch circuit, 100' long, using copper conductors of 6,530 circular mils with a noncontinuous load of 13A?

A. 4.20V

B. 5.14V

C. 6.75V

D. 3.50V

8. Gross potential income is best described as what?

A. The actual collected rent after concessions.

B. Income after vacancy.

C. Total operating expenses.

D. The total potential rent if all space is leased at market rents.

9. What is the maximum size dual-element fuse for a 40hp, 3Ø, 460V motor with a Design Letter D?

A. 80A

B. 90A

C. 100A

D. 110A

10. A short circuit is a conducting connection between _____.

A. Any of the conductors of an electrical system

B. The power supply and ground

C. Two dissimilar metals

D. Electrical switch and load

SAMPLE

Answers

SAMPLE

1. A
2. B
3. B
4. D
5. A
6. B
7. B
8. D
9. C
10. A

SAMPLE

Explanations

SAMPLE

1. What is a sale-leaseback and what strategic benefits can it offer a seller?

A. Seller sells the property to an investor and leases back; frees capital while maintaining occupancy

B. Seller leases space from investor and then buys it back at a premium

C. A sale-leaseback in which the lessee buys the property

D. A sale-leaseback is used to accelerate depreciation

Sale-leaseback means the owner sells the property to an investor and immediately signs a long-term lease to continue using the space. The business thus converts a real estate asset into cash while keeping the same location and operations. This setup frees capital that was tied up in the owned property, which the seller can redeploy for growth, debt reduction, or other investments. It also improves liquidity and financial flexibility, since the real estate is no longer a major owned asset on the balance sheet and the business gains predictable occupancy costs through the lease. The organization can maintain occupancy at the same site, preserving operations, customer relationships, and day-to-day continuity. Depending on the lease terms, some property responsibilities may shift to the landlord, and lease payments are typically deductible as operating expenses, though the seller loses depreciation on the property because they no longer own it.

2. What is one of the main benefits of using circuit breakers over fuses?

A. Better cost efficiency

B. Easier reset capability

C. More compact design

D. Wider voltage capacity

One of the main benefits of using circuit breakers over fuses is the easier reset capability. Unlike fuses, which must be replaced after they blow, circuit breakers can simply be reset to restore the flow of electricity after a fault has been cleared. This convenience allows for minimal downtime since you do not need to physically replace a blown fuse; you can just switch the circuit breaker back to its operational state. This feature is particularly advantageous in environments where electrical safety and quick restoration of power are important, saving both time and resources in maintenance. While other options may present certain advantages in different contexts—such as cost or design—none offer the operational ease and efficiency of simply flipping a switch to reset the circuit breaker.

3. When placing low-voltage and high-voltage cables in parallel runs, what is the minimum separation required?

A. 3 inches

B. 6 inches

C. 12 inches

D. 1 foot

The minimum separation of 6 inches between low-voltage and high-voltage cables in parallel runs is critical to ensure safety and reduce the potential for interference or electrical hazards. This distance helps to minimize the risk of electromagnetic interference (EMI) affecting the low-voltage circuits, which could lead to malfunctions or reduced performance. Additionally, maintaining this separation helps to mitigate the risk of electrical faults transferring from high-voltage lines to low-voltage lines, protecting both the integrity of the systems and ensuring the safety of personnel working with or around these installations. The specifications for cable separation are often dictated by electrical codes and standards, which emphasize the importance of proper spacing to promote safety and reliability in electrical installations. Adhering to the minimum separation guidelines helps to ensure compliance with these regulations, further underscoring the necessity of maintaining a 6-inch distance between different voltage level cables.

SAMPLE

4. Which component is crucial for ensuring safety in high-voltage systems by interrupting current flow?

A. A fuse

B. A transformer

C. A relay

D. A circuit breaker

The correct choice is a circuit breaker, as it plays a vital role in ensuring the safety of high-voltage systems by automatically interrupting the flow of current when it detects an overload or fault condition. Circuit breakers are designed to protect electrical circuits from damage caused by excess current, minimizing the risk of electrical fires or equipment failures. They can be reset manually or automatically, allowing for the restoration of service without the need for replacement, unlike fuses which need to be replaced after being used. In high-voltage applications, the ability to quickly and reliably interrupt current is essential for protecting both human life and equipment. Circuit breakers can operate in milliseconds to isolate the affected circuit, thus maintaining system stability. Their ability to handle repeated interruptions without loss of performance makes them particularly critical in environments where safety and reliability are paramount. While fuses also provide overcurrent protection by melting a conductive element to stop the flow of electricity, they do not allow for reset and reuse once they have operated. Transformers change voltage levels but don't play a role in interrupting current flow for safety. Relays can control the operation of circuits, but they typically work in conjunction with circuit breakers rather than performing the specific function of interrupting current flow for safety.

5. Which of the following is NOT a market analysis driver for commercial real estate?

A. Elevator height

B. Demographics

C. Employment growth

D. Interest rates

Market analysis drivers are external forces that shape demand and supply for space across markets. Demographics, employment growth, and interest rates all reflect wider economic and population trends that influence how much space is needed, where, and at what price. Elevator height, on the other hand, is a building-level design feature that affects usability and efficiency of a specific property but does not indicate broader market demand or economic conditions. It may influence a building's attractiveness or operating cost, yet it doesn't drive market dynamics like population growth, job creation, or financing conditions do.

SAMPLE

6. Which organizations are responsible for testing and listing circuit breakers?

A. IEC and ANSI

B. CSA and UL

C. Nominal and IEE

D. NEMA and ISO

The correct answer emphasizes the organizations CSA (Canadian Standards Association) and UL (Underwriters Laboratories), both of which specialize in testing and certifying electrical devices, including circuit breakers. These organizations evaluate products to ensure they meet safety standards, performance requirements, and regulatory compliance. CSA is pivotal in Canada for establishing safety standards and conducting testing for various electrical products, while UL has a well-established reputation in the United States and around the world for certifying products to ensure they are safe to use. Their rigorous testing processes provide manufacturers and consumers with confidence that circuit breakers will function reliably and safely in various applications. Other options mention organizations that either do not focus specifically on electrical safety standards or do not exist in this context. For example, IEC and ANSI are involved in international electrotechnical standards, but CSA and UL are specifically focused on testing and certification. Similarly, Nominal, IEE, NEMA, and ISO may be involved in other areas or broader standardization efforts but are not primarily responsible for the testing and listing of circuit breakers in the same direct manner as CSA and UL.

7. What is the voltage drop for a 120V, single-phase, two-wire branch circuit, 100' long, using copper conductors of 6,530 circular mils with a noncontinuous load of 13A?

A. 4.20V

B. 5.14V

C. 6.75V

D. 3.50V

*To calculate the voltage drop for a single-phase circuit, we use the formula: $$\text{Voltage Drop (V)} = \frac{2 \times \text{Length (ft)} \times \text{Current (A)} \times \text{Resistivity (Ohm-cmil/ft)}}{\text{Circular Mils}}$$ In this scenario, the branch circuit is 100 feet long with a current of 13A and conductors measuring 6,530 circular mils. The resistivity of copper is approximately 10.4 Ohm-cmil/ft. Let's break down the calculation. 1. **Determine the total length for single-phase**: Since it's a two-wire system, you multiply the one-way length by 2. Thus, 100 ft becomes 200 ft. 2. **Plug the values into the formula**: $$\text{Voltage Drop} = \frac{2 \times 100 \, \text{ft} \times 13 \, \text{A} \times 10.4 \, \text{Ohm-cmil/ft}}{6530 \, \text{cmil}}$$ 3. **Calculate it*

SAMPLE

8. Gross potential income is best described as what?

A. The actual collected rent after concessions.

B. Income after vacancy.

C. Total operating expenses.

D. The total potential rent if all space is leased at market rents.

Potential gross income represents the maximum amount of rent the property could generate if every rentable space were occupied and rented at current market rates. It ignores vacancies, concessions, and bad debts, focusing on the ideal scenario where all space is leased at market rents. This is why it's described as the total potential rent if all space is leased at market rents—it reflects the upper bound of income from rent alone, before vacancy losses or incentives are considered. It differs from actual rent collected (which would be lower due to vacancies and concessions) and from operating expenses (which are costs, not income). For example, if a building has space that could rent at $20 per square foot and is 100,000 square feet, the gross potential income would be $2,000,000, assuming full occupancy at market rent.

9. What is the maximum size dual-element fuse for a 40hp, 3Ø, 460V motor with a Design Letter D?

A. 80A

B. 90A

C. 100A

D. 110A

To determine the maximum size dual-element fuse for a 40-horsepower (hp), three-phase (3Ø), 460V motor with a Design Letter D, it is necessary to first calculate the full-load current (FLC) of the motor. The full-load current for three-phase motors can be calculated using the formula: FLC = (Horsepower × 746) / (Voltage × √3 × Efficiency × Power Factor) For a 40hp motor at 460V, if we assume typical efficiency and power factor values, the FLC comes out to around 50-54 amps. However, for the purposes of selecting fuses, the National Electrical Code (NEC) provides guidelines for the maximum fuse size based on the motor's Design Letter. A Design Letter D indicates that the motor has a high starting current, and the NEC suggests using a fuse rating of 250% of the full-load current. Therefore, if we accept an FLC of about 50 amps, we would multiply this by 2.5 (which corresponds to 250%): 50A x 2.5 = 125A. However, dual-element fuses are designed to protect against both overloads

10. A short circuit is a conducting connection between _____.

A. Any of the conductors of an electrical system

B. The power supply and ground

C. Two dissimilar metals

D. Electrical switch and load

A short circuit occurs when there is an unintended path created between conductors of an electrical system that allows current to flow freely without passing through the intended load. This can lead to an overwhelming surge of current that can potentially cause overheating, damage, or even fires. By defining a short circuit as a conducting connection between any of the conductors, it encompasses situations where two live wires could contact each other directly, or where a live wire touches a neutral wire, allowing current to bypass the intended circuit. This broad definition captures the essence of what constitutes a short circuit in various electrical configurations. The options related to specific components, such as just the power supply and ground, or a connection involving dissimilar metals or an electrical switch and load, do not capture the broader range of conditions that can lead to a short circuit. Those scenarios may define specific types of connections but do not encompass the generality needed to accurately characterize all possible short circuit conditions.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://commercialcomp2.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE