COMMERCIAL FOOD EQUIPMENT SERVICE ASSOCIATION (CFESA) REFRIGERATION CERTIFICATION PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://cfesarefrigeration.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. In a potential relay, how is the coil typically wired?

A. Across the start and run terminals

B. Across the common and run terminals

C. Across the common and start terminals

D. Across the load and common terminals

2. When converting a system from R502 to R404A, what can you do with the TEV?

A. You must replace it with a new one

B. You must change the refrigerant line size

C. You can use the same R502 TEV

D. You need to modify the TEV

3. What is superheat in the context of refrigeration?

A. The temperature of the refrigerant before evaporation

B. The temperature rise of vapor refrigerant after evaporation

C. The pressure increase during compression

D. The cooling effectiveness of the evaporator

4. What usually causes partial or complete clogging in capillary tubes?

A. Poor preventive maintenance resulting in excessive head pressure

B. Contamination of the refrigerant

C. Overuse of refrigerant

D. Improper tube sizing

5. What type of oil is recommended for use with refrigerant R404A?

A. Mineral oil

B. Polyolester

C. Castor oil

D. Pag oil

SAMPLE

6. What is the best course of action when there are concerns with refrigerant levels in a compressor with low oil?

A. Recharge the system with oil

B. Inspect the entire system

C. Replace the compressor

D. Simple top-off of refrigerant

7. What is the benefit of using leak detectors in refrigeration maintenance?

A. They ensure the correct refrigerant type is used

B. They help to identify and locate refrigerant leaks

C. They reduce energy consumption

D. They simplify troubleshooting of electrical issues

8. What determines the size of the metering device needed for a refrigeration system?

A. the size of the evaporator

B. the capacity of the compressor in Btu at the evaporator operating temperature

C. the ambient temperature of the installation site

D. the type of refrigerant used

9. Which phrase best describes the proper use for a refrigerated box using a cap tube system?

A. Display fridge

B. Storage freezer

C. Blast chiller

D. Cold room

10. What effect does temperature have on the performance of refrigeration systems during evacuation?

A. Cold temperatures enhance evacuation speed

B. Hot temperatures cause increased vapor pressure

C. High temperatures improve condenser efficiency

D. Low temperatures prevent system aesthetics

SAMPLE

Answers

SAMPLE

1. C
2. C
3. B
4. A
5. B
6. B
7. B
8. B
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. In a potential relay, how is the coil typically wired?

A. Across the start and run terminals

B. Across the common and run terminals

C. Across the common and start terminals

D. Across the load and common terminals

In a potential relay, the coil is typically wired across the common and start terminals. This configuration is crucial for the operation of the relay because it allows the relay to sense the voltage generated by the motor's starting winding when power is applied. When the compressor motor starts, the difference in potential between the common and start windings creates a voltage across the relay coil. This voltage is what activates the relay, allowing it to connect the run winding to the power supply after the motor reaches a certain speed. Once the motor is running efficiently, the relay opens the circuit to the start winding, which is essential for protecting the motor from overheating due to prolonged engagement of the start winding. Understanding this wiring configuration is vital for technicians working with refrigeration systems and ensures that they can diagnose and troubleshoot issues related to motor starting systems.

2. When converting a system from R502 to R404A, what can you do with the TEV?

A. You must replace it with a new one

B. You must change the refrigerant line size

C. You can use the same R502 TEV

D. You need to modify the TEV

When converting a refrigeration system from R502 to R404A, it is generally acceptable to use the same thermal expansion valve (TEV) that was previously utilized for R502. The key reason for this is that the operating characteristics of R404A are similar to those of R502, which means that the TEV can typically manage the flow of the new refrigerant effectively. Both refrigerants operate within similar pressure ranges and thermodynamic properties, which allows the existing TEV to function without requiring immediate replacement or modification. However, it is essential to check compatibility, as some older TEVs may not function optimally with R404A due to differences in pressure drop and other operational characteristics associated with new refrigerants. While it is possible to reuse the TEV, maintenance of the system and performance evaluations post-implementation are critical to ensure that the system operates efficiently with the new refrigerant. Additionally, technicians often suggest assessing the condition of the TEV and ensuring it meets the desired specifications for the new refrigerant prior to reuse.

SAMPLE

3. What is superheat in the context of refrigeration?

A. The temperature of the refrigerant before evaporation

B. The temperature rise of vapor refrigerant after evaporation

C. The pressure increase during compression

D. The cooling effectiveness of the evaporator

Superheat refers to the increase in temperature of refrigerant vapor beyond its boiling point after it has completely evaporated. Essentially, it is the temperature rise of the refrigerant vapor after the evaporation process is complete. In a refrigeration system, superheating is crucial because it ensures that the refrigerant entering the compressor is in a gaseous state, which prevents liquid from damaging the compressor components. Proper superheat levels are necessary to optimize the efficiency and performance of the refrigeration system, as they contribute to effective heat absorption in the evaporator and prevent the compressor from overheating due to liquid slugging. Other potential answers reference aspects that do not define superheat. The temperature of the refrigerant before evaporation describes conditions prior to the refrigerant changing state, which is not related to superheat. The pressure increase during compression is a separate aspect of the refrigeration cycle, related more to the compressor's function rather than superheat. Lastly, the cooling effectiveness of the evaporator pertains to how well the evaporator is transferring heat, which is influenced by, but not synonymous with, superheat itself. Understanding superheat is crucial for diagnosing and maintaining efficient refrigeration systems.

4. What usually causes partial or complete clogging in capillary tubes?

A. Poor preventive maintenance resulting in excessive head pressure

B. Contamination of the refrigerant

C. Overuse of refrigerant

D. Improper tube sizing

The correct answer is poor preventive maintenance resulting in excessive head pressure. In refrigeration systems, capillary tubes play a critical role in regulating the flow of refrigerant. When preventive maintenance is neglected, systems can experience excessive head pressure due to factors like refrigerant leaks, overcharging, or insufficient airflow. This excessive pressure can lead to a buildup of contaminants or debris within the capillary tube, resulting in partial or complete clogging. Effective preventive maintenance practices help to ensure that the system operates within the appropriate parameters, addressing potential issues before they lead to more significant problems, such as clogging in the capillary tubes. Thus, maintaining proper conditions and regularly checking system components can prevent excessive pressure buildup, which is a primary contributor to clogs.

SAMPLE

5. What type of oil is recommended for use with refrigerant R404A?

A. Mineral oil

B. Polyolester

C. Castor oil

D. Pag oil

Polyolester oil is the recommended type of lubricant for use with refrigerant R404A due to its chemical compatibility and performance characteristics. R404A is a blend of hydrofluorocarbon (HFC) refrigerants, and it requires a lubricant that can maintain stability under the operating conditions typical for these types of systems. Polyolester oils have several advantages when used with HFC refrigerants. They provide good lubrication properties, have a high thermal stability, and are hygroscopic, which means they can absorb moisture, aiding in the prevention of corrosion in the system. Moreover, their compatibility with mineral oils is limited, which is a critical aspect to consider, since HFC refrigerants can degrade mineral oils, leading to inefficient system operation and potential damage over time. In contrast, while PAG oil is suitable for some synthetic refrigerants, it is not specifically recommended for R404A. Mineral oil is incompatible with many of the modern refrigerants and could lead to performance issues. Castor oil is generally not used in refrigeration systems as it has undesirable characteristics for such applications. Thus, polyolester oil stands out as the most effective and suitable choice for ensuring optimal operation and longevity of systems using R404A refrigerant.

6. What is the best course of action when there are concerns with refrigerant levels in a compressor with low oil?

A. Recharge the system with oil

B. Inspect the entire system

C. Replace the compressor

D. Simple top-off of refrigerant

Inspecting the entire system is the most comprehensive and effective approach when there are concerns about refrigerant levels and low oil in a compressor. This method allows for a thorough assessment of the refrigeration system to identify any underlying issues that could be causing the refrigerant loss or low oil levels. When refrigerant levels are low, it is critical to determine if there is a leak, as simply recharging the system or performing a top-off may temporarily address the symptom but will not fix the root cause. Low oil levels can also indicate potential issues such as improper oil return, which can lead to damage if not investigated thoroughly. By inspecting the entire system, you can evaluate components like the evaporator and condenser, check for leaks in the piping, and ensure that the compressor itself is functioning properly. This proactive approach helps prevent more significant problems down the line and ensures the longevity of the refrigeration system.

SAMPLE

7. What is the benefit of using leak detectors in refrigeration maintenance?

A. They ensure the correct refrigerant type is used

B. They help to identify and locate refrigerant leaks

C. They reduce energy consumption

D. They simplify troubleshooting of electrical issues

Using leak detectors during refrigeration maintenance is vital because they specifically help identify and locate refrigerant leaks, which can significantly impact the efficiency and performance of refrigeration systems. Refrigerant leaks not only lead to diminished cooling capacity but also pose environmental hazards and can increase operational costs due to the need for more frequent cycling of the system. Leak detectors are designed to sense the presence of refrigerants in the air and pinpoint their location, allowing technicians to address these issues promptly. This proactive approach not only maintains the integrity of the refrigeration system but also supports compliance with environmental regulations aimed at preventing refrigerant emissions that can deplete the ozone layer and contribute to global warming. In contrast, factors such as ensuring the correct refrigerant type, reducing energy consumption, or simplifying troubleshooting of electrical issues pertain to different areas of refrigeration maintenance and operation that do not specifically involve the critical function of leak detection. Thus, the primary benefit of using leak detectors lies in their ability to identify and locate leaks, which is essential for maintaining a reliable and efficient refrigeration system.

8. What determines the size of the metering device needed for a refrigeration system?

A. the size of the evaporator

B. the capacity of the compressor in Btu at the evaporator operating temperature

C. the ambient temperature of the installation site

D. the type of refrigerant used

The size of the metering device in a refrigeration system is primarily determined by the capacity of the compressor expressed in Btu at the evaporator operating temperature. The metering device is responsible for controlling the flow of refrigerant into the evaporator, and its size must correspond to the amount of refrigerant that needs to be supplied in order to match the compressor's capacity efficiently. When the compressor's capacity is known, the metering device can be selected to ensure that it can accommodate the volume of refrigerant required by the evaporator based on the system's operating conditions. Proper sizing is crucial because an undersized metering device can restrict refrigerant flow, leading to inadequate cooling, while an oversized device could cause flooding of the evaporator, resulting in inefficiency and potential system damage. Other factors, such as the size of the evaporator, the ambient temperature of the installation site, and the type of refrigerant, do influence the overall performance of the refrigeration system, but they do not directly determine the metering device's size. The primary function of the metering device is to regulate refrigerant flow based on the system's compressor capacity. Thus, option B is the most relevant criterion for sizing the metering device accurately.

SAMPLE

9. Which phrase best describes the proper use for a refrigerated box using a cap tube system?

A. Display fridge

B. Storage freezer

C. Blast chiller

D. Cold room

The phrase that best describes the proper use for a refrigerated box using a cap tube system is "display fridge." Capillary tube systems are commonly utilized in lower capacity refrigeration applications, particularly for display cases that require precise temperature control to maintain the quality and safety of perishable items. Display fridges are designed to keep food products at optimal temperatures while also being visible to customers, thereby enhancing merchandising. The capillary tube system is suitable for these applications due to its simplicity, efficiency, and ability to maintain stable cooling in a display environment where continuous access to the stored items is expected. In contrast, storage freezers and blast chillers require more robust and complex systems to handle the demands of freezing products quickly and maintaining lower temperatures for longer periods. Cold rooms, while they utilize refrigeration systems, often require larger capacity units or more complex systems than what a capillary tube can provide effectively. Therefore, the characteristics of a display fridge align perfectly with the capabilities of a refrigeration system utilizing a capillary tube.

10. What effect does temperature have on the performance of refrigeration systems during evacuation?

A. Cold temperatures enhance evacuation speed

B. Hot temperatures cause increased vapor pressure

C. High temperatures improve condenser efficiency

D. Low temperatures prevent system aesthetics

The effect of temperature on the performance of refrigeration systems during evacuation is notably significant in terms of vapor pressure. When the temperature of the refrigerant increases, it leads to a rise in vapor pressure. This is an essential concept to understand because it can impact the efficiency and effectiveness of the evacuation process. During evacuation, the aim is to remove all moisture and non-condensables from the refrigeration system. An increase in vapor pressure, caused by elevated temperatures, can hinder the evacuation process by making it more difficult to create a vacuum. Higher vapor pressures mean more gas molecules are present in the system, which can result in longer evacuation times and less effective removal of unwanted substances. In contrast, lower temperatures can help reduce vapor pressure, allowing for more efficient evacuation because it effectively lowers the amount of vapor that needs to be removed. This understanding is crucial for technicians and engineers who manage refrigeration systems, as it emphasizes the importance of controlling and monitoring temperatures during the evacuation process to achieve optimal results.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://cfesarefrigeration.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE