
COMMUNICATION AND NAVIGATION SYSTEMS PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://commnavsys.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. On modern large aircraft, which electronic device typically monitors flight parameters and performs autopilot functions?

A. Flight data recorder.

B. VHF communication transceiver.

C. Inertial reference system.

D. Flight management computer.

2. What is the primary purpose of an autopilot?

A. To increase flight speed automatically.

B. To manually assist the pilot during taxing.

C. To relieve the pilot of control of the aircraft during long periods of flight.

D. To monitor air traffic control instructions.

3. When must the ELT battery be replaced (excluding reading the replacement date)?

A. Every six months.

B. When the transmitter has been in use for more than one accumulated hour.

C. After 100 hours of use.

D. Only when replacement date is reached.

4. Which statement correctly describes the difference between the GPS L1 C/A signal and the L2P(Y) signal?

A. L1 C/A is civilian pseudorange code on L1; L2P(Y) is encrypted military on L2; different codes and susceptibilities.

B. L1 C/A is encrypted military, L2P(Y) is civilian on L2.

C. L1 C/A and L2P(Y) share the same code but operate on different frequencies.

D. L1 C/A uses L2 frequency, while L2P(Y) uses L1 frequency.

5. What does the 'P(Y)' designation indicate on the GPS L2 signal?

A. Publicly accessible signal.

B. Pseudorange code on L2.

C. Encrypted military signal.

D. Y-axis modulated signal.

SAMPLE

6. In a GNSS link budget, what does Lpath represent?

A. Receiver thermal noise

B. Path loss due to propagation

C. System noise figure

D. Transmit antenna gain

7. Which channel of an autopilot detects changes in pitch attitude of an aircraft?

A. Elevator

B. Aileron

C. Rudder

D. Stabilizer

8. In RTK GNSS, why is a reference station used?

A. To transmit corrections via radio link

B. To monitor ionospheric conditions

C. To resolve carrier-phase ambiguities with a known baseline in real time

D. To provide code pseudorange updates

9. A typical GNSS receiver front-end architecture includes:

A. RF front-end, downconverter to IF, analog-to-digital converter, digital correlation/tracking loops, and navigation processor

B. Only RF front-end and ADC

C. Digital signal processor directly from antenna

D. A single chain without correlation

10. Which statement correctly describes Precise Point Positioning (PPP) relative to RTK?

A. PPP requires local base station to compute corrections

B. PPP uses precise satellite orbit/clock corrections globally; does not require a local base; convergence time longer

C. PPP provides centimeter-level accuracy instantly

D. PPP and RTK are identical in operation

SAMPLE

Answers

SAMPLE

1. D
2. C
3. B
4. A
5. C
6. B
7. A
8. C
9. A
10. B

SAMPLE

Explanations

SAMPLE

1. On modern large aircraft, which electronic device typically monitors flight parameters and performs autopilot functions?

A. Flight data recorder.

B. VHF communication transceiver.

C. Inertial reference system.

D. Flight management computer.

The device that acts as the brain for navigation, performance, and autopilot control on modern large aircraft is the Flight Management Computer. It continuously monitors flight parameters by receiving data from sensors such as the inertial reference system and air data systems, checking things like speed, altitude, heading, and flight path. Using this information, it executes the planned route, optimizes performance, and generates the guidance commands that drive the autopilot and autothrottle. In other words, the FMC translates the pilot's plan into concrete commands the autopilot can follow, such as turning to a waypoint, maintaining a profile, or adjusting speed. The other options don't perform autopilot functions. A flight data recorder only records flight data for post-flight analysis. A VHF transceiver handles voice and data communications. An inertial reference system provides attitude and navigation data but doesn't autonomously manage the flight path or control the autopilot.

2. What is the primary purpose of an autopilot?

A. To increase flight speed automatically.

B. To manually assist the pilot during taxing.

C. To relieve the pilot of control of the aircraft during long periods of flight.

D. To monitor air traffic control instructions.

Autopilot's primary purpose is to relieve the pilot of routine control of the aircraft during long segments of flight. By automatically managing the flight path—maintaining attitude, altitude, heading, and speed and following a programmed route—it reduces workload so the pilot can monitor systems, plan, and handle communications. This is especially valuable on long legs where constant manual control would be tiring. The autopilot operates under supervision and can be disengaged whenever manual control is needed, such as during approach and landing. It is not meant to speed up the aircraft, assist with taxi on the ground, or monitor ATC instructions.

3. When must the ELT battery be replaced (excluding reading the replacement date)?

A. Every six months.

B. When the transmitter has been in use for more than one accumulated hour.

C. After 100 hours of use.

D. Only when replacement date is reached.

The key idea is that ELT battery life is defined by how long the transmitter has actually operated, not by a calendar date. The battery is rated for about one hour of transmission, and once the transmitter has accumulated more than one hour of use, the battery should be replaced to ensure reliability in an emergency. So, if the ELT has transmitted for a total of more than one accumulated hour—whether through one long transmission or several shorter tests or activations—the battery needs replacement, regardless of the replacement date. This is why the correct rule is to replace after the transmitter has been in use for more than one accumulated hour. Calendar-based ideas like every six months or after 100 hours don't apply here, and waiting only until the replacement date ignores the usage-based limit.

SAMPLE

4. Which statement correctly describes the difference between the GPS L1 C/A signal and the L2P(Y) signal?

A. L1 C/A is civilian pseudorange code on L1; L2P(Y) is encrypted military on L2; different codes and susceptibilities.

B. L1 C/A is encrypted military, L2P(Y) is civilian on L2.

C. L1 C/A and L2P(Y) share the same code but operate on different frequencies.

D. L1 C/A uses L2 frequency, while L2P(Y) uses L1 frequency.

The key idea is that these GPS signals come from different carriers and use different codes, with different access levels. L1 C/A is the civilian pseudorange code transmitted on the L1 carrier (the open Public C/A code used by most receivers). L2P(Y) is the encrypted version of the P-code on the L2 carrier, reserved for authorized military users, where the P-code is scrambled with the Y-code so civilians can't decode it. Because they operate on different frequencies and use different code sequences, they are not interchangeable for decoding or navigation. The civilian L1 C/A signal is more exposed to typical civilian interference and spoofing risks, while L2P(Y)—being encrypted and on a separate carrier—offers restricted access and different interference/adversary conditions.

5. What does the 'P(Y)' designation indicate on the GPS L2 signal?

A. Publicly accessible signal.

B. Pseudorange code on L2.

C. Encrypted military signal.

D. Y-axis modulated signal.

P(Y) on the GPS L2 signal means the P-code that has been encrypted as the Y-code for authorized users. The Y-code is the cryptographic version of the precise P-code, intended for military use and restricted to those with the proper keys. Because of this encryption, civilian receivers cannot decode the actual navigation data from this signal. So the designation indicates an encrypted military signal, not a publicly accessible or axis-modulated variant.

6. In a GNSS link budget, what does Lpath represent?

A. Receiver thermal noise

B. Path loss due to propagation

C. System noise figure

D. Transmit antenna gain

In a GNSS link budget, you account for all gains and losses from the transmitter to the receiver. Lpath is the loss the signal suffers as it propagates through space from the satellite to the receiver. This is mainly the free-space path loss caused by geometric spreading, which depends on the distance (slant range) and the signal wavelength (frequency). In practical terms, as the signal travels farther or at a higher frequency, more power is spread out and lost, so Lpath increases. In the budget, this propagation loss is subtracted from the transmitter power and antenna gains to determine the received power. It's not the receiver's thermal noise, not the system noise figure, and not the transmit antenna gain—those are different terms in the budget.

SAMPLE

7. Which channel of an autopilot detects changes in pitch attitude of an aircraft?

A. Elevator

B. Aileron

C. Rudder

D. Stabilizer

Pitch changes are controlled by the elevator. In an autopilot, the pitch channel monitors the aircraft's nose-up or nose-down attitude using attitude sensors and compares it to the commanded pitch. When a deviation is detected, the autopilot drives the elevator surface to raise or lower the nose, returning the aircraft to the desired pitch. The ailerons manage roll (bank), the rudder handles yaw, and the stabilizer is typically a fixed or trim surface rather than the active pitch channel.

8. In RTK GNSS, why is a reference station used?

A. To transmit corrections via radio link

B. To monitor ionospheric conditions

C. To resolve carrier-phase ambiguities with a known baseline in real time

D. To provide code pseudorange updates

RTK GNSS achieves centimeter-level accuracy by tying the rover's measurements to a base with a precisely known position and resolving the carrier-phase ambiguities in real time. The reference station observes the satellites and, because its coordinates are known, can compare the measured ranges to the true ranges. This lets it determine the integer number of carrier cycles (the carrier-phase ambiguities) and estimate shared error terms (like clock and atmospheric biases) for each satellite. The resulting corrections are sent to rovers in real time, enabling them to apply the corrections and fix their own ambiguities, yielding a precise, real-time solution. The primary role of the reference station is thus to enable real-time resolution of carrier-phase ambiguities using the known baseline.

SAMPLE

9. A typical GNSS receiver front-end architecture includes:

A. RF front-end, downconverter to IF, analog-to-digital converter, digital correlation/tracking loops, and navigation processor

B. Only RF front-end and ADC

C. Digital signal processor directly from antenna

D. A single chain without correlation

The thing being tested is how a GNSS receiver turns a received RF signal into usable navigation data through a typical front-end chain. A GNSS signal arrives as a high-frequency waveform that must be conditioned and converted into a form the processor can work with. The RF front-end provides amplification and filtering to improve the signal-to-noise ratio and select the desired frequency bands. The signal is then mixed down to a more manageable intermediate or baseband frequency (downconverter) so it can be sampled efficiently. After downconversion, an analog-to-digital converter turns the analog wave into digital samples that the receiver's digital domain can process. In the digital stage, correlation and tracking loops lock onto each satellite's PRN code and carrier, extracting timing and phase information needed to decode the navigation data. Finally, a navigation processor uses that information to compute position, velocity, and time. Without this chain—front-end conditioning, downconversion, digitization, digital correlation/tracking, and navigation processing—you can't reliably acquire and track satellites or derive a solution. That's why the other options don't fit. Merely having RF front-end and ADC omits the essential downconversion and digital processing needed to extract satellite signals. Starting directly with a digital processor from the antenna neglects the required front-end and downconversion stages. A single chain without correlation would fail to identify satellites or measure their timing, which is fundamental to GNSS.

10. Which statement correctly describes Precise Point Positioning (PPP) relative to RTK?

A. PPP requires local base station to compute corrections

B. PPP uses precise satellite orbit/clock corrections globally; does not require a local base; convergence time longer

C. PPP provides centimeter-level accuracy instantly

D. PPP and RTK are identical in operation

Precise Point Positioning uses globally broadcast precise satellite orbit and clock corrections, so a single receiver can compute its position without a nearby base station. That global corrections approach means you don't need local infrastructure, which is a key strength of PPP. However, obtaining centimeter-level accuracy isn't instant; the receiver must resolve carrier-phase ambiguities and model atmospheric biases over time, so convergence takes longer than RTK. RTK, in contrast, relies on a local base station sending corrections to a rover, enabling rapid centimeter-level fixes but only over a limited area. So the statement that PPP uses precise satellite orbit/clock corrections globally, does not require a local base, and has longer convergence is the best description.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://commnavsys.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE