

COMMUNITY HEALTH M3 PRACTICE TEST (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR
THE FULL VERSION STUDY GUIDE

<https://communityhealthm3.examzify.com>



Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright	1
Table of Contents	2
Introduction	3
How to Use This Guide	4
Questions	5
Answers	8
Explanations	10
Next Steps	15

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

Questions

SAMPLE

- 1. Which number is used to measure the proportion of persons diagnosed with AIDS who have died during 2010 to 2015?**
 - A. Case fatality rate
 - B. Mortality rate
 - C. Proportionate mortality ratio
 - D. Attack rate

- 2. Which statement best describes passive surveillance?**
 - A. It involves proactive data collection by public health officials.
 - B. It relies on reports from healthcare providers and laboratories without active case finding.
 - C. It uses randomized assignments to groups.
 - D. It addresses risk factors across a population.

- 3. Which statement best describes non-communicable diseases?**
 - A. They are chronic diseases not spread person-to-person
 - B. They are not influenced by lifestyle factors
 - C. They are infectious diseases caused by pathogens
 - D. They are primarily prevented by vaccinations

- 4. Which statement best describes descriptive epidemiology?**
 - A. The aim is to test interventions in clinical trials
 - B. It focuses on the molecular mechanisms of disease
 - C. It assesses the costs and policies for health programs
 - D. It describes the distribution of disease by person, place, and time

- 5. Explain the role of nutrition in community health and a related public health intervention.**
 - A. Nutrition affects growth, immunity, chronic disease risk; interventions include community gardens, food assistance, school meals.
 - B. Nutrition only affects athletic performance.
 - C. Nutrition has no impact on public health outcomes.
 - D. Nutrition interventions are limited to hospital-based programs.

- 6. Define selection bias and give a representative example in community health research.**
- A. Selection bias occurs when the study sample is not representative due to nonrandom selection; e.g., surveying only clinic attendees.
 - B. Selection bias arises from confounding variables that are not measured.
 - C. Selection bias is the same as information bias due to misclassification.
 - D. Selection bias is eliminated by increasing sample size.
- 7. Which study is an example of analytic epidemiology?**
- A. Investigating the cause of a hepatitis A outbreak in the homeless population in San Diego
 - B. Measuring the prevalence of diabetes in a city
 - C. Describing the age distribution of asthma cases
 - D. Comparing vaccination rates across schools
- 8. What is health literacy?**
- A. The rate at which people get vaccinated.
 - B. The average educational level of the population.
 - C. The ability to obtain, understand, and use health information.
 - D. The availability of health services.
- 9. Describe a case-control study and its key measure.**
- A. A study comparing cases with disease to controls without, looking back for exposure; measure is odds ratio.
 - B. A prospective cohort study following exposed and unexposed over time.
 - C. A cross-sectional study assessing exposure and outcome at a single time point.
 - D. A randomized trial comparing interventions.
- 10. In planning an intervention to reduce teen pregnancy, which determinant of health should be addressed to create an effective initiative?**
- A. Genetic factors
 - B. Individual behavior
 - C. Access to healthcare
 - D. Environmental factors

Answers

SAMPLE

1. A
2. B
3. A
4. D
5. A
6. A
7. C
8. C
9. A
10. D

SAMPLE

Explanations

SAMPLE

1. Which number is used to measure the proportion of persons diagnosed with AIDS who have died during 2010 to 2015?

- A. Case fatality rate**
- B. Mortality rate
- C. Proportionate mortality ratio
- D. Attack rate

The key idea is measuring how deadly a disease is among people who actually have it within a defined time frame. The case fatality rate does exactly that: the number of deaths from AIDS during the period divided by the number of persons diagnosed with AIDS during the same period, usually shown as a percentage. This focuses on outcomes among those who were diagnosed, rather than on the whole population or on all deaths for any cause. In contrast, mortality rate looks at deaths in the entire population, not specifically among those diagnosed; proportionate mortality ratio looks at how a cause ranks among all deaths in a population, not the fatality of those diagnosed; and the attack rate is the incidence proportion in a defined population during an outbreak. Therefore, the case fatality rate is the most appropriate measure for the question.

2. Which statement best describes passive surveillance?

- A. It involves proactive data collection by public health officials.
- B. It relies on reports from healthcare providers and laboratories without active case finding.**
- C. It uses randomized assignments to groups.
- D. It addresses risk factors across a population.

Passive surveillance means the public health system collects data that come to it from external sources, rather than going out to actively find cases. In practice, this relies on reports from clinicians and laboratories, often mandated by law, without public health staff doing active case finding. This is why it's described as relying on reported information rather than proactive searching, and it's typically less resource-intensive but can miss cases or cause delays. It's different from active surveillance, where officials actively seek out cases by reviewing records, contacting facilities, or conducting surveys. It's also not about experimental design or testing associations with risk factors across a population; those are different approaches in public health practice.

3. Which statement best describes non-communicable diseases?

- A. They are chronic diseases not spread person-to-person**
- B. They are not influenced by lifestyle factors
- C. They are infectious diseases caused by pathogens
- D. They are primarily prevented by vaccinations

Non-communicable diseases are chronic conditions that persist over time and are not transmitted from one person to another. This captures the defining idea: NCDs are typically long-lasting and do not spread through infection. Examples include heart disease, diabetes, cancers, and chronic lung or kidney diseases. Many of these conditions are heavily influenced by lifestyle and environmental factors such as tobacco use, unhealthy diets, physical inactivity, and alcohol use, which helps explain why prevention focuses on lifestyle modification and ongoing management rather than short-term cures. Vaccinations target infectious diseases, not the long-term degenerative or metabolic processes behind most NCDs, so they aren't the primary tool for preventing these conditions.

4. Which statement best describes descriptive epidemiology?

- A. The aim is to test interventions in clinical trials
- B. It focuses on the molecular mechanisms of disease
- C. It assesses the costs and policies for health programs
- D. It describes the distribution of disease by person, place, and time**

Descriptive epidemiology is about describing health phenomena in a population by looking at who is affected, where they are, and when events occur. It characterizes the distribution of disease or health outcomes by person (age, sex, race), place (geography, neighborhood), and time (season, year) using simple counts and rates. This approach helps us see patterns, identify groups at higher risk, and notice trends over time, which can then guide further investigation or planning. For example, reporting influenza cases by age group, city, and month shows who is most affected, where outbreaks are occurring, and when they peak. Interventions tested in clinical trials fall under analytic or experimental approaches rather than descriptive epidemiology. Studying molecular mechanisms goes into basic science or etiologic investigation, not description of population patterns. Analyzing costs and policies relates to health economics and health services research, not descriptive epidemiology.

5. Explain the role of nutrition in community health and a related public health intervention.

- A. Nutrition affects growth, immunity, chronic disease risk; interventions include community gardens, food assistance, school meals.**
- B. Nutrition only affects athletic performance.
- C. Nutrition has no impact on public health outcomes.
- D. Nutrition interventions are limited to hospital-based programs.

Nutrition shapes health across communities by supporting normal growth and development, strengthening immune function, and lowering or raising the risk of chronic diseases. When many people share the same food environment, the collective quality of diets influences overall population health. Public health interventions target these environments and access barriers, not just individual choices. For example, community gardens expand the availability of fresh produce, food assistance programs reduce the cost barrier to nutritious foods, and school meal programs ensure children receive reliable, healthy meals during the day. These approaches collectively shift dietary patterns at the population level, contributing to better growth outcomes, fewer infections, and lower long-term disease risk. The other statements overlook how nutrition affects everyday health and how community-based programs shape what people eat beyond hospital settings.

6. Define selection bias and give a representative example in community health research.

- A. Selection bias occurs when the study sample is not representative due to nonrandom selection; e.g., surveying only clinic attendees.**
- B. Selection bias arises from confounding variables that are not measured.
- C. Selection bias is the same as information bias due to misclassification.
- D. Selection bias is eliminated by increasing sample size.

Selection bias happens when the group you study isn't representative of the whole population because of how participants are chosen. If you only survey people who come to clinics, you're preferentially including individuals who seek care and may have different health behaviors, access to services, or illness levels than those who don't visit clinics. This nonrandom selection can distort the observed relationship between an exposure and an outcome in the community, leading to findings that don't generalize. In community health research, a classic example is measuring a health behavior or risk factor by sampling clinic attendees. Those attendees might be more health-conscious or have certain health problems, so the estimated prevalence or association could misrepresent what's true in the broader population. Other issues—like confounding from unmeasured variables or information bias from misclassification—are different problems tied to measurement or analysis, not to how the sample was formed. And simply increasing sample size doesn't fix bias from a nonrepresentative sample; it mainly reduces random error.

7. Which study is an example of analytic epidemiology?

- A. Investigating the cause of a hepatitis A outbreak in the homeless population in San Diego
- B. Measuring the prevalence of diabetes in a city
- C. Describing the age distribution of asthma cases**
- D. Comparing vaccination rates across schools

Analytic epidemiology tests hypotheses about factors that influence disease and looks for associations between exposures and outcomes, often comparing groups to estimate measures of association. Investigating the cause of a hepatitis A outbreak in the homeless population in San Diego fits this approach because it aims to identify exposures or sources that increased risk and to quantify how strongly those factors are linked to illness. This goes beyond counting cases and describes who is affected and why, using comparisons to determine probable determinants. Describing the prevalence of diabetes in a city is descriptive—it summarizes how common the condition is in the population. Describing the age distribution of asthma cases is also descriptive, focusing on the pattern of disease by age. Comparing vaccination rates across schools describes differences in frequency without testing a causal link or association with specific risk factors.

8. What is health literacy?

- A. The rate at which people get vaccinated.
- B. The average educational level of the population.
- C. The ability to obtain, understand, and use health information.**
- D. The availability of health services.

Health literacy is the ability to obtain, understand, and use health information to make informed health decisions and take appropriate actions. This best describes the concept because it focuses on the person's capacity to access information, comprehend it, and apply it—whether reading a label, understanding instructions, or discussing options with a clinician. It includes skills like interpreting risk, following treatment plans, and navigating the health system. The other statements describe outcomes or access factors rather than the individual's ability to process information: vaccination rate reflects behavior, educational level is a demographic measure, and availability of health services is about access, not the ability to understand and use information.

9. Describe a case-control study and its key measure.

- A. A study comparing cases with disease to controls without, looking back for exposure; measure is odds ratio.**
- B. A prospective cohort study following exposed and unexposed over time.
- C. A cross-sectional study assessing exposure and outcome at a single time point.
- D. A randomized trial comparing interventions.

In a case-control study, you start with two groups: individuals who have the disease (cases) and those who do not (controls), and you look back in time to see who was exposed. The main measure is the odds ratio, which is the odds of exposure among cases divided by the odds of exposure among controls. This design is especially efficient for studying rare diseases or diseases with long latency, because you don't have to wait for new cases to develop. The odds ratio provides an estimate of the association between exposure and disease, and when the disease is rare, it closely approximates the relative risk. Keep in mind that case-control studies can be prone to recall bias and selection bias, and they do not provide direct information about incidence or risk.

10. In planning an intervention to reduce teen pregnancy, which determinant of health should be addressed to create an effective initiative?

- A. Genetic factors
- B. Individual behavior
- C. Access to healthcare
- D. Environmental factors**

Focusing on the environment in which teens live and make decisions is key. Environmental determinants—like community norms, school policies, access to youth-friendly contraception and health services, transportation, poverty, and the availability of supportive programs—set the conditions that make safer choices more or less possible. An effective intervention changes these conditions, for example by providing comprehensive sex education in schools, ensuring confidential, affordable contraception is easy to access, offering teen-friendly clinics with convenient hours, and engaging families and communities to shift norms. When the environment supports safe behaviors and reduces barriers, the impact on teen pregnancy rates is more sustainable than targeting genetics or individual actions alone. Access to healthcare is important, but without addressing the broader environment that shapes access and decisions, improvements tend to be limited.

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

<https://communityhealthm3.examzify.com>

We wish you the very best on your exam journey. You've got this!

SAMPLE