COMPREHENSIVE OSTEOPATHIC MEDICAL LICENSING EXAMINATION (COMLEX) LEVEL 2 PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://comlexlevel2.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. What signs indicate necrotizing fasciitis in a patient?

A. Localized redness and swelling

B. Edema extending past erythema and dusky appearance

C. Chronic ulcer without pain

D. Gradual onset of fever and discomfort

2. What are the characteristic heart catheterization findings in takotsubo cardiomyopathy?

A. Significant coronary flow-limiting lesions

B. Classic apical ballooning without significant lesions

C. Global hypokinesis without apical ballooning

D. Normal coronary anatomy with decreased ejection fraction

3. How many axes are associated with cranial flexion and extension movement?

A. One

B. Two

C. Three

D. Four

4. What is koilonychia more commonly referred to as?

A. Spoon nails

B. Clubbing

C. Beau's lines

D. Trachyonychia

5. What is the classic description of a testicular varicocele?

A. Bag of worms

B. Blueberry muffin

C. Scrotal mass

D. Apple core

SAMPLE

6. The translocation associated with chronic myeloid leukemia (CML) is?

A. 8;14

B. 9;22

C. 15;17

D. 11;16

7. What is the most likely diagnosis for a patient with watery diarrhea, abdominal pain after a cookout, progressing to fever, bloody diarrhea, and AKI?

A. Salmonella infection

B. Shigella infection

C. EHEC

D. Campylobacter infection

8. What condition is characterized by bilateral loss of vibration and proprioception with preserved motor function?

A. Anterior cord syndrome

B. Posterior cord syndrome

C. Central cord syndrome

D. Brown-Séquard syndrome

9. What is the classic presentation of cystine nephrolithiasis?

A. Unilateral flank pain with hematuria

B. Bilateral flank pain with CVA tenderness

C. Severe abdominal pain with nausea

D. Flank pain and urine that smells like rotten eggs

10. What is the most likely diagnosis for a child under 3 years old presenting with inspiratory stridor?

A. Bacterial tracheitis

B. Epiglottitis

C. Croup

D. Asthma

SAMPLE

Answers

SAMPLE

1. B
2. B
3. B
4. A
5. A
6. B
7. C
8. B
9. D
10. C

SAMPLE

Explanations

SAMPLE

1. What signs indicate necrotizing fasciitis in a patient?

A. Localized redness and swelling

B. Edema extending past erythema and dusky appearance

C. Chronic ulcer without pain

D. Gradual onset of fever and discomfort

Necrotizing fasciitis is a rapidly progressing soft tissue infection characterized by the widespread death of tissue. One of the hallmark signs of this condition is the presence of significant edema that extends beyond the area of erythema (redness), along with a dusky or discolored appearance of the skin. This indicates a severe inflammatory response and tissue compromise, reflecting the aggressive nature of the infection as it spreads along fascial planes. The dusky appearance is particularly concerning as it often signifies ischemia or inadequate blood supply due to the infection's damaging effects on surrounding vessels. The edema extending beyond the original area of erythema suggests that the infection is not localized and is advancing, which is a crucial diagnostic feature for recognizing necrotizing fasciitis early, leading to timely intervention. Localized redness and swelling indicate inflammation but are not specific or severe enough to suggest necrotizing fasciitis, as such findings can be present in minor infections or injuries. A chronic ulcer without pain may suggest alternative diagnoses, like certain skin infections or malignancies, rather than the acute and painful presentation typical of necrotizing fasciitis. Gradually increasing fever and discomfort could suggest a less aggressive infection; necrotizing fasciitis typically presents with sudden onset symptoms

2. What are the characteristic heart catheterization findings in takotsubo cardiomyopathy?

A. Significant coronary flow-limiting lesions

B. Classic apical ballooning without significant lesions

C. Global hypokinesis without apical ballooning

D. Normal coronary anatomy with decreased ejection fraction

In takotsubo cardiomyopathy, which is often triggered by emotional or physical stress, the characteristic heart catheterization findings include classic apical ballooning without significant lesions. This typically presents as an unusual pattern of diastolic dysfunction where the apex of the heart balloons out during systole, while the base of the heart tends to contract normally or with relative sparing. During catheterization, the coronary arteries generally show no significant obstructive lesions, distinguishing takotsubo cardiomyopathy from more traditional forms of coronary artery disease. Despite the absence of significant coronary artery obstruction, patients may exhibit a decreased ejection fraction due to the impaired contractility of the apical region of the heart. The identification of this specific pattern is essential for differentiating takotsubo cardiomyopathy from other cardiac conditions, particularly acute myocardial infarction, where significant coronary lesions are usually present. Thus, the finding of apical ballooning in the context of normal coronary arteries is a hallmark diagnostic criterion for this condition.

SAMPLE

3. How many axes are associated with cranial flexion and extension movement?

A. One

B. Two

C. Three

D. Four

Cranial flexion and extension movements are primarily associated with two axes. This movement occurs around the superior-inferior (vertical) axis and involves the flexion and extension of the cranial bones in relation to the sacrum. Cranial flexion generally refers to the anterior movement of the cranial base and a slight elevation of the frontal bone, while extension describes the downward and posterior movement of the base of the skull. Understanding the axes involved in cranial movement is essential for comprehending the principles of cranial osteopathy and how the cranial bones interact during various physiological processes, such as respiration and craniosacral rhythm. By recognizing that cranial flexion and extension specifically move around two axes, it becomes clear how these intricate movements contribute to the overall biomechanics of the cranial structures.

4. What is koilonychia more commonly referred to as?

A. Spoon nails

B. Clubbing

C. Beau's lines

D. Trachyonychia

Koilonychia is more commonly referred to as "spoon nails." This condition is characterized by nails that have a concave or spoon-like appearance, which can be indicative of various underlying health issues, such as iron deficiency anemia or other systemic conditions. The term "spoon nails" aptly describes the shape of the nails affected by koilonychia, as they curve inward like a spoon. Recognizing this condition is essential in clinical practice since it may prompt further investigation into potential nutritional deficiencies or systemic illnesses that need to be addressed. In contrast, clubbing refers to a different nail morphology associated with conditions such as chronic lung disease or congenital heart disease. Beau's lines are horizontal grooves in the nails that can signify trauma, illness, or systemic stress. Trachyonychia, often referred to as twenty-nail dystrophy, involves thinning or ridging of the nails but does not involve the spoon-like shape seen in koilonychia. Understanding these distinctions is crucial for accurate diagnosis and treatment planning in a clinical setting.

5. What is the classic description of a testicular varicocele?

A. Bag of worms

B. Blueberry muffin

C. Scrotal mass

D. Apple core

The classic description of a testicular varicocele is often referred to as a "bag of worms." This phrase pertains to the palpable findings when examining a varicocele, which is an enlargement of the veins within the scrotum (the pampiniform plexus). The enlarged veins can often feel like a mass of worms due to their twisted and dilated nature. Varicoceles are typically found on the left side of the scrotum because of the anatomical arrangement of the left testicular vein draining into the left renal vein, which is longer than the right testicular vein that drains directly into the inferior vena cava. This positioning can lead to increased venous pressure on the left side, contributing to the varicocele formation. The other descriptions such as "blueberry muffin," "scrotal mass," and "apple core" refer to different conditions or findings. For example, "blueberry muffin" is associated with extramedullary hematopoiesis seen in infections like congenital rubella syndrome. A "scrotal mass" is a more general term that can describe various pathologies in the scrotum, and "apple core" is a description used in colon cancer related to the appearance of constricted bowel

SAMPLE

6. The translocation associated with chronic myeloid leukemia (CML) is?

A. 8;14

B. 9;22

C. 15;17

D. 11;16

Chronic myeloid leukemia (CML) is characterized by a specific genetic translocation involving chromosomes 9 and 22. This translocation results in the formation of the Philadelphia chromosome, which is a key characteristic of CML. The Philadelphia chromosome arises from the fusion of the BCR gene on chromosome 22 and the ABL gene on chromosome 9, creating a hybrid BCR-ABL gene. This fusion gene produces a constitutively active tyrosine kinase that plays a crucial role in the pathogenesis of CML by promoting cell proliferation and inhibiting apoptosis. Recognizing the significance of the BCR-ABL translocation is essential for diagnosing and managing CML, as targeted therapies like tyrosine kinase inhibitors (e.g., imatinib) are designed to specifically inhibit the activity of the BCR-ABL protein, resulting in improved outcomes for patients with this leukemia.

7. What is the most likely diagnosis for a patient with watery diarrhea, abdominal pain after a cookout, progressing to fever, bloody diarrhea, and AKI?

A. Salmonella infection

B. Shigella infection

C. EHEC

D. Campylobacter infection

The presentation of watery diarrhea that progresses to bloody diarrhea, accompanied by abdominal pain, fever, and acute kidney injury (AKI), suggests a diagnosis of Enterohemorrhagic Escherichia coli (EHEC), particularly the strain known as O157:H7. EHEC is commonly associated with undercooked beef, unpasteurized dairy products, and contaminated produce, making it plausible in the context of a cookout. One of the hallmark features of EHEC infection is its ability to cause hemorrhagic colitis, which explains the transition from watery to bloody diarrhea. The bloody diarrhea is a result of the toxin produced by EHEC, known as Shiga toxin, which can lead to significant intestinal damage. In some cases, EHEC infection may also lead to hemolytic uremic syndrome (HUS), a condition characterized by AKI, hemolytic anemia, and thrombocytopenia, correlating with the renal involvement observed in this patient. Other types of infections, while they may present with diarrhea and sometimes fever, do not typically lead to the same combination of symptoms or the severe sequelae like AKI associated with EHEC. For instance, Salmonella infection usually causes a

SAMPLE

8. What condition is characterized by bilateral loss of vibration and proprioception with preserved motor function?

A. Anterior cord syndrome

B. Posterior cord syndrome

C. Central cord syndrome

D. Brown-Séquard syndrome

Posterior cord syndrome is characterized by the loss of vibration and proprioception sensation while motor function is preserved. This condition results from damage to the posterior columns of the spinal cord, which are responsible for conveying proprioceptive and vibratory information from the periphery to the brain. Patients with posterior cord syndrome typically present with a "bag of marbles" sensation in their feet, where they can sense movement but not the position of their limb or the vibration. In this condition, the pathways for motor function (such as the corticospinal tract) remain intact, allowing for preserved muscle strength and movement abilities despite the loss of sensory modalities. This distinguishes it from other syndromes, such as anterior cord syndrome, where motor function is impaired, and central cord syndrome, which generally presents with greater weakness in the upper extremities compared to lower extremities. Brown-Séquard syndrome is characterized by hemisection of the spinal cord, resulting in ipsilateral motor loss and contralateral sensory loss.

9. What is the classic presentation of cystine nephrolithiasis?

A. Unilateral flank pain with hematuria

B. Bilateral flank pain with CVA tenderness

C. Severe abdominal pain with nausea

D. Flank pain and urine that smells like rotten eggs

Cystine nephrolithiasis is characterized by the formation of kidney stones composed mainly of cystine, an amino acid. The classic presentation of cystine stones typically includes flank pain due to the obstruction they cause in the urinary tract. However, what sets cystine nephrolithiasis apart is a distinctive odor in the urine, often described as smelling like rotten eggs. This is due to the presence of sulfur-containing amino acids and can be a critical clue in diagnosing this condition. While unilateral flank pain with hematuria and bilateral flank pain with costovertebral angle tenderness can be presentations of other types of nephrolithiasis, they are not specific to cystine stones. Severe abdominal pain with nausea is also a common symptom in many gastrointestinal or urological emergencies, but it lacks the specificity needed to point directly to cystine nephrolithiasis. The presence of a foul odor in the urine, specifically a rotten egg smell, is a unique and important clinical finding for cystine nephrolithiasis and helps distinguish it from other types of renal stones. This characteristic, alongside the clinical context, is essential for making an accurate diagnosis.

SAMPLE

10. What is the most likely diagnosis for a child under 3 years old presenting with inspiratory stridor?

A. Bacterial tracheitis

B. Epiglottitis

C. Croup

D. Asthma

When considering a diagnosis for a child under 3 years old presenting with inspiratory stridor, croup is the most likely condition. Croup, also known as laryngotracheobronchitis, is a common viral infection in young children, typically caused by the parainfluenza virus. It is characterized by swelling in the upper airways, leading to a distinctive "barking" cough and inspiratory stridor due to airway obstruction. The age of the child is significant since croup most commonly affects children in this age group, especially those between 6 months and 3 years. The presence of stridor in combination with other symptoms such as cough and hoarseness further reinforces the diagnosis of croup, as these signs are typical indicators of the condition. In contrast, bacterial tracheitis, while it can also present with stridor, is less common and usually occurs in older children or after a bout of viral illness. Epiglottitis, although it presents with stridor and is a serious condition, has become less common due to vaccination against Haemophilus influenzae type b (Hib) and typically presents with acute onset fever, drooling, and difficulty swallowing (dysphagia). Asthma

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://comlexlevel2.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE