
COMPUTED TOMOGRAPHY TECHNOLOGIST PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://
computedtomographytechnologist.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. BUN and creatinine levels are indicators for which aspect of health?

A. Cardiac function

B. Hepatic function

C. Renal function

D. Pulmonary function

2. What is a multiphasic injection in computed tomography?

A. When the contrast is injected at a single flow rate

B. When more than 2 flow rates are used for contrast injection

C. A method for measuring radiation exposure

D. Injection of multiple contrast agents simultaneously

3. Beam-hardening artifacts are caused by what phenomenon?

A. Random photon detection

B. Preferential absorption of low-energy x-ray photons

C. Increased exposure time

D. Movement during imaging

4. What is another term often used for fourth generation scanners?

A. Spin-only scanners

B. Rotate-only scanners

C. Static scanners

D. Dynamic scanners

5. Which condition can arise from utilizing contrast media in patients taking Metformin?

A. Hypertension

B. Hypoglycemia

C. Lactic acidosis

D. Dehydration

6. Why is it important to avoid volume averaging in CT imaging?

A. It can distort the data

B. It can result in incomplete scans

C. It can lead to unnecessary exposures

D. It can increase costs

SAMPLE

7. What is low contrast resolution in the context of CT imaging?

A. The ability to differentiate between objects with significantly different densities

B. The ability of the system to produce high-quality images

C. The ability to differentiate between objects with similar densities

D. The overall sharpness of the CT images

8. What is the primary characteristic of a peer-to-peer (P2P) system?

A. One party controls the communication

B. Each party has the same capabilities and can initiate communication

C. Communication is centralized

D. It supports only limited interactions between parties

9. What is defined as the ability to differentiate objects with similar densities in imaging?

A. Image contrast

B. High-contrast resolution

C. Low-contrast resolution

D. Spatial resolution

10. Can slice thickness be retrospectively changed with a standard detector computed tomography (SDCT)?

A. Yes

B. No

C. Only if raw data is available

D. Yes, without limitations

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. B
5. C
6. A
7. C
8. B
9. C
10. B

SAMPLE

Explanations

SAMPLE

1. BUN and creatinine levels are indicators for which aspect of health?

A. Cardiac function

B. Hepatic function

C. Renal function

D. Pulmonary function

BUN (Blood Urea Nitrogen) and creatinine levels are vital indicators of renal function. The kidneys play a crucial role in filtering waste products from the bloodstream, and the levels of BUN and creatinine reflect how well the kidneys are performing this function. Elevated levels of BUN and creatinine can signal that the kidneys are not functioning properly, suggesting conditions such as acute kidney injury or chronic kidney disease. Thus, monitoring these values is essential for assessing the overall health of the renal system. In terms of the other options, cardiac function is typically indicated by different biomarkers such as troponins and BNP. Hepatic function is assessed through liver enzymes and bilirubin levels. Pulmonary function usually involves tests related to lung capacity and gas exchange, such as spirometry and arterial blood gases. Each of these functions has distinct markers that are more appropriate than BUN and creatinine.

2. What is a multiphasic injection in computed tomography?

A. When the contrast is injected at a single flow rate

B. When more than 2 flow rates are used for contrast injection

C. A method for measuring radiation exposure

D. Injection of multiple contrast agents simultaneously

A multiphasic injection in computed tomography refers to the technique of administering contrast material at varying flow rates to optimize imaging quality. This approach allows for the creation of different phases of enhancement within the tissue being examined, enabling more detailed and diagnostic images. The use of multiple flow rates means that the contrast agent can be administered in a way that highlights different vascular structures or differentiating tissue characteristics at various time intervals as the contrast agent circulates. By employing more than two flow rates, this method helps capture dynamic changes within the body as the contrast moves through the vasculature and into the surrounding tissues, improving the visualization of pathology, lesions, or other structures. This technique is particularly useful in studying organs with complex vascular patterns, such as the liver or kidneys. Other methods, like injecting a single flow rate or using multiple contrast agents simultaneously, do not provide the same level of detailed temporal resolution in imaging. Additionally, measuring radiation exposure, while important for patient safety and diagnostic practices, does not relate directly to the concept of multiphasic injections. Therefore, the emphasis on using more than two flow rates for optimal contrast delivery clarifies why this choice is the most accurate representation of a multiphasic injection in CT.

SAMPLE

3. Beam-hardening artifacts are caused by what phenomenon?

A. Random photon detection

B. Preferential absorption of low-energy x-ray photons

C. Increased exposure time

D. Movement during imaging

Beam-hardening artifacts occur due to the preferential absorption of low-energy x-ray photons as the x-ray beam passes through denser tissues or materials. In computed tomography, the x-ray beam consists of a spectrum of photon energies. As it moves through a medium, lower-energy photons are absorbed more readily than higher-energy photons. This means that the remaining x-ray photons, which are primarily of higher energy, create a beam that is "harder," or more penetrative. As a result of this process, the images produced can exhibit areas that appear darker or cause inaccuracies in tissue characterization, leading to streaking or banding artifacts within the CT images. Understanding this phenomenon is crucial for technicians, as it highlights the importance of optimizing parameters and being aware of the potential for such artifacts in areas with high-density materials or structures. Other options, while related to imaging, do not directly cause beam-hardening artifacts. Random photon detection pertains to statistical variations in photon counts, increased exposure time relates to radiation dose considerations, and movement during imaging typically results in motion artifacts—not beam hardening.

4. What is another term often used for fourth generation scanners?

A. Spin-only scanners

B. Rotate-only scanners

C. Static scanners

D. Dynamic scanners

Fourth generation scanners are often referred to as "rotate-only scanners." This terminology reflects the specific technology these scanners utilize, where a rotating X-ray tube moves around the patient, capturing data for each slice of the scanned area. This rotation allows for continuous data acquisition, enhancing image quality and reducing scan times. The classification of scanners helps in understanding their functionality and how they differ from earlier generations. While spin-only or static terminology may be used in specific contexts, rotate-only is the more widely accepted term for this generation because it emphasizes the mechanism of rotation that enables continuous scanning. Dynamic scanning typically refers to additional capabilities related to movement and time in imaging, which does not specifically encapsulate the distinct characteristics of fourth generation scanners.

SAMPLE

5. Which condition can arise from utilizing contrast media in patients taking Metformin?

A. Hypertension

B. Hypoglycemia

C. Lactic acidosis

D. Dehydration

The use of contrast media in patients who are taking Metformin can lead to lactic acidosis, a serious metabolic condition. Metformin is primarily cleared from the body through the kidneys, and the introduction of contrast media can potentially impair renal function, particularly in patients who are already at risk of kidney problems. This impairment can result in an accumulation of Metformin within the body, leading to increased lactic acid levels. When lactate levels rise significantly, it can overwhelm the body's buffering systems, resulting in lactic acidosis, which is characterized by symptoms such as respiratory distress, abdominal discomfort, and decreased mental status. The other conditions listed are not directly tied to the use of contrast media in Metformin users. For instance, hypertension and dehydration may occur due to various factors unrelated to the use of contrast, while hypoglycemia is more commonly associated with other diabetes medications rather than Metformin, especially in the presence of normal to high glucose levels. This highlights the specific risk associated with contrast media and Metformin, emphasizing the importance of renal monitoring when these two factors are involved.

6. Why is it important to avoid volume averaging in CT imaging?

A. It can distort the data

B. It can result in incomplete scans

C. It can lead to unnecessary exposures

D. It can increase costs

Avoiding volume averaging in CT imaging is crucial because when this phenomenon occurs, it can lead to a distortion of the data. Volume averaging happens when multiple tissue types within a voxel (the three-dimensional equivalent of a pixel) are averaged together, which can obscure fine anatomical details and lead to inaccuracies in the resulting images. This blurring effect diminishes the diagnostic quality of the images, making it more challenging for radiologists to identify and assess critical structures or abnormalities accurately. Maintaining the integrity of the data ensures that the images reflect true anatomical distinctions, which is vital for precise diagnosis and treatment planning.

SAMPLE

7. What is low contrast resolution in the context of CT imaging?

A. The ability to differentiate between objects with significantly different densities

B. The ability of the system to produce high-quality images

C. The ability to differentiate between objects with similar densities

D. The overall sharpness of the CT images

Low contrast resolution in the context of CT imaging refers to the ability to differentiate between objects with similar densities. This is crucial in medical imaging because many tissues in the human body, such as various types of soft tissues, may have very close densities that can be difficult to distinguish based solely on differences in their physical properties. A CT system with good low contrast resolution allows radiologists and healthcare providers to identify subtle differences between these tissues, which can be critical for accurately diagnosing conditions such as tumors, inflammation, or other pathologies that may not be easily visible with standard imaging techniques. This resolution focuses on the nuanced variations that are often clinically significant, enabling the detection of abnormalities that might be otherwise overlooked. In contrast, aspects such as differentiating objects with significantly different densities pertain more to high contrast resolution. The quality of CT images and overall sharpness are related to spatial resolution and other imaging characteristics but do not specifically address the challenge of recognizing subtle differences in tissues with similar densities.

8. What is the primary characteristic of a peer-to-peer (P2P) system?

A. One party controls the communication

B. Each party has the same capabilities and can initiate communication

C. Communication is centralized

D. It supports only limited interactions between parties

The primary characteristic of a peer-to-peer (P2P) system is that each party has the same capabilities and can initiate communication. In a P2P architecture, all participants (or peers) can share resources and data without relying on a central server. This decentralized nature allows each peer to act both as a client and a server, enabling direct communication and resource sharing among all nodes in the network. This characteristic leads to enhanced scalability and robustness, as the network can continue to function effectively even if some peers go offline. Additionally, this model promotes a more democratic sharing of information, as each user can contribute equally to the system, in contrast to models where control is concentrated in a single entity. The other characteristics, such as centralized communication and limited interactions, do not apply to P2P systems, as they are counter to the fundamental principles of decentralization and equality among participating nodes.

SAMPLE

9. What is defined as the ability to differentiate objects with similar densities in imaging?

A. Image contrast

B. High-contrast resolution

C. Low-contrast resolution

D. Spatial resolution

The correct answer is low-contrast resolution. This term specifically refers to the imaging system's ability to distinguish between objects that have similar densities. Low-contrast resolution is particularly critical in medical imaging, such as computed tomography (CT) scans, where subtle differences in tissue density can be vital for accurate diagnosis. For example, differentiating between types of tumors or identifying small lesions relies heavily on the system's capacity to detect these slight variations in density, which may not be easily discernible otherwise. In the context of the other terms, image contrast generally refers to the difference in brightness or color between different parts of an image, not specifically focusing on subtle differences in density. High-contrast resolution is more about the system's ability to differentiate objects with significantly different densities, while spatial resolution pertains to the detail in the representation of the image—how small the structures can be resolved. These terms underline different aspects of imaging quality, but low-contrast resolution is the most accurate descriptor for the ability to separate objects with similar densities.

10. Can slice thickness be retrospectively changed with a standard detector computed tomography (SDCT)?

A. Yes

B. No

C. Only if raw data is available

D. Yes, without limitations

In standard detector computed tomography (SDCT), the ability to change slice thickness retrospectively is limited. Once the data has been acquired and processed, the slice thickness is determined based on the reconstruction algorithm and input parameters set during the scanning process. Unlike multi-detector computed tomography (MDCT), where more advanced algorithms can often reconstruct thinner slices from the acquired data, SDCT lacks the same flexibility for changing slice thickness after the scan has been completed. This limitation means that if raw data is not available at the time of the scan, users cannot simply adjust the slice thickness in retrospect. In clinical practice, the setting of slice thickness is an important consideration that must be finalized prior to scanning to ensure optimal image quality and diagnostic utility. If adjusting slice thickness is a priority for a specific examination, it must be planned ahead of time during the scan protocol setup.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://computedtomographytechnologist.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE