
CORECTEC ARRT PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://coretecarrt.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1

Table of Contents 2

Introduction 3

How to Use This Guide 4

Questions 5

Answers 8

Explanations 10

Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. **When should the exposure be made for an AP or lateral projection of the upper airway?**
   - A. During a full expiration
   - B. During a deep breath
   - C. During a slow, deep inspiration
   - D. During a rapid shallow breath

2. **What is the significance of the Window Level in digital imaging?**
   - A. To adjust overall exposure
   - B. To select the image display brightness
   - C. To modify the contrast of an image
   - D. To calibrate the imaging system

3. **What is the primary concern with handling contrast media during patient examinations?**
   - A. Risk of infection
   - B. Allergic reactions
   - C. Radiation exposure
   - D. Equipment failure

4. **Reactions such as nausea, vomiting, and headaches when using contrast media are classified as what?**
   - A. Mild reactions
   - B. Severe reactions
   - C. Moderate reactions
   - D. Allergic reactions

5. **What consequence might result from not adjusting SID when using AEC?**
   - A. Inconsistent exposure
   - B. Image distortion
   - C. Increased radiation dose
   - D. Reduced image quality

SAMPLE

6. How often should CR imaging plates be cleaned in a busy imaging department?

A. Weekly

B. Monthly

C. Biannually

D. Annually

7. After a myelogram, what instruction should be given to the patient regarding head elevation?

A. Keep head flat for 2 hours

B. Elevate head 30 degrees for six hours

C. Raise the head for 24 hours

D. No restrictions necessary

8. Which term describes a long scale of contrast?

A. High contrast

B. Low contrast

C. Moderate contrast

D. Negative contrast

9. Who should witness a patient's signature on an informed consent form?

A. A family member

B. A healthcare worker who is not involved in the procedure

C. An attorney

D. An involved physician

10. Which position/projected view of the elbow demonstrates the olecranon process free from superimposition?

A. Medial oblique

B. Lateral

C. AP

D. External oblique

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. A
5. A
6. B
7. B
8. B
9. B
10. B

SAMPLE

Explanations

SAMPLE

1. When should the exposure be made for an AP or lateral projection of the upper airway?

A. During a full expiration

B. During a deep breath

C. During a slow, deep inspiration

D. During a rapid shallow breath

For an AP or lateral projection of the upper airway, the exposure should be made during a slow, deep inspiration. Taking the exposure at this point ensures that the airway is fully expanded, providing a clearer view of the anatomical structures. During deep inspiration, the lungs and trachea are filled with air, which allows for better delineation of the soft tissues of the upper airway, including the larynx and pharynx. This clarity is crucial for accurate diagnosis and assessment of any potential abnormalities or conditions affecting the airway. Additionally, capturing the image during a slow, deep inspiration helps to minimize motion blur, as patients are often better able to hold their breath steadily at this point compared to a rapid breathing pattern. This approach optimizes image quality, which is essential in radiography for precise diagnostics.

2. What is the significance of the Window Level in digital imaging?

A. To adjust overall exposure

B. To select the image display brightness

C. To modify the contrast of an image

D. To calibrate the imaging system

The significance of the Window Level in digital imaging primarily pertains to the selection of image display brightness. Window Level allows radiologists and technologists to manipulate the brightness of the displayed image without altering the actual data captured during the imaging process. By adjusting the Window Level, one can emphasize different structures or details within the image based on their brightness levels. When the Window Level is set higher, the image appears brighter, highlighting lighter areas, while a lower setting darkens the image, bringing out details in darker regions. This capability is crucial for diagnostic imaging, as it enables the practitioner to optimize images for accurate interpretation and analysis, making certain anatomical features more visible while maintaining overall image quality. Understanding that Window Level directly affects how an image is viewed helps in appreciating its role compared to other processes such as exposure adjustment or contrast modification, which impact the raw data before it is displayed.

SAMPLE

3. What is the primary concern with handling contrast media during patient examinations?

A. Risk of infection

B. Allergic reactions

C. Radiation exposure

D. Equipment failure

The primary concern with handling contrast media during patient examinations is allergic reactions. Contrast media, often used in imaging procedures to enhance the visibility of specific areas within the body, can sometimes trigger adverse responses in patients. These reactions can range from mild symptoms, such as rash or itching, to severe anaphylactic reactions, which can be life-threatening. Understanding the nature of contrast media, including the ingredients used, is crucial for healthcare providers to identify patients who may be at higher risk due to prior allergic reactions, asthma, or other related conditions. It is also essential to monitor patients after administration of contrast to quickly address any unexpected reactions. While considerations like the risk of infection, radiation exposure, and potential equipment failure are significant in their contexts, they do not represent the immediate primary concern associated specifically with the administration of contrast media, making allergic reactions the most pressing issue to prepare for and manage in clinical practice.

4. Reactions such as nausea, vomiting, and headaches when using contrast media are classified as what?

A. Mild reactions

B. Severe reactions

C. Moderate reactions

D. Allergic reactions

Nausea, vomiting, and headaches associated with the use of contrast media fall into the category of mild reactions. Mild reactions are typically those that do not require any medical intervention and are more common than severe reactions. They can occur due to the body's response to the contrast material but are generally self-limiting and resolve without the need for treatment. In contrast, severe reactions are more serious and may include symptoms such as anaphylaxis or other life-threatening responses that require immediate medical attention. Moderate reactions may involve symptoms that are more pronounced than mild reactions but not severe enough to require emergency measures. Allergic reactions are a specific type of response that could range in severity, but the symptoms mentioned do not explicitly indicate an allergic mechanism, especially as they are common and not life-threatening. Therefore, the classification of nausea, vomiting, and headaches as mild reactions is appropriate, acknowledging their common nature and self-limiting progression in many cases.

SAMPLE

5. What consequence might result from not adjusting SID when using AEC?

A. Inconsistent exposure

B. Image distortion

C. Increased radiation dose

D. Reduced image quality

The correct answer, which highlights the consequence of not adjusting the Source-to-Image Distance (SID) when using Automatic Exposure Control (AEC), centers around the principle of consistent exposure across radiographic images. AEC systems are designed to determine the appropriate exposure time automatically based on the amount of radiation reaching the detectors. When the SID is not adjusted accordingly, this can lead to varying amounts of radiation striking the detectors depending on the distance from the X-ray tube to the image receptor. Specifically, if the SID is increased without compensating for it in the AEC settings, the amount of radiation reaching the detectors may be reduced, resulting in underexposure. Conversely, if the SID is decreased, there might be an overexposure due to excessive radiation reaching the detectors. Both scenarios can lead to inconsistent exposure across images captured under different conditions, ultimately affecting the overall quality and diagnostic efficacy of the radiographic images. This critical relationship highlights the importance of maintaining proper SID adjustments relative to AEC settings, ensuring that images are consistently optimized for quality and accuracy.

6. How often should CR imaging plates be cleaned in a busy imaging department?

A. Weekly

B. Monthly

C. Biannually

D. Annually

In a busy imaging department, it is recommended to clean computed radiography (CR) imaging plates monthly. This frequency is essential to maintain image quality and ensure the longevity of the imaging equipment. Over time, dust, debris, and artifacts can accumulate on the plates, which can degrade image clarity and result in poorer diagnostic quality. Regular cleaning helps to minimize these issues, ensuring that the imaging plates function optimally and produce high-quality images that are crucial for accurate diagnoses. Choosing monthly cleaning strikes a balance between maintaining equipment performance and operational efficiency in a busy environment. If cleaning were done less frequently, such as biannually or annually, the risk of image degradation increases significantly, potentially leading to repeated exams and causing unnecessary delays in patient care. Similarly, while weekly cleaning may seem thorough, it could be excessive and lead to wear and tear on the plates or disruption of workflow, which can hinder a busy imaging department. Thus, a monthly schedule supports effective maintenance without compromising operational demands.

SAMPLE

7. After a myelogram, what instruction should be given to the patient regarding head elevation?

A. Keep head flat for 2 hours

B. Elevate head 30 degrees for six hours

C. Raise the head for 24 hours

D. No restrictions necessary

After a myelogram, it is important to elevate the head to reduce the risk of complications, such as headache, which may occur due to the position of the patient's head affecting cerebrospinal fluid (CSF) pressure. Elevating the head to about 30 degrees for six hours is a commonly recommended practice as it can help to alleviate any potential discomfort associated with the procedure and minimize post-procedure complications. This position aids in promoting the proper redistribution of CSF and can minimize the risk of post-puncture headache, a common side effect of the procedure. In the context of the other options, keeping the head flat for a certain period may not be as beneficial in preventing headaches following the myelogram, and raising the head for 24 hours or keeping head elevation without restrictions for that long could lead to increased discomfort or complications. Therefore, maintaining an elevation of 30 degrees strikes a balance between comfort and safety in the initial recovery phase after a myelogram.

8. Which term describes a long scale of contrast?

A. High contrast

B. Low contrast

C. Moderate contrast

D. Negative contrast

A long scale of contrast refers to a wide range of differences between the lightest and darkest areas of an image. In radiographic terms, this results in many shades of gray being displayed, which allows for greater detail and more subtle variations in tissue density to be visualized. This characteristic is known as low contrast. In imaging, low contrast enhances the ability to distinguish structures that are close in density, such as soft tissues, which is particularly important in modalities like MRI and some types of X-ray imaging where fine details need to be assessed. The presence of many gray shades helps to avoid a stark difference that could obscure diagnostic information. In contrast, high contrast images feature a more limited range of shades, often resulting in a pronounced difference between light and dark areas, making it easier to differentiate larger structures but potentially sacrificing details in adjacent areas. Thus, the accurate term for a long scale of contrast is low contrast.

SAMPLE

9. Who should witness a patient's signature on an informed consent form?

A. A family member

B. A healthcare worker who is not involved in the procedure

C. An attorney

D. An involved physician

The correct answer is that a healthcare worker who is not involved in the procedure should witness a patient's signature on an informed consent form. This practice ensures that the witness is impartial and can truthfully attest to the patient's understanding of the consent process and decision-making. An uninvolved healthcare worker can provide an additional layer of verification that the patient was not coerced or unduly influenced by the medical team directly involved in their care. Having someone who is not part of the procedure helps maintain the integrity of the consent process, as they can confirm that the patient was provided with all necessary information regarding the procedure and its associated risks and benefits. This approach not only supports ethical standards in healthcare but also enhances patient autonomy, allowing for a more informed decision. While family members or attorneys may have roles in supporting or advising a patient, their presence as witnesses does not provide the same level of impartiality required in this context. An involved physician witnessing the signature may inadvertently create a conflict of interest, as their direct participation could affect the patient's decision-making process. Therefore, the presence of a neutral healthcare worker is key in ensuring the legitimacy of the informed consent process.

10. Which position/projected view of the elbow demonstrates the olecranon process free from superimposition?

A. Medial oblique

B. Lateral

C. AP

D. External oblique

The lateral position or view of the elbow is specifically designed to provide a clear visual of the olecranon process without any superimposition from surrounding structures. In this position, the arm is flexed at 90 degrees, allowing for a profile view of the olecranon. This helps to delineate the shape and integrity of the olecranon process, making it particularly useful for assessing fractures or other abnormalities in that area. In contrast, other positions such as the medial oblique and external oblique might not allow the olecranon process to be visualized as clearly due to potential superimposition by the surrounding bones and soft tissues. The AP (anteroposterior) view, while useful for assessing joint spaces, does not provide the lateral projection that highlights the olecranon process distinctly. Therefore, the lateral view is the best choice for achieving a clear depiction of the olecranon process sans superimposition.

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://coretecarrt.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE