# COUGH REFLEX TEST (CRT) PRACTICE (SAMPLE)

## STUDY GUIDE



## SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

**VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE**

https://coughreflextest.examzify.com

**Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.**

**ALL RIGHTS RESERVED.**

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

# Table of Contents


Copyright ..... 1

Table of Contents ..... 2

Introduction ..... 3

How to Use This Guide ..... 4

Questions ..... 5

Answers ..... 8

Explanations ..... 10

Next Steps ..... 16


SAMPLE

# Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

# How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

### 1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

### 2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

### 3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

### 4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

### 5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

### 6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

# Questions

SAMPLE

1. **Cough associated with eating or drinking primarily suggests problems related to what?**

   A. Neuromuscular disease

   B. Pulmonary infections

   C. Chronic bronchitis

   D. Asthma

2. **Why should patients with chronic obstructive pulmonary disease (COPD) be monitored during the Cough Reflex Test?**

   A. They may experience improved lung function

   B. They are at risk for hyperventilation

   C. They could have a decreased cough response

   D. They may require additional medication

3. **In a patient with status asthmaticus receiving volume ventilation, what setting should a respiratory therapist decrease if the current I:E ratio is 1:2 and the PaCO2 is 51 torr?**

   A. Expiratory time

   B. Flow rate

   C. Inspiratory time

   D. Tidal volume

4. **How often should clinicians update their techniques and irritant safety in relation to CRT?**

   A. Every few months

   B. Only when significant errors occur

   C. Regularly for continuous improvement

   D. Annually as a standard practice

5. **Emphysema is often characterized by which of the following symptoms?**

   A. Wheezing cough

   B. Dry to productive cough

   C. Chronic productive cough

   D. Asymptomatic

SAMPLE

**6. What impact does neurogenic cough have on Cough Reflex Test evaluations?**

A. It enhances the clarity of cough responses

B. It may produce atypical cough patterns

C. It resolves before the test can be conducted

D. It complicates other cough-related assessments

**7. What would explain an oxygen concentration of 45% in a jet nebulizer set to an entrainment setting of 35%?**

A. Malfunctioning nebulizer

B. Water in the tubing

C. High flow rates

D. Inadequate oxygen supply

**8. Which medication is commonly recommended to lower systemic arterial blood pressure and decrease ventricular preload?**

A. Atenolol

B. Sodium nitroprusside (Nipride)

C. Lisinopril

D. Furosemide

**9. What is the normal respiratory rate for an infant?**

A. 25-30 breaths/min

B. 30-40 breaths/min

C. 35-45 breaths/min

D. 40-50 breaths/min

**10. What is the primary purpose of the Cough Reflex Test?**

A. To measure heart rate response

B. To assess cough effectiveness in airway protection

C. To determine lung capacity

D. To evaluate allergy responses

SAMPLE

# Answers

SAMPLE

1. A
2. C
3. C
4. C
5. C
6. B
7. B
8. B
9. C
10. B

SAMPLE

# Explanations

SAMPLE

## 1. Cough associated with eating or drinking primarily suggests problems related to what?

A. Neuromuscular disease

B. Pulmonary infections

C. Chronic bronchitis

D. Asthma

*Cough that occurs specifically during or after eating or drinking is indicative of a problem related to the mechanisms of swallowing and airway protection. This situation often points to issues with neuromuscular control of swallowing, where the muscles involved fail to function properly, leading to aspiration or choking. Conditions that can cause neuromuscular dysfunction include certain neurological disorders, such as stroke or amyotrophic lateral sclerosis, which can impair the coordination needed for safe swallowing. In this context, while pulmonary infections, chronic bronchitis, and asthma can cause cough, they typically do not manifest specifically during the act of eating or drinking. These conditions are more related to intrinsic pulmonary problems rather than neuromuscular coordination issues associated with swallowing which directly impact the cough reflex in response to oral intake.*

## 2. Why should patients with chronic obstructive pulmonary disease (COPD) be monitored during the Cough Reflex Test?

A. They may experience improved lung function

B. They are at risk for hyperventilation

C. They could have a decreased cough response

D. They may require additional medication

*Patients with chronic obstructive pulmonary disease (COPD) often have compromised respiratory function and changes in airway responsiveness. Monitoring during the Cough Reflex Test is essential because individuals with COPD may exhibit a decreased cough response. This diminished reflex can arise due to factors such as airway inflammation, mucus hypersecretion, and structural changes in the lungs that occur in COPD. A reduced cough reflex places these patients at greater risk for airway obstruction and aspiration, making it crucial to assess their ability to effectively cough. The Cough Reflex Test highlights how well patients can respond to irritants or stimuli, which provides insights into their airway protection mechanisms. Inadequate coughing may leave them more vulnerable to respiratory infections and other complications, emphasizing the importance of close monitoring during this assessment. Understanding the cough response in COPD patients can guide therapeutic interventions and help improve their overall management.*

SAMPLE

**3. In a patient with status asthmaticus receiving volume ventilation, what setting should a respiratory therapist decrease if the current I:E ratio is 1:2 and the PaCO2 is 51 torr?**

A. Expiratory time

B. Flow rate

C. Inspiratory time

D. Tidal volume

*In managing a patient with status asthmaticus who is receiving volume ventilation and has an elevated arterial carbon dioxide tension (PaCO2) level, adjusting the inspiratory time is crucial to improving ventilation and gas exchange. The current inspiratory-to-expiratory ratio of 1:2 indicates that there is twice as much time allotted for expiration compared to inspiration. If the patient's PaCO2 is elevated at 51 torr, this suggests that they are not adequately ventilating and retaining carbon dioxide. By decreasing the inspiratory time, the respiratory therapist allows the expiratory phase to be prolonged relative to the inspiratory phase. This can help lower the elevated PaCO2 by providing more time for expiration. In patients with obstructive airway conditions like asthma, ensuring sufficient time for expiration is vital, as these patients often have prolonged expiratory phases due to airway resistance. Thus, decreasing the inspiratory time optimizes the I:E ratio for better gas exchange and ventilation. Other settings like expiratory time or tidal volume adjustments would not directly target the problem of elevated CO2 as effectively as adjusting the inspiratory time. Flow rate could be related to how quickly the breath is delivered, but it does not specifically address the need for extended expiration given the current level*

**4. How often should clinicians update their techniques and irritant safety in relation to CRT?**

A. Every few months

B. Only when significant errors occur

C. Regularly for continuous improvement

D. Annually as a standard practice

*Clinicians should update their techniques and irritant safety regularly for continuous improvement because the field of airway management and respiratory therapy is constantly evolving. New research findings, technological advancements, and changing safety standards necessitate periodic reviews and updates of clinical practices. Continuously refining these techniques ensures that clinicians are utilizing the most effective methods while minimizing risks to patients. Such a proactive approach helps to incorporate new evidence-based strategies, enhances patient care quality, and maintains safety protocols in response to any emerging hazards or insights in clinical practice. An approach focused solely on significant errors or adhering to an annual schedule may not capture the need for immediate updates that could arise from new insights or innovative techniques. Regular reviews allow clinicians to stay informed about best practices, new protocols, and updated guidelines that benefit patient outcomes and safety measures.*

SAMPLE

## 5. Emphysema is often characterized by which of the following symptoms?

A. Wheezing cough

B. Dry to productive cough

C. Chronic productive cough

D. Asymptomatic

*Emphysema is a type of chronic obstructive pulmonary disease (COPD) that primarily involves the destruction of the alveoli in the lungs, leading to a reduction in respiratory function. One of the hallmark symptoms of emphysema is a chronic productive cough. This cough often results from the accumulation of mucus in the airways as the body attempts to clear debris and irritants. Patients may notice that their cough produces sputum, which can vary in color and consistency. In the context of learning about the symptoms of emphysema, it's vital to understand that while some patients may experience wheezing or have a dry cough at times, the persistent and productive nature of the cough is a key indicator of the disease. Chronic productive cough occurs in the later stages of the disease as lung function declines and the airways become obstructed. Recognizing this symptom can aid in differentiating emphysema from other respiratory conditions, which may present differently in terms of cough characteristics.*

## 6. What impact does neurogenic cough have on Cough Reflex Test evaluations?

A. It enhances the clarity of cough responses

B. It may produce atypical cough patterns

C. It resolves before the test can be conducted

D. It complicates other cough-related assessments

*Neurogenic cough is related to abnormalities in the neural pathways that control the cough reflex, often resulting in cough responses that are not typical of most respiratory conditions. When evaluating cough reflex tests, neurogenic cough can lead to atypical patterns due to its origin in the nervous system rather than in the respiratory tract itself. These atypical cough patterns may include abnormalities in timing, frequency, or intensity of the cough response. Such variations can obstruct the accurate interpretation of reflexive cough responses, making it challenging for healthcare professionals to assess the underlying cause of the cough reliably and to determine the effectiveness of interventions. Recognizing these atypical patterns is crucial for accurate diagnosis and management of patients with cough. The impact of neurogenic cough on Cough Reflex Test evaluations highlights the importance of considering diverse mechanisms that may influence cough production and response during clinical assessments. Understanding these distinctions allows for better-tailored treatment strategies and aids in distinguishing between primary cough syndromes and those secondary to neurogenic causes.*

SAMPLE

## 7. What would explain an oxygen concentration of 45% in a jet nebulizer set to an entrainment setting of 35%?

A. Malfunctioning nebulizer

B. Water in the tubing

C. High flow rates

D. Inadequate oxygen supply

*In a jet nebulizer, the entrainment setting determines the ratio of air to oxygen that is mixed for aerosol delivery. If the nebulizer is set to an entrainment setting of 35%, one would typically expect an oxygen concentration that reflects that blend, not significantly higher concentrations like 45%. The presence of water in the tubing can obstruct and alter the airflow and gas mixture dynamics, leading to a higher concentration of oxygen being delivered than what the entrainment setting would predict. Water accumulation can create a resistance to airflow, reducing the amount of room air that is entrained, thereby concentrating the oxygen in the mixture delivered to the patient. This explains why a higher-than-expected oxygen concentration might be observed under those conditions. Other factors, such as flow rates or oxygen supply, could also influence oxygen concentration but are less directly related to the immediate mechanical setup of the nebulizer itself compared to the effect of water in the tubing. A malfunctioning nebulizer could result in varying outcomes depending on the nature of the malfunction, while an inadequate oxygen supply generally affects pressure and flow rather than entrainment ratios specifically.*

## 8. Which medication is commonly recommended to lower systemic arterial blood pressure and decrease ventricular preload?

A. Atenolol

B. Sodium nitroprusside (Nipride)

C. Lisinopril

D. Furosemide

*Sodium nitroprusside, commonly referred to as Nipride, is a potent vasodilator used specifically to lower systemic arterial blood pressure quickly. It works by relaxing the smooth muscle in blood vessels, leading to dilation, which decreases peripheral resistance. This action reduces the pressure the heart must work against during pumping, effectively lowering ventricular preload. The quick onset of Sodium nitroprusside makes it particularly useful in acute hypertensive crises where rapid blood pressure control is necessary. While other medications listed can also impact blood pressure and preload, Sodium nitroprusside is uniquely effective for immediate results in emergency situations. For example, atenolol is a beta-blocker that primarily acts on heart rate and contractility but may not provide quick vascular effects. Lisinopril, an ACE inhibitor, helps to lower blood pressure and reduce preload over a longer duration. Furosemide is a diuretic that reduces blood volume and may lower preload, but it does not have the direct vasodilatory effects seen with Sodium nitroprusside. Thus, in terms of rapid and effective reduction of systemic arterial blood pressure and ventricular preload, Sodium nitroprusside is the medication of choice.*

SAMPLE

## 9. What is the normal respiratory rate for an infant?

A. 25-30 breaths/min

B. 30-40 breaths/min

C. 35-45 breaths/min

D. 40-50 breaths/min

*The normal respiratory rate for an infant is typically within the range of 35 to 45 breaths per minute. This rate reflects the higher metabolic needs of infants, who require more oxygen relative to their body size compared to older children and adults. In infancy, the respiratory system is still developing, and a more rapid breathing rate is necessary to support their growth and energy demands. Understanding this normal range is essential for healthcare professionals, as deviations from this can indicate respiratory distress or other health issues. While other ranges present potential breathing rates, they either fall outside the established norms for infants or are more applicable to older children and adults, making the choice of 35-45 breaths per minute the accurate answer for the question regarding infants.*

## 10. What is the primary purpose of the Cough Reflex Test?

A. To measure heart rate response

B. To assess cough effectiveness in airway protection

C. To determine lung capacity

D. To evaluate allergy responses

*The primary purpose of the Cough Reflex Test is to assess cough effectiveness in airway protection. This test evaluates how well an individual's cough reflex can clear secretions and protect the airways from potential pathogens or irritants. A strong cough reflex is essential for maintaining airway patency and preventing respiratory complications. Understanding how effectively a patient can cough is critical in various clinical scenarios, particularly in conditions like chronic obstructive pulmonary disease (COPD) or after surgical procedures, where the ability to clear secretions is necessary for recovery and to prevent infections. In contrast, measuring heart rate response does not provide relevant information regarding airway protection. Determining lung capacity focuses on the volume of air that can be inhaled or exhaled, which, while related to respiratory health, does not directly assess the effectiveness of the cough reflex. Evaluating allergy responses pertains to how the immune system reacts to allergens, which is separate from the mechanical action of coughing to clear airways.*

SAMPLE

# Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://coughreflextest.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE