CRITICAL CARE REGISTERED NURSE (CCRN) PRACTICE EXAM (SAMPLE)

STUDY GUIDE



SAMPLE STUDY GUIDE WITH LIMITED QUESTIONS

VISIT US ONLINE FOR THE FULL VERSION STUDY GUIDE

https://ccrn.examzify.com

Copyright © 2026 by Examzify - A Kaluba Technologies Inc. product.

ALL RIGHTS RESERVED.

No part of this book may be reproduced or transferred in any form or by any means, graphic, electronic, or mechanical, including photocopying, recording, web distribution, taping, or by any information storage retrieval system, without the written permission of the author.

Notice: Examzify makes every reasonable effort to obtain accurate, complete, and timely information about this product from reliable sources.

SAMPLE

Table of Contents

Copyright 1
Table of Contents 2
Introduction 3
How to Use This Guide 4
Questions 5
Answers 8
Explanations 10
Next Steps 16

SAMPLE

Introduction

Preparing for a certification exam can feel overwhelming, but with the right tools, it becomes an opportunity to build confidence, sharpen your skills, and move one step closer to your goals. At Examzify, we believe that effective exam preparation isn't just about memorization, it's about understanding the material, identifying knowledge gaps, and building the test-taking strategies that lead to success.

This guide was designed to help you do exactly that.

Whether you're preparing for a licensing exam, professional certification, or entry-level qualification, this book offers structured practice to reinforce key concepts. You'll find a wide range of multiple-choice questions, each followed by clear explanations to help you understand not just the right answer, but why it's correct.

The content in this guide is based on real-world exam objectives and aligned with the types of questions and topics commonly found on official tests. It's ideal for learners who want to:

- Practice answering questions under realistic conditions,
- Improve accuracy and speed,
- Review explanations to strengthen weak areas, and
- Approach the exam with greater confidence.

We recommend using this book not as a stand-alone study tool, but alongside other resources like flashcards, textbooks, or hands-on training. For best results, we recommend working through each question, reflecting on the explanation provided, and revisiting the topics that challenge you most.

Remember: successful test preparation isn't about getting every question right the first time, it's about learning from your mistakes and improving over time. Stay focused, trust the process, and know that every page you turn brings you closer to success.

Let's begin.

SAMPLE

How to Use This Guide

This guide is designed to help you study more effectively and approach your exam with confidence. Whether you're reviewing for the first time or doing a final refresh, here's how to get the most out of your Examzify study guide:

1. Start with a Diagnostic Review

Skim through the questions to get a sense of what you know and what you need to focus on. Your goal is to identify knowledge gaps early.

2. Study in Short, Focused Sessions

Break your study time into manageable blocks (e.g. 30 – 45 minutes). Review a handful of questions, reflect on the explanations.

3. Learn from the Explanations

After answering a question, always read the explanation, even if you got it right. It reinforces key points, corrects misunderstandings, and teaches subtle distinctions between similar answers.

4. Track Your Progress

Use bookmarks or notes (if reading digitally) to mark difficult questions. Revisit these regularly and track improvements over time.

5. Simulate the Real Exam

Once you're comfortable, try taking a full set of questions without pausing. Set a timer and simulate test-day conditions to build confidence and time management skills.

6. Repeat and Review

Don't just study once, repetition builds retention. Re-attempt questions after a few days and revisit explanations to reinforce learning. Pair this guide with other Examzify tools like flashcards, and digital practice tests to strengthen your preparation across formats.

There's no single right way to study, but consistent, thoughtful effort always wins. Use this guide flexibly, adapt the tips above to fit your pace and learning style. You've got this!

SAMPLE

Questions

SAMPLE

1. Which condition is characterized by hyporeflexia and flaccidity?

A. Upper motor neuron injury

B. Cerebral contusion

C. Lower motor neuron injury

D. Concussion

2. What phase follows the acute phase in Guillain-Barré Syndrome?

A. Recovery phase

B. Plateau phase

C. Chronic phase

D. Remission phase

3. What is the purpose of instructing a patient to lie still during a PET scan?

A. To prevent discomfort during the procedure

B. To ensure accurate imaging results

C. To allow for easier insertion of the I.V.

D. To minimize anxiety related to the test

4. What precaution should be taken when caring for an immunocompromised patient in the ICU?

A. Encourage family visits

B. Limit visitors and practice strict hand hygiene

C. Utilize routine cleaning procedures

D. Allow only one primary caregiver

5. What is the main goal of early enteral nutrition in critically ill patients?

A. To enhance wound healing

B. To prevent malnutrition

C. To reduce length of stay in the ICU

D. To stabilize blood sugar levels

SAMPLE

6. Which nursing intervention is crucial for a patient with an acute spinal cord injury?

A. Provide pain medication every 4 hours

B. Position the patient flat at all times

C. Regularly monitor vital signs and neuro status

D. Encourage unrestricted fluid intake

7. Which description accurately defines decorticate posturing?

A. Arms extended and pronated

B. Arms flexed at the elbows close to the body

C. Head tilted forward with eyes closed

D. Legs rigidly extended and parallel

8. What is one indication for monitoring intracranial pressure (ICP)?

A. Dehydration

B. Cerebral hemorrhage

C. Hyperglycemia

D. Kidney failure

9. What is typically the first sign of bleeding in a critically ill patient?

A. Increased heart rate

B. Decreased urine output

C. Change in mental status

D. Pallor

10. In emergency situations, what does the ABCDE approach refer to?

A. Airway, Breathing, Circulation, Disability, Exposure

B. Assessment, Breathing, Care, Diagnosis, Evaluation

C. Airway, Balance, Circulation, Determination, Exit

D. Assessment, Breathing, Comfort, Development, Evaluation

SAMPLE

Answers

SAMPLE

1. C
2. B
3. B
4. B
5. B
6. C
7. B
8. B
9. A
10. A

SAMPLE

Explanations

SAMPLE

1. Which condition is characterized by hyporeflexia and flaccidity?

A. Upper motor neuron injury

B. Cerebral contusion

C. Lower motor neuron injury

D. Concussion

Hyporeflexia and flaccidity are clinical signs that indicate lower motor neuron involvement. In lower motor neuron injury, the pathways that connect the spinal cord to the muscles are disrupted, leading to a lack of muscle tone and decreased reflexes. This results in a flaccid paralysis, where the affected muscles become weak and have reduced response to stimuli, reflective of impaired neural transmission at the level of the lower motor neurons. Upper motor neuron injuries, on the other hand, typically present with increased muscle tone (spasticity) and hyperreflexia due to continued reflex activity without proper inhibitory signals from the brain. Conditions such as cerebral contusions or concussions predominantly affect higher brain functions and may lead to a variety of neurological deficits, but do not produce the specific combination of hyporeflexia and flaccidity characteristic of lower motor neuron lesions. Thus, the presence of hyporeflexia and flaccidity distinctly points towards a lower motor neuron injury.

2. What phase follows the acute phase in Guillain-Barré Syndrome?

A. Recovery phase

B. Plateau phase

C. Chronic phase

D. Remission phase

In Guillain-Barré Syndrome, the phase that follows the acute phase is the plateau phase. During the acute phase, patients typically experience rapid neurological decline, with symptoms such as muscle weakness and sensory changes progressing over a period of days to weeks. Once the acute phase has subsided, the plateau phase can occur, where the neurological symptoms may stabilize but do not necessarily show significant improvement. This plateau is crucial as it indicates that the patient is no longer experiencing the worsening symptoms characteristic of the acute phase, but they are not yet in the recovery process. Understanding this progression helps healthcare professionals manage expectations regarding patient outcomes and design appropriate rehabilitation strategies. The recovery phase follows the plateau phase, where gradual improvement begins, leading to the potential for the patient to regain strength and sensory function. In contrast, chronic or remission phases suggest a different context that relates to various disease processes and are not applicable in the traditional phases of Guillain-Barré Syndrome.

3. What is the purpose of instructing a patient to lie still during a PET scan?

A. To prevent discomfort during the procedure

B. To ensure accurate imaging results

C. To allow for easier insertion of the I.V.

D. To minimize anxiety related to the test

The purpose of instructing a patient to lie still during a PET scan is to ensure accurate imaging results. During a PET scan, the patient is exposed to radioactive tracers, which emit positrons that are detected by the scanner to create detailed images of the body's metabolic activity. Any movement, such as shifting or fidgeting, can blur the images and compromise the quality and diagnostic value of the scan. By remaining still, the patient helps to provide clear, precise images, allowing for better assessment and diagnosis by the healthcare team. In contrast, minimizing discomfort, facilitating IV insertion, or reducing anxiety are important considerations in patient care, but they do not directly relate to the primary purpose of remaining still during the scanning process itself.

SAMPLE

4. What precaution should be taken when caring for an immunocompromised patient in the ICU?

A. Encourage family visits

B. Limit visitors and practice strict hand hygiene

C. Utilize routine cleaning procedures

D. Allow only one primary caregiver

When caring for an immunocompromised patient in the ICU, limiting visitors and practicing strict hand hygiene is critical to minimize the risk of infections. Immunocompromised patients have weakened immune systems due to various factors, including diseases, treatments, or other medical conditions that impair their ability to fight off infections. By restricting the number of visitors, the likelihood of exposure to potential infectious agents is reduced. Each person who enters the patient's environment can introduce germs, which can be especially harmful to someone with compromised immunity. Strict hand hygiene serves as an essential barrier to infection transmission, as it helps prevent pathogens from being transferred to the patient through direct contact or surface contamination. While family visits can provide emotional support, they must be balanced with the patient's health needs. Standard cleaning procedures might not be sufficient in this context, given the increased vulnerability of immunocompromised patients. Similarly, restricting to a single primary caregiver may be beneficial, but it does not address the broader issue of infection control as effectively as limiting overall visitors and enforcing strict hygiene practices.

5. What is the main goal of early enteral nutrition in critically ill patients?

A. To enhance wound healing

B. To prevent malnutrition

C. To reduce length of stay in the ICU

D. To stabilize blood sugar levels

The primary goal of early enteral nutrition in critically ill patients is to prevent malnutrition. Critical illness often leads to significant metabolic stress and increased nutritional requirements, making it essential to provide adequate nutrition early in the course of treatment. Early enteral nutrition helps maintain the integrity of the gastrointestinal (GI) tract, reduces the risk of gut mucosal atrophy, and supports the immune system. By preventing malnutrition, the nutritional status of the patient can be improved, which is crucial for recovery, optimal healing, and better overall outcomes. While enhancing wound healing, reducing length of stay in the ICU, and stabilizing blood sugar levels are important aspects of patient care, they are secondary effects resulting from adequate nutritional support in critically ill patients. Malnutrition can lead to longer recovery times, impaired healing, and complications, so addressing nutritional needs promptly is paramount in critical care settings.

SAMPLE

6. Which nursing intervention is crucial for a patient with an acute spinal cord injury?

A. Provide pain medication every 4 hours

B. Position the patient flat at all times

C. Regularly monitor vital signs and neuro status

D. Encourage unrestricted fluid intake

Monitoring vital signs and neurological status is crucial for a patient with an acute spinal cord injury due to the potential for life-threatening complications, including respiratory failure, altered hemodynamics, and loss of sensation or movement below the injury level. Changes in vital signs can indicate autonomic dysreflexia, which is a common and potentially dangerous condition that can arise after a spinal cord injury. Close neurological assessments are essential to detect any changes in the patient's condition promptly. For example, a decline in neurological function might signal worsening injury or the development of secondary complications, such as edema or hemorrhage. Timely recognition of these changes can lead to prompt interventions that are life-saving. While pain management, positioning, and fluid intake are also important aspects of care, they do not carry the same immediate critical relevance as ongoing monitoring, which directly influences patient safety and outcomes. Positioning, for example, may vary based on the type of injury and the clinical situation, whereas regular vital sign checks provide essential information about the patient's overall stability.

7. Which description accurately defines decorticate posturing?

A. Arms extended and pronated

B. Arms flexed at the elbows close to the body

C. Head tilted forward with eyes closed

D. Legs rigidly extended and parallel

Decorticate posturing is characterized by a specific flexion of the arms at the elbows, with the arms typically being drawn towards the body. This posture is indicative of damage to the brain's corticospinal pathways and is often associated with severe brain injury or significant neurological impairment. The positioning of the arms in this posture suggests that the brain's motor pathways are communicating a specific reflex response to injury, leading to compromise in higher brain functions. In contrast, other options describe different postures or physical presentations that do not correspond with decorticate positioning. For example, arms extended and pronated suggest a different motor response that might arise from brainstem injuries, while the description of the head tilted forward and eyes closed aligns more with a state of decreased responsiveness rather than the active flexion seen in decorticate posturing. The reference to legs being rigidly extended and parallel is characteristic of another form of posturing called decerebrate posturing, which indicates a different level of brain dysfunction. Understanding these distinctions is critical for assessing neurological status in patients.

SAMPLE

8. What is one indication for monitoring intracranial pressure (ICP)?

A. Dehydration

B. Cerebral hemorrhage

C. Hyperglycemia

D. Kidney failure

Monitoring intracranial pressure (ICP) is critical in the management of patients with cerebral hemorrhage. This condition can lead to increased pressure within the skull due to the accumulation of blood, which can compromise cerebral perfusion and lead to secondary brain injury. Elevated ICP can result in symptoms such as altered consciousness, pupil changes, and neurologic deterioration, making it vital to monitor and manage pressure effectively to prevent further complications. In contrast, while dehydration, hyperglycemia, and kidney failure can have significant impacts on a patient's overall health and hemodynamic status, they do not have a direct correlation with monitoring ICP. Dehydration primarily affects fluid balance and can impact renal function or perfusion but isn't specifically related to ICP. Similarly, hyperglycemia is more associated with metabolic control and complications such as diabetic ketoacidosis rather than intracranial pressure. Kidney failure may lead to various systemic issues and electrolyte imbalances, but it does not provide a direct rationale for monitoring ICP. Therefore, the most relevant and critical reason for monitoring ICP in the context of the given options is cerebral hemorrhage.

9. What is typically the first sign of bleeding in a critically ill patient?

A. Increased heart rate

B. Decreased urine output

C. Change in mental status

D. Pallor

In critically ill patients, an increased heart rate often serves as the first physiological response to bleeding. When there is a significant loss of blood volume, the body compensates by activating the sympathetic nervous system. This leads to an increase in heart rate (tachycardia) as the heart works harder to maintain adequate cardiac output and blood pressure while compensating for the decreased circulating volume. Monitoring heart rate is crucial in the early identification of potential bleeding, as the changes can occur even before more drastic symptoms arise. In contrast, decreased urine output and changes in mental status typically reflect more advanced stages of hypovolemia or may indicate renal impairment or decreased perfusion. Pallor may also occur later when the blood loss is significant enough to affect peripheral circulation. Identifying tachycardia early can prompt further assessment and intervention to ascertain the source and extent of bleeding, ultimately improving patient outcomes.

SAMPLE

10. In emergency situations, what does the ABCDE approach refer to?

A. Airway, Breathing, Circulation, Disability, Exposure

B. Assessment, Breathing, Care, Diagnosis, Evaluation

C. Airway, Balance, Circulation, Determination, Exit

D. Assessment, Breathing, Comfort, Development, Evaluation

*The ABCDE approach is a systematic method used in emergency situations to prioritize the critical steps necessary for effective patient assessment and management. The components of this approach are: - **Airway:** The first priority is to ensure that the airway is open and clear, as it is essential for effective breathing. Any obstruction should be addressed immediately to prevent hypoxia and other complications. - **Breathing:** After securing the airway, it is crucial to assess and manage breathing. This involves checking for adequate ventilation and oxygenation, identifying any respiratory distress, and providing supplemental oxygen or mechanical ventilation if needed. - **Circulation:** Next, the focus shifts to circulation, where the practitioner evaluates the patient's heart rate, blood pressure, and perfusion status. This step is vital for identifying and managing shock or other circulatory issues that may compromise organ function. - **Disability:** This component involves a quick neurologic assessment to determine the patient's level of consciousness and any potential neurological deficits. Identifying disability helps ascertain the severity of the patient's condition and guides further treatment. - **Exposure:** Finally, exposure involves removing clothing to perform a thorough examination while ensuring that the patient is kept warm to prevent hypothermia. This is vital for detecting any hidden injuries or*

SAMPLE

Next Steps

Congratulations on reaching the final section of this guide. You've taken a meaningful step toward passing your certification exam and advancing your career.

As you continue preparing, remember that consistent practice, review, and self-reflection are key to success. Make time to revisit difficult topics, simulate exam conditions, and track your progress along the way.

If you need help, have suggestions, or want to share feedback, we'd love to hear from you. Reach out to our team at hello@examzify.com.

Or visit your dedicated course page for more study tools and resources:

https://ccrn.examzify.com

We wish you the very best on your exam journey. You've got this!

SAMPLE